Length of Stay by Operation, United States, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — see *also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457562	3.2	14	<1	1	2	4	6	8	17
20-34	884527	3.7	12	1	1	3	4	7	9	17
35-49	398667	5.0	23	1	1	3	6	10	13	24
50-64	367284	5.9	32	1	2	4	8	12	16	27
65+	360961	7.0	51	1	2	5	9	15	20	35
2. MULTIPLE DX										
0-19 YRS	384111	5.1	57	1	1	3	5	10	16	44
20-34	931648	5.3	34	1	2	4	6	9	14	31
35-49	614043	7.3	56	1	2	6	9	14	20	40
50-64	833794	9.3	84	2	2	7	12	19	26	50
65+	1330494	11.9	121	2	3	9	15	24	33	63
TOT. SINGLE DX	2469001	4.6	25	1	1	3	5	9	13	24
" MULTIPLE DX	4094090	8.5	85	1	2	6	10	18	26	51
TOTAL 0-19 YRS	841673	4.1	35	<1	1	3	4	7	11	31
20-34	1816175	4.5	24	1	1	3	5	8	11	25
35-49	1012710	6.4	44	1	2	5	8	13	17	34
50-64	1201078	8.2	71	1	2	6	10	17	23	45
65+	1691455	10.8	110	2	2	8	14	23	31	58
GRAND TOTAL	**6563091**	**7.0**	**66**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	313	11.1	90	1	2	9	14	22	32	54
20-34	456	14.4	127	4	5	12	17	24	38	69
35-49	513	13.9	84	3	5	11	18	25	31	56
50-64	730	16.1	136	5	6	13	19	30	40	80
65+	668	18.1	161	5	7	14	22	35	41	70
2. MULTIPLE DX										
0-19 YRS	520	17.7	286	2	3	13	24	48	73	99+
20-34	507	23.5	389	5	7	17	29	54	81	99+
35-49	677	22.8	337	6	7	17	30	54	80	99+
50-64	1362	25.0	328	7	9	19	33	57	75	99+
65+	1628	28.8	344	8	10	25	39	61	77	99+
TOT. SINGLE DX	2680	15.3	130	3	5	12	19	29	39	69
" MULTIPLE DX	4694	25.0	349	5	8	20	34	57	77	99+
TOTAL 0-19 YRS	833	15.2	223	2	2	11	20	37	59	99+
20-34	963	19.2	286	4	6	14	22	42	62	99
35-49	1190	18.9	248	4	7	14	23	41	61	99+
50-64	2092	21.9	279	6	8	17	28	48	67	99+
65+	2296	25.7	315	7	9	21	35	55	71	99+
GRAND TOTAL	**7374**	**21.5**	**291**	**4**	**7**	**16**	**28**	**48**	**67**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	10.1	63	3	3	8	12	18	28	43
20-34	236	13.6	113	3	5	11	16	25	35	86
35-49	243	16.4	164	5	6	13	19	30	39	88
50-64	350	17.1	156	5	6	14	20	33	45	99
65+	340	17.2	147	5	6	14	21	35	45	64
2. MULTIPLE DX										
0-19 YRS	376	19.0	379	3	5	11	27	59	86	99+
20-34	419	21.7	370	5	6	15	30	58	82	99+
35-49	406	24.9	428	5	7	18	36	63	87	99+
50-64	566	26.4	345	7	9	22	36	64	80	99+
65+	869	26.3	327	7	9	22	35	53	68	99+
TOT. SINGLE DX	1391	15.3	140	4	5	12	19	30	40	72
" MULTIPLE DX	2636	24.3	368	5	7	19	34	59	78	99+
TOTAL 0-19 YRS	598	15.7	280	3	4	9	18	42	68	99+
20-34	655	18.7	293	4	6	13	24	48	75	99+
35-49	649	21.7	346	5	7	15	28	52	72	99+
50-64	916	22.9	294	6	8	18	31	52	71	99+
65+	1209	23.8	293	6	8	19	31	49	63	98
GRAND TOTAL	**4027**	**21.2**	**308**	**5**	**6**	**16**	**28**	**49**	**68**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	484	5.9	16	2	3	5	7	9	11	19
20-34	173	6.8	14	2	3	6	9	12	14	19
35-49	81	7.1	22	2	3	6	8	12	18	26
50-64	54	9.4	40	3	4	8	12	16	24	34
65+	28	8.3	27	2	3	8	12	14	16	26
2. MULTIPLE DX										
0-19 YRS	461	9.1	103	2	3	6	10	17	32	60
20-34	363	12.2	178	3	3	8	13	31	57	99+
35-49	180	12.1	143	3	4	9	14	26	34	82
50-64	127	15.3	240	4	4	10	18	34	61	98
65+	51	19.0	309	3	6	12	24	51	62	99+
TOT. SINGLE DX	820	6.5	19	2	3	6	8	11	14	22
" MULTIPLE DX	1182	11.6	162	3	3	8	13	27	45	99+
TOTAL 0-19 YRS	945	7.5	61	2	3	6	8	12	18	52
20-34	536	10.5	132	3	3	7	12	21	45	99+
35-49	261	10.6	111	3	3	8	12	20	28	69
50-64	181	13.5	187	3	4	9	16	29	43	87
65+	79	15.2	234	3	3	10	16	42	57	93
GRAND TOTAL	**2002**	**9.5**	**110**	**2**	**3**	**7**	**10**	**18**	**31**	**76**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	8.0	35	2	3	7	10	13	18	29
20-34	59	11.4	50	4	4	10	14	22	35	99+
35-49	54	15.6	158	5	5	12	20	26	44	70
50-64	72	14.6	140	4	5	11	18	24	37	71
65+	145	18.5	166	6	7	15	24	34	45	69
2. MULTIPLE DX										
0-19 YRS	417	20.2	410	3	4	12	28	56	81	99+
20-34	143	20.9	359	6	6	14	26	55	67	99+
35-49	104	27.0	572	5	7	18	51	95	99+	99+
50-64	190	25.6	306	6	8	22	39	61	78	99+
65+	456	30.0	332	8	11	26	41	61	85	99+
TOT. SINGLE DX	605	12.3	111	3	4	9	15	24	32	66
" MULTIPLE DX	1310	25.0	393	5	6	20	37	62	85	99+
TOTAL 0-19 YRS	692	15.3	297	3	4	9	17	43	64	99+
20-34	202	18.1	287	5	6	12	22	49	65	99+
35-49	158	23.1	459	5	6	16	33	78	99+	99+
50-64	262	22.6	284	5	7	18	32	55	74	99+
65+	601	27.2	317	7	9	24	38	56	72	99+
GRAND TOTAL	**1915**	**21.0**	**338**	**4**	**5**	**15**	**29**	**52**	**72**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	7.2	57	2	2	6	8	13	17	46
20-34	116	10.0	107	1	2	7	12	17	27	57
35-49	71	14.2	127	3	4	12	18	30	43	52
50-64	59	13.2	172	2	3	9	16	27	44	64
65+	63	13.3	219	1	2	9	17	27	38	91
2. MULTIPLE DX										
0-19 YRS	1177	12.5	229	2	3	7	14	32	50	99
20-34	361	19.2	339	3	4	12	28	56	87	99+
35-49	212	19.1	295	3	4	14	28	53	74	99+
50-64	241	23.6	420	3	4	17	32	56	74	99+
65+	272	24.8	363	4	7	19	31	55	68	98
TOT. SINGLE DX	693	9.5	104	2	2	6	11	18	27	56
" MULTIPLE DX	2263	16.8	313	2	3	10	23	46	66	99+
TOTAL 0-19 YRS	1561	11.2	192	2	3	6	12	27	45	91
20-34	477	16.9	299	3	3	11	23	48	73	99+
35-49	283	17.8	258	3	4	13	25	46	67	99+
50-64	300	21.6	388	3	4	16	30	51	70	97
65+	335	22.6	356	3	4	17	29	50	67	99
GRAND TOTAL	**2956**	**15.1**	**274**	**2**	**3**	**9**	**19**	**40**	**59**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	12.7	132	4	5	9	15	25	39	63
20-34	855	10.3	38	4	5	9	12	17	21	33
35-49	1726	10.8	40	5	5	9	13	18	23	33
50-64	1688	11.9	47	5	6	10	14	20	25	36
65+	868	15.3	86	6	7	12	19	27	34	49
2. MULTIPLE DX										
0-19 YRS	75	17.4	153	4	6	15	26	48	99+	99+
20-34	728	15.7	168	5	6	12	19	31	46	93
35-49	1452	14.8	106	5	6	12	18	27	35	65
50-64	2430	17.5	183	6	7	13	21	34	48	90
65+	2120	22.0	237	7	8	17	28	43	58	97
TOT. SINGLE DX	5195	11.9	54	5	6	10	14	20	25	39
" MULTIPLE DX	6805	18.2	190	6	7	14	22	36	49	93
TOTAL 0-19 YRS	133	15.4	149	4	5	12	21	33	60	99+
20-34	1583	12.8	105	4	5	10	15	23	32	70
35-49	3178	12.7	75	5	6	10	15	23	29	51
50-64	4118	15.2	135	5	6	12	18	28	38	73
65+	2988	20.1	203	7	8	16	25	39	52	91
GRAND TOTAL	**12000**	**15.4**	**141**	**5**	**6**	**12**	**18**	**29**	**39**	**75**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	10.7	93	1	2	8	14	22	34	46
20-34	425	9.0	92	1	1	6	12	21	31	44
35-49	466	8.9	85	1	2	6	12	19	25	48
50-64	296	10.6	101	1	2	8	15	21	29	49
65+	129	14.4	164	2	2	12	19	28	36	70
2. MULTIPLE DX										
0-19 YRS	300	20.0	244	3	5	16	29	43	52	99+
20-34	624	13.9	200	2	2	9	19	34	47	88
35-49	742	13.0	166	2	2	9	16	31	41	62
50-64	673	15.9	211	2	2	12	21	35	46	74
65+	443	22.5	338	3	4	17	31	51	62	99+
TOT. SINGLE DX	1474	9.9	101	1	2	7	13	21	29	48
" MULTIPLE DX	2782	16.2	232	2	2	11	22	37	50	86
TOTAL 0-19 YRS	458	16.8	211	2	3	13	23	37	48	99
20-34	1049	11.9	163	1	2	8	15	30	40	70
35-49	1208	11.4	139	2	2	8	14	25	36	59
50-64	969	14.3	184	2	2	11	18	31	43	64
65+	572	20.6	310	2	4	16	28	46	60	97
GRAND TOTAL	**4256**	**14.0**	**195**	**2**	**2**	**10**	**18**	**32**	**45**	**77**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	3.6	19	<1	1	2	4	6	12	18
20-34	975	3.1	6	<1	1	2	3	6	8	14
35-49	1301	3.2	7	<1	1	2	4	6	9	16
50-64	1668	3.3	10	<1	1	3	4	6	9	16
65+	780	3.9	16	1	1	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	115	4.4	32	<1	1	3	4	9	11	34
20-34	589	5.0	34	1	1	3	5	12	16	28
35-49	800	5.8	44	1	2	3	7	12	18	34
50-64	1081	6.6	62	1	2	4	8	15	21	46
65+	634	7.8	79	1	2	4	9	20	28	53
TOT. SINGLE DX	4907	3.3	11	<1	1	2	4	6	9	16
" MULTIPLE DX	3219	6.3	56	1	2	4	7	14	21	41
TOTAL 0-19 YRS	298	3.9	24	<1	1	2	4	8	11	27
20-34	1564	3.8	18	<1	1	3	4	8	12	22
35-49	2101	4.2	24	1	1	3	4	9	12	26
50-64	2749	4.6	34	1	1	3	5	9	14	31
65+	1414	5.6	48	1	2	3	6	13	20	39
GRAND TOTAL	**8126**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	538	2.5	4	<1	1	2	3	4	5	9
20-34	3947	2.3	2	<1	<1	2	3	4	5	9
35-49	5736	2.4	3	<1	1	2	3	4	5	10
50-64	5712	2.5	4	<1	1	2	3	4	5	11
65+	3128	2.7	5	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	765	2.9	16	1	1	2	3	5	7	15
20-34	2390	3.5	20	1	1	2	4	7	10	25
35-49	2823	4.5	26	1	1	3	5	10	14	26
50-64	3861	4.6	25	1	1	3	5	10	15	27
65+	2756	5.5	47	1	1	3	6	12	18	33
TOT. SINGLE DX	19061	2.5	4	<1	1	2	3	4	5	10
" MULTIPLE DX	12595	4.5	30	1	1	3	5	10	14	28
TOTAL 0-19 YRS	1303	2.7	12	1	1	2	3	4	6	14
20-34	6337	2.8	9	<1	1	2	3	5	7	15
35-49	8559	3.1	12	<1	1	2	3	5	9	18
50-64	9573	3.4	14	<1	1	2	3	6	10	20
65+	5884	4.0	27	1	1	2	4	8	13	27
GRAND TOTAL	**31656**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.6	20	2	3	5	9	12	18	20
20-34	124	7.3	30	2	3	6	9	13	17	30
35-49	126	8.1	21	1	3	7	11	15	16	20
50-64	155	10.8	69	3	4	9	12	18	26	39
65+	180	12.2	53	4	5	10	15	21	24	41
2. MULTIPLE DX										
0-19 YRS	10	12.6	383	2	3	6	7	42	67	67
20-34	130	8.0	30	3	4	6	9	14	21	33
35-49	164	12.2	102	2	4	9	16	26	32	46
50-64	441	16.7	173	5	6	13	20	34	43	95
65+	964	19.2	195	6	7	15	23	36	49	91
TOT. SINGLE DX	601	9.8	49	2	3	8	12	17	22	36
" MULTIPLE DX	1709	17.0	180	4	6	13	21	33	45	89
TOTAL 0-19 YRS	26	8.9	159	2	3	5	9	17	29	67
20-34	254	7.6	30	2	4	6	9	14	19	32
35-49	290	10.4	71	2	3	8	13	20	27	42
50-64	595	15.2	153	4	5	12	18	31	40	87
65+	1144	18.1	180	5	7	14	22	34	46	90
GRAND TOTAL	**2310**	**15.1**	**156**	**4**	**5**	**12**	**19**	**30**	**40**	**82**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.5	25	1	2	4	6	13	16	22
20-34	116	5.0	42	<1	<1	2	6	10	18	37
35-49	154	6.1	31	<1	1	4	9	14	16	26
50-64	144	6.3	43	<1	1	4	8	13	17	38
65+	65	6.2	19	1	2	5	9	11	13	25
2. MULTIPLE DX										
0-19 YRS	33	3.8	16	1	1	3	4	8	10	22
20-34	147	8.4	53	1	1	6	12	18	24	31
35-49	221	9.7	75	1	2	7	14	22	29	40
50-64	221	10.5	103	2	3	7	13	22	27	67
65+	214	13.4	105	2	3	11	19	26	30	50
TOT. SINGLE DX	505	5.9	36	<1	1	4	8	12	16	32
" MULTIPLE DX	836	10.4	89	1	2	8	14	23	28	50
TOTAL 0-19 YRS	59	4.6	21	1	1	3	5	11	14	22
20-34	263	6.9	51	<1	1	4	10	16	23	36
35-49	375	8.2	60	1	2	5	11	17	26	35
50-64	365	8.8	84	1	2	6	11	18	25	56
65+	279	11.7	94	1	2	9	16	25	29	50
GRAND TOTAL	**1341**	**8.7**	**74**	**1**	**1**	**6**	**11**	**19**	**26**	**41**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	4.4	12	2	2	4	5	6	8	18
20-34	2844	4.3	4	2	3	4	5	6	7	13
35-49	3071	4.3	4	2	3	4	5	6	7	12
50-64	2515	4.6	7	3	3	4	5	6	8	14
65+	1072	5.5	18	3	3	5	6	8	12	22
2. MULTIPLE DX										
0-19 YRS	163	6.2	36	2	3	5	7	10	13	31
20-34	1045	5.8	30	3	3	5	6	9	13	26
35-49	1581	6.1	30	3	3	5	6	10	14	28
50-64	1923	7.1	38	3	3	5	8	13	19	32
65+	1331	9.1	62	3	4	6	11	18	24	37
TOT. SINGLE DX	9927	4.5	7	2	3	4	5	6	8	14
" MULTIPLE DX	6043	7.0	42	3	3	5	8	13	18	33
TOTAL 0-19 YRS	588	4.9	20	2	3	4	5	8	10	19
20-34	3889	4.7	12	2	3	4	5	7	9	17
35-49	4652	4.9	14	2	3	4	5	7	10	19
50-64	4438	5.7	23	3	3	4	6	9	13	26
65+	2403	7.5	46	3	3	5	8	14	20	34
GRAND TOTAL	**15970**	**5.5**	**22**	**3**	**3**	**4**	**6**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	773	2.4	2	1	1	2	3	4	5	8
20-34	486	3.5	7	1	1	3	4	6	7	12
35-49	333	4.0	6	1	2	3	5	7	9	14
50-64	387	4.8	8	2	2	4	6	8	9	14
65+	228	7.2	63	2	2	5	8	13	18	48
2. MULTIPLE DX										
0-19 YRS	107	4.4	15	1	1	3	6	8	12	20
20-34	309	7.2	52	1	2	5	8	15	21	42
35-49	384	7.8	47	2	3	5	9	15	21	42
50-64	653	9.0	67	3	3	6	10	17	25	57
65+	651	13.0	150	3	4	9	16	28	40	63
TOT. SINGLE DX	2207	3.8	14	1	1	3	4	7	9	17
" MULTIPLE DX	2104	9.5	91	2	3	6	11	20	29	53
TOTAL 0-19 YRS	880	2.6	5	1	1	2	3	4	6	11
20-34	795	4.9	28	1	2	3	5	9	14	32
35-49	717	6.0	32	2	2	4	7	11	16	36
50-64	1040	7.4	50	2	3	5	8	14	20	45
65+	879	11.5	134	3	3	7	14	26	33	60
GRAND TOTAL	**4311**	**6.6**	**59**	**1**	**2**	**4**	**7**	**13**	**21**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	9.6	51	1	3	9	11	17	26	38
20-34	197	9.8	18	4	6	9	11	15	19	24
35-49	155	10.7	35	4	5	10	12	17	22	37
50-64	139	12.1	63	5	6	9	14	21	27	49
65+	76	14.9	114	4	4	11	18	33	41	49
2. MULTIPLE DX										
0-19 YRS	40	12.3	73	2	4	9	15	24	30	40
20-34	194	13.3	99	5	6	10	14	24	34	74
35-49	228	17.3	183	6	7	12	20	36	46	86
50-64	302	17.9	160	6	7	14	23	34	43	94
65+	215	20.9	197	5	8	17	27	41	51	91
TOT. SINGLE DX	625	11.2	50	4	5	9	13	19	23	42
" MULTIPLE DX	979	17.3	165	5	7	13	21	34	44	86
TOTAL 0-19 YRS	98	10.7	62	2	3	9	13	21	28	40
20-34	391	11.5	61	5	6	10	13	20	25	50
35-49	383	14.6	134	5	6	11	17	27	38	68
50-64	441	16.1	137	5	7	13	20	31	38	85
65+	291	19.3	182	4	7	16	25	38	48	80
GRAND TOTAL	**1604**	**14.9**	**129**	**4**	**6**	**11**	**18**	**30**	**38**	**69**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	650	1.3		<1	<1	1	2	2	2	5
20-34	159	1.7		<1	<1	1	2	3	3	5
35-49	198	1.9	5	<1	<1	1	2	3	4	10
50-64	368	2.1	6	<1	<1	2	2	3	5	10
65+	538	2.2	3	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	119	2.2	10	<1	<1	2	2	3	6	17
20-34	86	4.9	45	<1	1	2	5	13	26	31
35-49	243	4.7	52	<1	<1	2	5	11	17	32
50-64	430	5.0	31	<1	1	3	7	11	15	27
65+	672	5.7	53	<1	1	3	7	13	19	42
TOT. SINGLE DX	1913	1.8	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1550	5.1	44	<1	1	3	6	12	17	34
TOTAL 0-19 YRS	769	1.5	2	<1	<1	1	2	2	3	7
20-34	245	2.8	19	<1	<1	2	3	5	8	28
35-49	441	3.5	33	<1	<1	2	3	8	13	28
50-64	798	3.7	22	<1	<1	2	4	9	12	23
65+	1210	4.2	34	<1	1	2	4	9	15	32
GRAND TOTAL	**3463**	**3.3**	**24**	**<1**	**<1**	**2**	**3**	**7**	**11**	**26**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	769	1.8		<1	<1	2	2	3	3	5
20-34	359	2.3	6	<1	<1	2	3	4	5	12
35-49	654	1.9	1	<1	<1	2	2	3	4	7
50-64	1200	2.0	1	<1	<1	2	2	3	4	6
65+	1550	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	988	3.0	19	<1	1	2	3	6	8	17
20-34	1286	3.7	23	<1	1	2	4	7	9	25
35-49	1029	3.8	37	<1	1	2	4	6	11	33
50-64	1773	3.5	19	1	1	2	4	6	10	25
65+	2427	4.9	48	1	1	2	5	12	18	38
TOT. SINGLE DX	4532	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	7503	4.0	33	1	1	2	4	8	13	31
TOTAL 0-19 YRS	1757	2.5	12	<1	1	2	3	4	6	13
20-34	1645	3.4	20	<1	1	2	4	7	9	23
35-49	1683	3.1	24	<1	1	2	3	5	8	22
50-64	2973	2.9	13	<1	1	2	3	5	7	17
65+	3977	3.8	33	<1	1	2	3	8	13	31
GRAND TOTAL	**12035**	**3.2**	**22**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	1.9	1	<1	<1	2	2	3	4	6
20-34	157	2.7	37	1	1	2	3	3	4	8
35-49	155	2.3	1	1	1	2	3	3	4	7
50-64	230	2.5	1	1	1	2	3	4	4	6
65+	326	2.6	1	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	119	3.3	35	1	1	2	3	6	8	37
20-34	120	3.3	18	1	1	2	3	5	9	26
35-49	95	3.3	9	1	1	2	3	8	9	18
50-64	174	3.1	12	1	2	2	3	4	5	24
65+	384	3.7	26	1	2	3	3	6	9	24
TOT. SINGLE DX	1026	2.5	7	1	1	2	3	4	4	7
" MULTIPLE DX	892	3.4	22	1	1	2	3	5	8	25
TOTAL 0-19 YRS	277	2.5	17	<1	1	2	2	4	6	20
20-34	277	3.0	29	1	1	2	3	4	5	22
35-49	250	2.7	5	1	1	2	3	4	8	11
50-64	404	2.8	6	1	1	2	3	4	5	11
65+	710	3.2	15	1	2	3	3	5	7	15
GRAND TOTAL	**1918**	**2.9**	**14**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	1.5		<1	<1	1	2	2	3	5
20-34	45	1.9	5	<1	<1	1	2	3	3	17
35-49	56	2.0	2	<1	<1	2	2	3	6	9
50-64	45	1.9	1	<1	<1	2	2	3	4	7
65+	61	2.4	6	<1	<1	2	3	4	5	18
2. MULTIPLE DX										
0-19 YRS	58	2.3	3	<1	1	2	3	4	7	10
20-34	42	3.6	10	<1	1	3	5	7	9	18
35-49	38	4.9	34	<1	1	3	5	14	20	25
50-64	65	3.7	19	<1	1	2	3	10	16	20
65+	96	5.2	52	1	1	2	6	11	17	40
TOT. SINGLE DX	292	1.9	3	<1	<1	2	2	3	4	10
" MULTIPLE DX	299	4.1	28	1	1	2	4	9	15	30
TOTAL 0-19 YRS	143	1.9	2	<1	<1	1	2	3	5	9
20-34	87	2.7	9	<1	<1	2	3	6	7	18
35-49	94	3.2	17	<1	<1	2	3	6	11	24
50-64	110	3.0	13	<1	<1	2	3	5	14	18
65+	157	4.1	36	<1	1	2	4	9	15	39
GRAND TOTAL	**591**	**3.0**	**17**	**<1**	**<1**	**2**	**3**	**6**	**10**	**21**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	4.2	21	1	2	3	4	7	9	33
20-34	226	3.7	7	1	2	3	4	6	7	8
35-49	157	3.5	2	1	2	3	4	6	7	9
50-64	184	4.2	7	1	2	4	5	7	10	16
65+	613	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	48	4.9	12	1	2	4	6	9	13	20
20-34	103	4.9	11	2	2	4	6	8	13	20
35-49	117	5.0	22	2	2	4	5	9	11	31
50-64	289	4.9	15	1	2	4	5	9	13	22
65+	1019	4.9	20	2	2	4	6	7	11	23
TOT. SINGLE DX	1237	3.9	6	1	2	3	5	6	7	12
" MULTIPLE DX	1576	4.9	19	1	2	4	6	8	11	22
TOTAL 0-19 YRS	105	4.5	17	1	2	3	5	8	10	26
20-34	329	4.0	9	1	2	4	5	6	7	14
35-49	274	4.1	12	1	2	4	5	7	9	15
50-64	473	4.6	12	1	2	4	5	8	11	21
65+	1632	4.5	15	1	2	4	5	7	8	18
GRAND TOTAL	**2813**	**4.4**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	3.1	5	<1	1	2	4	6	7	14
20-34	340	2.3	4	<1	<1	2	2	4	5	10
35-49	350	2.1	2	<1	<1	2	2	4	5	8
50-64	330	2.0	1	<1	<1	2	2	3	4	7
65+	312	2.3	5	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	366	4.5	29	1	1	4	5	8	11	25
20-34	317	4.4	12	1	1	3	5	8	10	19
35-49	189	4.0	12	1	1	3	5	8	12	20
50-64	220	4.9	48	1	1	3	5	11	17	32
65+	438	4.4	28	1	1	2	5	10	15	28
TOT. SINGLE DX	1561	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	1530	4.5	26	1	1	3	5	9	12	25
TOTAL 0-19 YRS	595	4.0	21	1	1	3	5	7	10	19
20-34	657	3.3	10	<1	1	2	4	6	9	14
35-49	539	2.7	7	<1	<1	2	3	5	7	15
50-64	550	3.2	23	<1	1	2	3	6	10	23
65+	750	3.5	20	<1	1	2	3	8	11	25
GRAND TOTAL	**3091**	**3.4**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.5	3	1	1	2	3	4	5	13
20-34	103	3.5	6	1	1	3	4	7	8	15
35-49	230	3.3	5	1	1	3	4	6	9	14
50-64	585	3.4	9	1	1	3	4	6	8	14
65+	1278	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	97	3.5	25	1	1	2	4	6	9	32
20-34	102	4.5	12	1	2	3	5	10	12	17
35-49	137	4.3	15	1	2	3	5	8	12	23
50-64	427	4.7	27	1	2	3	5	9	11	23
65+	1204	4.8	22	1	2	3	5	9	13	24
TOT. SINGLE DX	2371	3.3	7	1	1	3	4	6	8	14
" MULTIPLE DX	1967	4.6	23	1	2	3	5	9	12	23
TOTAL 0-19 YRS	272	2.9	12	1	1	2	3	5	6	15
20-34	205	4.0	10	1	1	3	5	8	11	16
35-49	367	3.7	10	1	1	3	4	7	9	18
50-64	1012	3.9	17	1	2	3	4	8	10	21
65+	2482	4.0	15	1	2	3	4	8	11	20
GRAND TOTAL	**4338**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.6	5	1	1	3	5	7	9	10
20-34	108	3.4	5	1	1	3	5	6	9	12
35-49	181	2.5	2	1	1	2	3	4	5	9
50-64	500	2.9	4	1	1	2	3	5	7	12
65+	913	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	204	5.3	16	1	1	4	7	11	13	21
20-34	201	4.7	12	1	1	4	6	10	12	17
35-49	159	4.4	12	1	1	4	6	9	12	19
50-64	412	4.9	23	1	1	3	6	11	15	30
65+	1059	5.1	45	1	1	3	6	10	14	34
TOT. SINGLE DX	1798	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	2035	5.0	32	1	1	3	6	10	14	28
TOTAL 0-19 YRS	300	4.8	13	1	1	4	6	9	12	18
20-34	309	4.2	11	1	1	3	5	9	11	15
35-49	340	3.4	8	1	1	2	4	7	9	14
50-64	912	3.8	14	1	1	3	4	8	11	19
65+	1972	4.2	30	1	1	3	4	8	11	27
GRAND TOTAL	**3833**	**4.1**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.7	5	1	1	2	3	4	5	12
20-34	53	2.7	1	1	2	2	3	4	5	5
35-49	1261	2.7	1	1	2	2	3	4	4	7
50-64	8835	2.6	1	1	2	2	3	4	4	7
65+	33430	2.8	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	70	4.1	13	1	1	3	4	9	11	20
20-34	93	4.4	15	1	2	3	5	8	10	25
35-49	846	3.7	23	2	2	3	4	6	9	20
50-64	6909	3.5	12	2	2	3	4	5	8	17
65+	32353	3.9	18	2	2	3	4	6	10	22
TOT. SINGLE DX	43655	2.7	2	2	2	3	3	4	5	8
" MULTIPLE DX	40271	3.8	18	2	2	3	4	6	9	21
TOTAL 0-19 YRS	146	3.3	8	1	1	3	4	5	9	18
20-34	146	3.8	11	1	2	3	4	7	8	23
35-49	2107	3.1	11	1	2	3	3	4	6	12
50-64	15744	3.0	6	2	2	3	3	4	6	11
65+	65783	3.3	11	2	2	3	3	5	7	16
GRAND TOTAL	**83926**	**3.2**	**10**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	398	2.3	1	1	1	2	3	3	4	8
20-34	231	2.2	1	<1	1	2	2	3	4	8
35-49	1621	2.2		1	1	2	2	3	3	5
50-64	7759	2.2		1	1	2	2	3	4	5
65+	27595	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	204	2.8	5	1	1	2	3	5	7	17
20-34	224	3.4	18	1	1	2	4	6	9	33
35-49	855	3.0	13	1	2	2	3	5	7	19
50-64	4802	2.9	9	1	2	2	3	4	6	14
65+	20620	3.0	9	1	2	2	3	4	7	16
TOT. SINGLE DX	37604	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	26705	3.0	10	1	2	2	3	4	7	16
TOTAL 0-19 YRS	602	2.5	3	1	1	2	3	4	5	12
20-34	455	2.8	10	1	1	2	3	5	6	11
35-49	2476	2.4	5	1	1	2	3	3	4	9
50-64	12561	2.5	4	1	1	2	3	3	4	9
65+	48215	2.6	5	1	2	2	3	4	5	11
GRAND TOTAL	**64309**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.0	2	<1	<1	2	2	3	6	8
20-34	27	2.5	3	1	1	2	3	3	5	11
35-49	176	2.2		1	1	2	3	3	4	6
50-64	1188	2.2	1	1	1	2	3	3	4	6
65+	4259	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	9	2.2	2	<1	<1	2	3	5	5	5
20-34	21	2.5	1	<1	1	2	3	4	5	5
35-49	102	3.4	64	1	1	2	3	4	5	46
50-64	786	2.9	5	1	2	2	3	4	7	14
65+	3307	3.3	13	1	2	2	3	5	8	21
TOT. SINGLE DX	5666	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	4225	3.2	13	1	2	2	3	5	8	19
TOTAL 0-19 YRS	25	2.1	3	<1	<1	2	2	4	6	8
20-34	48	2.5	2	1	1	2	3	4	4	11
35-49	278	2.7	24	1	1	2	3	4	4	9
50-64	1974	2.5	3	1	1	2	3	4	5	10
65+	7566	2.8	7	1	2	2	3	4	5	13
GRAND TOTAL	**9891**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	4.5	6	1	2	4	6	8	9	14
20-34	480	4.7	7	2	2	4	6	8	9	14
35-49	520	4.6	6	1	2	4	6	8	9	13
50-64	1754	4.7	7	1	2	4	6	8	9	15
65+	1682	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	187	5.3	29	2	2	4	6	8	10	22
20-34	403	5.7	30	2	2	5	7	9	12	19
35-49	423	5.7	16	2	2	5	7	10	13	19
50-64	1534	5.5	17	2	2	5	7	10	12	22
65+	1887	5.7	14	2	2	5	7	10	12	20
TOT. SINGLE DX	4665	4.8	7	1	2	4	6	8	10	15
" MULTIPLE DX	4434	5.6	18	2	2	5	7	10	12	20
TOTAL 0-19 YRS	416	4.9	17	1	2	4	6	8	9	15
20-34	883	5.2	18	2	2	4	6	9	11	18
35-49	943	5.1	11	1	2	4	6	9	11	16
50-64	3288	5.1	12	2	2	4	6	9	11	17
65+	3569	5.4	11	2	2	5	7	9	11	18
GRAND TOTAL	**9099**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	4	<1	1	2	4	5	8	12
20-34	106	3.7	5	1	1	3	5	8	8	12
35-49	93	3.6	8	1	1	3	4	6	8	17
50-64	227	3.6	5	1	2	3	4	7	9	13
65+	551	3.4	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	126	4.6	52	1	1	3	5	9	11	99+
20-34	325	5.3	35	1	2	4	6	9	12	28
35-49	298	4.9	19	1	2	4	6	8	11	28
50-64	643	4.9	28	1	2	4	6	9	12	25
65+	1094	4.9	34	1	2	3	5	9	12	32
TOT. SINGLE DX	1066	3.4	6	1	1	3	4	6	8	13
" MULTIPLE DX	2486	4.9	32	1	2	4	6	9	12	32
TOTAL 0-19 YRS	215	3.9	33	1	1	3	5	7	10	86
20-34	431	4.9	28	1	1	4	6	8	11	23
35-49	391	4.6	17	1	2	4	5	8	11	21
50-64	870	4.6	23	1	2	3	5	8	11	22
65+	1645	4.4	25	1	2	3	5	8	11	25
GRAND TOTAL	**3552**	**4.5**	**25**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5948	1.6		<1	<1	2	2	2	2	3
20-34	1129	1.9		1	1	2	2	3	3	4
35-49	555	2.0		1	1	2	2	3	3	5
50-64	265	2.0		1	1	2	2	3	3	5
65+	186	2.0		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1200	1.9	9	<1	1	2	2	2	3	6
20-34	362	2.4	12	1	1	2	2	3	4	14
35-49	258	2.2	1	1	1	2	2	3	4	6
50-64	217	2.7	8	1	1	2	3	4	6	21
65+	161	2.8	13	1	2	2	3	4	5	18
TOT. SINGLE DX	8083	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	2198	2.2	9	1	1	2	2	3	3	10
TOTAL 0-19 YRS	7148	1.7	2	<1	<1	2	2	2	2	3
20-34	1491	2.0	3	1	1	2	2	3	3	5
35-49	813	2.0	1	1	1	2	2	3	3	5
50-64	482	2.3	4	1	1	2	2	3	4	11
65+	347	2.4	7	1	1	2	2	3	4	8
GRAND TOTAL	**10281**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.1	1	<1	<1	2	3	3	4	5
20-34	15	3.4	16	1	1	2	3	8	15	17
35-49	10	1.8		1	1	2	2	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	7	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	4.9	159	1	1	2	3	4	33	57
20-34	14	4.0	39	<1	<1	2	4	8	21	25
35-49	7	5.3	54	2	2	3	3	18	22	22
50-64	8	15.0	586	1	1	2	23	57	64	64
65+	8	5.5	13	<1	<1	5	9	10	10	10
TOT. SINGLE DX	58	2.3	5	<1	1	2	2	3	5	16
" MULTIPLE DX	56	6.3	157	<1	1	2	4	10	37	64
TOTAL 0-19 YRS	43	3.3	71	<1	1	2	3	3	5	57
20-34	29	3.7	27	<1	<1	2	3	7	17	25
35-49	17	3.2	24	1	1	2	3	3	15	22
50-64	10	12.5	484	1	1	2	5	53	64	64
65+	15	3.6	11	<1	1	2	6	9	10	10
GRAND TOTAL	**114**	**4.3**	**83**	**<1**	**1**	**2**	**3**	**6**	**16**	**60**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	2.8	5	<1	1	2	3	6	8	12
20-34	309	3.1	4	1	1	2	4	6	7	10
35-49	227	3.4	9	1	1	3	4	6	9	18
50-64	282	3.2	6	1	1	2	4	6	7	14
65+	482	3.7	12	1	1	3	4	7	10	21
2. MULTIPLE DX										
0-19 YRS	337	4.4	21	1	1	3	5	9	13	27
20-34	541	4.9	34	1	2	3	5	9	14	32
35-49	296	5.1	26	1	2	3	6	11	13	30
50-64	453	5.6	43	1	2	4	6	12	18	35
65+	814	5.9	42	1	2	4	7	14	19	38
TOT. SINGLE DX	1634	3.3	8	1	1	2	4	6	8	14
" MULTIPLE DX	2441	5.3	36	1	2	3	6	11	16	34
TOTAL 0-19 YRS	671	3.6	14	1	1	2	4	7	11	17
20-34	850	4.3	24	1	1	3	5	8	12	23
35-49	523	4.4	19	1	1	3	5	9	12	26
50-64	735	4.7	30	1	2	3	5	9	14	31
65+	1296	5.1	33	1	2	3	6	11	16	31
GRAND TOTAL	**4075**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1421	2.0	1	<1	<1	2	2	3	4	7
20-34	526	2.1	3	<1	<1	2	2	4	5	11
35-49	268	2.1	2	<1	<1	2	2	4	5	9
50-64	307	2.5	5	<1	<1	2	3	5	7	13
65+	449	3.4	17	<1	1	2	3	6	11	21
2. MULTIPLE DX										
0-19 YRS	866	3.4	15	<1	1	2	4	6	8	25
20-34	512	5.1	60	<1	1	3	5	12	19	35
35-49	314	5.4	59	1	1	3	6	12	17	29
50-64	424	6.0	62	1	1	3	8	14	20	31
65+	745	9.1	114	1	2	6	12	21	29	59
TOT. SINGLE DX	2971	2.3	5	<1	<1	2	2	4	5	12
" MULTIPLE DX	2861	5.8	66	1	1	3	6	13	20	42
TOTAL 0-19 YRS	2287	2.5	8	<1	<1	2	3	4	6	13
20-34	1038	3.6	34	<1	<1	2	4	7	12	29
35-49	582	3.9	36	<1	<1	2	4	9	13	26
50-64	731	4.5	42	<1	1	2	5	11	15	27
65+	1194	7.0	86	1	1	3	9	17	24	47
GRAND TOTAL	**5832**	**4.0**	**38**	**<1**	**<1**	**2**	**4**	**9**	**14**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	2.1		1	1	2	3	3	3	5
20-34	966	2.3		1	1	2	3	3	4	5
35-49	1357	2.4	1	1	1	2	3	3	4	6
50-64	1385	2.4	1	1	1	2	3	3	4	6
65+	632	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	108	2.3		1	1	2	3	3	4	5
20-34	307	2.7	2	1	1	2	3	4	5	11
35-49	413	2.7	2	1	1	3	3	4	5	7
50-64	525	3.0	20	1	2	3	3	4	5	12
65+	268	2.9	2	1	2	3	3	4	5	12
TOT. SINGLE DX	4571	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	1621	2.8	8	1	1	3	3	4	5	11
TOTAL 0-19 YRS	339	2.2	1	1	1	2	3	3	4	5
20-34	1273	2.4	1	1	1	2	3	3	4	6
35-49	1770	2.4	2	1	1	2	3	4	4	6
50-64	1910	2.5	6	1	1	2	3	3	4	7
65+	900	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**6192**	**2.5**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2374	1.9		1	1	2	2	3	3	4
20-34	1749	2.0		1	1	2	2	3	3	5
35-49	1311	2.1		1	1	2	2	3	3	5
50-64	1136	2.1		1	1	2	3	3	3	5
65+	404	2.1		1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	1748	2.1	1	1	1	2	2	3	3	6
20-34	1333	2.4	9	1	1	2	3	3	4	8
35-49	1143	2.6	5	1	1	2	3	4	5	11
50-64	1174	2.8	5	1	2	2	3	4	6	14
65+	520	3.0	9	1	2	2	3	4	7	17
TOT. SINGLE DX	6974	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	5918	2.5	5	1	1	2	3	3	4	10
TOTAL 0-19 YRS	4122	2.0	1	1	1	2	2	3	3	4
20-34	3082	2.2	4	1	1	2	2	3	3	6
35-49	2454	2.3	3	1	1	2	3	3	4	8
50-64	2310	2.5	3	1	1	2	3	3	4	9
65+	924	2.6	6	1	1	2	3	4	5	15
GRAND TOTAL	**12892**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13707	1.1		<1	<1	<1	1	1	2	4
20-34	393	1.8	2	<1	<1	1	2	3	4	10
35-49	311	2.0	4	<1	<1	2	2	3	4	10
50-64	269	1.9	3	<1	<1	2	2	3	4	9
65+	167	2.2	20	<1	<1	1	2	3	4	19
2. MULTIPLE DX										
0-19 YRS	7625	1.9	7	<1	<1	1	2	3	5	12
20-34	308	3.0	15	<1	1	2	3	7	11	18
35-49	267	3.8	49	<1	1	2	3	8	14	33
50-64	309	6.1	83	1	1	3	7	16	22	44
65+	226	8.5	152	1	1	4	10	21	29	77
TOT. SINGLE DX	14847	1.2	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	8735	2.3	17	<1	<1	1	2	4	7	18
TOTAL 0-19 YRS	21332	1.4	3	<1	<1	1	1	2	2	8
20-34	701	2.4	8	<1	<1	2	2	4	7	17
35-49	578	2.9	26	<1	<1	2	2	4	8	24
50-64	578	4.1	50	<1	1	2	3	9	17	31
65+	393	5.8	106	<1	1	2	6	15	23	60
GRAND TOTAL	**23582**	**1.6**	**7**	**<1**	**<1**	**1**	**1**	**2**	**4**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	688	2.6	5	1	1	2	3	4	5	8
20-34	606	2.7	4	1	1	2	3	4	5	9
35-49	438	2.9	5	1	1	2	3	5	6	10
50-64	422	2.9	2	1	2	3	3	5	6	9
65+	170	3.6	12	2	2	3	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	979	3.1	11	1	1	2	3	4	6	15
20-34	790	3.0	4	1	1	2	3	5	7	12
35-49	641	3.1	7	1	1	3	3	5	7	16
50-64	731	4.0	25	1	2	3	4	6	11	31
65+	338	5.8	67	2	2	3	5	11	23	50
TOT. SINGLE DX	2324	2.8	5	1	1	2	3	4	6	10
" MULTIPLE DX	3479	3.5	18	1	2	3	3	5	9	24
TOTAL 0-19 YRS	1667	2.9	9	1	1	2	3	4	6	13
20-34	1396	2.8	5	1	1	2	3	4	6	10
35-49	1079	3.0	6	1	1	3	3	5	6	15
50-64	1153	3.6	17	1	2	3	4	5	8	21
65+	508	5.1	50	2	2	3	4	9	16	43
GRAND TOTAL	**5803**	**3.2**	**13**	**1**	**1**	**3**	**3**	**5**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	871	1.8	4	<1	<1	1	2	3	3	9
20-34	538	2.5	2	1	1	2	3	4	5	8
35-49	552	2.9	4	1	1	2	3	5	6	12
50-64	651	3.0	8	1	1	2	3	5	7	11
65+	229	3.1	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	691	2.3	9	<1	<1	2	2	3	6	16
20-34	365	3.1	9	1	1	2	3	5	7	17
35-49	375	3.3	9	1	1	2	3	6	10	18
50-64	443	4.4	35	1	2	3	4	8	14	40
65+	212	5.9	69	1	1	3	6	13	18	62
TOT. SINGLE DX	2841	2.5	5	<1	<1	2	3	4	6	10
" MULTIPLE DX	2086	3.4	23	<1	1	2	3	6	10	24
TOTAL 0-19 YRS	1562	2.0	7	<1	<1	1	2	3	5	12
20-34	903	2.8	5	1	1	2	3	4	6	13
35-49	927	3.1	7	1	1	2	3	5	7	15
50-64	1094	3.6	20	1	1	3	4	6	9	23
65+	441	4.5	39	1	1	3	4	9	13	35
GRAND TOTAL	**4927**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1023	2.5		1	1	2	3	4	4	5
20-34	2091	2.5	1	1	1	2	3	4	4	6
35-49	880	2.4	1	1	1	2	3	4	4	6
50-64	458	2.5	1	1	1	2	3	4	4	7
65+	111	3.3	13	1	2	3	3	5	6	25
2. MULTIPLE DX										
0-19 YRS	1492	2.6	1	1	1	3	3	4	5	7
20-34	3597	2.8	3	1	1	3	3	4	5	8
35-49	1911	3.1	6	1	1	3	3	5	6	14
50-64	1101	3.5	11	1	2	3	4	5	8	17
65+	315	3.9	11	1	2	3	4	7	10	19
TOT. SINGLE DX	4563	2.5	2	1	1	2	3	4	4	6
" MULTIPLE DX	8416	3.0	5	1	1	3	3	4	5	12
TOTAL 0-19 YRS	2515	2.6	1	1	1	2	3	4	4	6
20-34	5688	2.7	3	1	1	3	3	4	5	8
35-49	2791	2.9	5	1	1	3	3	4	5	11
50-64	1559	3.2	8	1	2	3	4	5	7	16
65+	426	3.7	12	1	2	3	4	7	9	19
GRAND TOTAL	**12979**	**2.8**	**4**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3048	2.4	1	1	1	2	3	4	5	6
20-34	6021	2.3	2	1	1	2	3	4	4	6
35-49	2669	2.3	1	1	1	2	3	4	4	6
50-64	1222	2.4	1	1	1	2	3	4	5	7
65+	358	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	4064	2.6	5	1	1	2	3	4	5	9
20-34	9051	2.7	5	1	1	2	3	4	5	10
35-49	4894	3.0	8	1	1	3	3	4	6	14
50-64	2955	3.4	12	1	1	3	4	6	8	18
65+	952	4.4	27	1	1	3	5	9	14	25
TOT. SINGLE DX	13318	2.3	2	1	1	2	3	4	4	6
" MULTIPLE DX	21916	2.9	8	1	1	2	3	4	6	14
TOTAL 0-19 YRS	7112	2.5	4	1	1	2	3	4	5	8
20-34	15072	2.5	4	1	1	2	3	4	5	8
35-49	7563	2.8	6	1	1	2	3	4	5	11
50-64	4177	3.1	10	1	1	3	3	5	7	16
65+	1310	4.0	22	1	1	3	4	7	12	24
GRAND TOTAL	**35234**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	2.3	8	<1	<1	2	2	4	5	12
20-34	580	2.2	2	<1	<1	2	3	4	5	7
35-49	641	2.2	2	<1	<1	2	3	4	5	9
50-64	913	2.4	7	<1	<1	2	3	4	5	13
65+	1087	2.9	13	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	516	2.8	9	<1	1	2	3	5	7	16
20-34	923	2.9	12	1	1	2	3	5	6	12
35-49	1139	3.3	11	1	1	2	4	5	8	21
50-64	1536	3.9	24	1	1	3	4	7	11	26
65+	1713	6.3	56	1	2	3	8	14	22	46
TOT. SINGLE DX	3650	2.5	8	<1	<1	2	3	4	6	12
" MULTIPLE DX	5827	4.2	30	1	1	3	4	9	13	30
TOTAL 0-19 YRS	945	2.6	9	<1	1	2	3	4	6	15
20-34	1503	2.6	9	<1	1	2	3	4	5	10
35-49	1780	2.9	9	<1	1	2	3	5	6	16
50-64	2449	3.4	18	<1	1	2	3	6	9	23
65+	2800	5.0	43	1	1	3	5	11	16	39
GRAND TOTAL	**9477**	**3.6**	**22**	**<1**	**1**	**2**	**4**	**7**	**11**	**26**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1711	1.6	1	<1	<1	1	2	3	4	6
20-34	1351	2.3	5	<1	<1	2	3	5	6	9
35-49	554	3.4	5	<1	1	3	5	6	8	12
50-64	537	4.5	8	1	1	4	6	8	10	13
65+	377	4.9	12	1	1	4	6	10	12	17
2. MULTIPLE DX										
0-19 YRS	1840	2.7	12	<1	1	2	3	5	7	14
20-34	2170	3.7	23	1	1	2	4	7	10	23
35-49	912	4.7	26	1	1	3	6	9	12	23
50-64	908	5.9	30	1	2	5	7	11	14	26
65+	1189	7.5	56	1	2	6	9	14	20	46
TOT. SINGLE DX	4530	2.7	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	7019	4.5	30	1	1	3	5	9	12	27
TOTAL 0-19 YRS	3551	2.2	8	<1	<1	2	2	4	5	10
20-34	3521	3.2	17	<1	1	2	4	6	8	19
35-49	1466	4.2	19	1	1	3	5	8	10	19
50-64	1445	5.4	23	1	2	4	7	10	12	23
65+	1566	6.9	47	1	2	5	8	13	18	42
GRAND TOTAL	**11549**	**3.8**	**22**	**<1**	**1**	**2**	**5**	**8**	**10**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	2.6	3	1	1	2	3	4	6	9
20-34	674	2.9	3	1	1	3	3	5	6	11
35-49	669	2.9	3	1	1	3	3	5	6	10
50-64	553	3.1	3	1	1	3	4	5	6	9
65+	265	3.9	8	1	2	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	173	4.3	20	1	2	3	5	10	13	23
20-34	700	4.3	32	1	1	3	4	8	12	27
35-49	758	4.4	23	1	2	3	5	8	13	25
50-64	714	5.0	38	1	2	3	5	10	15	33
65+	409	6.8	70	1	2	4	7	15	20	44
TOT. SINGLE DX	2342	3.0	4	1	1	3	4	5	6	11
" MULTIPLE DX	2754	4.9	37	1	2	3	5	10	14	33
TOTAL 0-19 YRS	354	3.4	12	1	1	2	4	6	10	17
20-34	1374	3.6	19	1	1	3	4	6	9	20
35-49	1427	3.7	15	1	1	3	4	6	9	20
50-64	1267	4.2	24	1	2	3	4	7	11	27
65+	674	5.7	48	1	2	3	6	12	17	34
GRAND TOTAL	**5096**	**4.0**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	296	2.9	9	<1	1	2	3	6	9	15
20-34	566	3.2	8	1	1	2	4	6	8	16
35-49	516	3.6	17	1	1	2	4	8	10	21
50-64	455	3.6	13	1	1	3	4	7	9	17
65+	234	4.1	14	1	1	3	5	9	11	24
2. MULTIPLE DX										
0-19 YRS	402	5.7	44	<1	1	3	7	14	21	31
20-34	736	4.6	38	1	1	3	5	9	13	30
35-49	772	4.9	41	1	1	3	5	10	15	34
50-64	782	5.6	40	1	1	4	6	12	17	32
65+	508	7.3	72	1	2	4	9	17	24	41
TOT. SINGLE DX	2067	3.5	13	1	1	2	4	7	9	17
" MULTIPLE DX	3200	5.5	47	1	1	3	6	12	18	33
TOTAL 0-19 YRS	698	4.5	31	<1	1	2	5	10	16	28
20-34	1302	4.0	26	1	1	3	4	8	11	24
35-49	1288	4.4	32	1	1	3	5	9	13	29
50-64	1237	4.9	31	1	1	3	5	10	15	30
65+	742	6.3	56	1	2	4	8	14	21	35
GRAND TOTAL	**5267**	**4.7**	**34**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7456	1.6		<1	<1	2	2	2	2	3
20-34	6155	1.7	1	<1	<1	2	2	2	2	4
35-49	1286	2.0	1	<1	<1	2	2	3	3	7
50-64	856	2.2	11	<1	1	2	2	3	3	10
65+	467	3.0	31	1	1	2	3	4	7	31
2. MULTIPLE DX										
0-19 YRS	2587	2.5	18	<1	1	2	2	4	6	21
20-34	3982	4.1	43	<1	1	2	3	10	16	35
35-49	2763	4.3	42	1	1	2	3	10	16	36
50-64	3301	5.1	58	1	1	2	5	12	19	46
65+	2932	7.0	96	1	2	3	8	18	27	72
TOT. SINGLE DX	16220	1.7	2	<1	<1	2	2	2	3	4
" MULTIPLE DX	15565	4.6	54	1	1	2	4	11	17	43
TOTAL 0-19 YRS	10043	1.8	5	<1	<1	2	2	2	3	7
20-34	10137	2.6	19	<1	<1	2	2	3	8	22
35-49	4049	3.6	31	<1	1	2	3	7	13	30
50-64	4157	4.5	50	1	1	2	4	10	16	39
65+	3399	6.5	89	1	2	3	7	16	25	69
GRAND TOTAL	**31785**	**3.2**	**30**	**<1**	**1**	**2**	**2**	**5**	**11**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	920	1.1		<1	<1	1	1	2	2	3
20-34	114	2.3	16	<1	<1	1	2	3	5	25
35-49	57	2.3	3	<1	<1	2	2	4	7	10
50-64	46	2.8	1	1	2	3	3	4	5	7
65+	20	2.6	4	<1	1	2	3	5	8	10
2. MULTIPLE DX										
0-19 YRS	709	1.6	13	<1	<1	1	2	2	2	11
20-34	214	5.0	75	<1	1	2	5	14	17	66
35-49	76	4.2	32	1	1	2	4	12	15	31
50-64	34	4.0	16	1	1	2	5	9	12	19
65+	30	10.3	192	<1	1	4	15	27	50	54
TOT. SINGLE DX	1157	1.4	2	<1	<1	1	1	2	3	7
" MULTIPLE DX	1063	2.8	36	<1	<1	1	2	5	12	37
TOTAL 0-19 YRS	1629	1.4	6	<1	<1	1	1	2	2	6
20-34	328	4.1	56	<1	<1	2	3	11	17	46
35-49	133	3.4	21	<1	1	2	3	9	13	26
50-64	80	3.3	8	1	1	3	4	7	9	17
65+	50	7.2	130	<1	1	3	5	21	28	54
GRAND TOTAL	**2220**	**2.1**	**19**	**<1**	**<1**	**1**	**2**	**3**	**6**	**19**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	267	2.1	2	<1	<1	2	3	4	4	8
20-34	478	2.3	7	<1	<1	2	2	4	5	9
35-49	790	2.2	2	<1	1	2	2	4	4	9
50-64	572	2.7	3	<1	1	2	3	4	5	10
65+	180	3.5	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	333	2.6	6	1	1	2	3	4	6	11
20-34	404	3.9	38	1	1	2	3	8	12	24
35-49	490	3.8	22	1	1	2	4	8	12	34
50-64	584	4.2	27	1	1	3	4	7	11	28
65+	289	6.5	103	1	2	3	6	14	23	58
TOT. SINGLE DX	2287	2.4	4	<1	1	2	3	4	5	10
" MULTIPLE DX	2100	4.1	37	1	1	2	4	8	12	32
TOTAL 0-19 YRS	600	2.4	4	<1	1	2	3	4	5	9
20-34	882	3.0	23	<1	1	2	3	5	9	20
35-49	1280	2.8	11	<1	1	2	3	4	7	17
50-64	1156	3.4	16	<1	1	2	4	5	8	21
65+	469	5.3	69	1	2	3	5	10	19	48
GRAND TOTAL	**4387**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	450	2.8	2	1	1	2	3	5	6	9
20-34	1062	3.2	3	1	1	3	4	5	6	10
35-49	1188	3.5	3	1	2	3	4	5	6	11
50-64	1495	3.9	7	1	2	3	4	6	8	15
65+	1119	4.6	10	2	2	4	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	143	3.9	11	1	1	3	5	8	9	18
20-34	402	4.4	29	1	2	3	5	8	11	22
35-49	608	4.8	16	1	2	4	5	9	12	26
50-64	973	5.7	28	2	2	4	6	11	15	26
65+	1230	7.4	58	2	3	5	9	15	21	45
TOT. SINGLE DX	5314	3.7	6	1	2	3	4	6	8	14
" MULTIPLE DX	3356	5.9	38	2	2	4	7	11	16	32
TOTAL 0-19 YRS	593	3.1	5	1	1	3	4	5	7	10
20-34	1464	3.5	11	1	1	3	4	6	8	14
35-49	1796	3.9	8	1	2	3	4	6	9	17
50-64	2468	4.6	17	1	2	4	5	8	11	23
65+	2349	6.0	38	2	2	4	7	11	17	33
GRAND TOTAL	**8670**	**4.6**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	801	3.8	3	1	1	4	5	6	7	9
20-34	36	3.9	4	1	2	4	5	6	7	12
35-49	17	3.6	2	2	2	3	4	7	8	8
50-64	8	3.0	2	1	1	3	4	5	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	614	4.2	5	1	2	4	5	7	8	12
20-34	49	3.7	3	1	2	4	5	6	6	10
35-49	27	9.7	145	1	3	5	8	27	42	49
50-64	12	4.8	16	<1	1	4	5	11	15	16
65+	13	9.6	138	2	2	5	10	29	40	42
TOT. SINGLE DX	864	3.8	4	1	1	4	5	6	7	9
" MULTIPLE DX	715	4.5	14	1	2	4	5	7	8	20
TOTAL 0-19 YRS	1415	4.0	4	1	2	4	5	6	7	10
20-34	85	3.8	4	1	2	4	5	6	7	11
35-49	44	7.4	98	2	2	4	6	18	32	49
50-64	20	4.1	11	<1	1	3	5	8	12	16
65+	15	8.7	125	2	2	4	10	26	38	42
GRAND TOTAL	**1579**	**4.1**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1785	3.1	8	<1	<1	2	4	7	8	11
20-34	614	3.7	21	<1	<1	2	5	8	10	21
35-49	587	3.6	17	<1	1	2	4	7	10	22
50-64	1145	4.3	32	<1	1	2	4	10	14	28
65+	1220	4.5	35	1	1	3	5	10	14	29
2. MULTIPLE DX										
0-19 YRS	1514	3.5	15	<1	1	2	4	7	9	17
20-34	1032	4.9	40	<1	1	3	6	10	14	34
35-49	809	6.8	75	<1	1	4	7	16	25	47
50-64	1504	8.6	109	1	1	5	11	21	30	62
65+	2073	9.6	123	1	2	6	12	21	32	64
TOT. SINGLE DX	5351	3.8	23	<1	1	2	4	8	11	23
" MULTIPLE DX	6932	7.0	85	1	1	4	8	16	25	51
TOTAL 0-19 YRS	3299	3.3	12	<1	1	2	4	7	8	15
20-34	1646	4.5	34	<1	1	3	5	9	12	31
35-49	1396	5.5	54	<1	1	3	6	11	21	42
50-64	2649	6.7	81	1	1	3	8	16	25	51
65+	3293	7.7	97	1	2	4	9	17	28	53
GRAND TOTAL	**12283**	**5.6**	**60**	**<1**	**1**	**3**	**6**	**12**	**19**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23330	1.8		1	1	2	2	2	3	4
20-34	15392	2.0		1	1	2	2	3	3	5
35-49	1472	2.2	1	1	1	2	3	3	4	6
50-64	242	2.6	11	1	1	2	3	4	5	14
65+	89	3.5	21	1	1	2	3	6	13	25
2. MULTIPLE DX										
0-19 YRS	4622	2.1	4	1	1	2	2	3	4	8
20-34	2848	2.6	4	1	1	2	3	4	5	12
35-49	453	3.2	12	1	1	2	3	5	7	21
50-64	148	4.5	60	1	1	3	4	8	14	26
65+	71	9.0	159	1	2	3	10	24	45	58
TOT. SINGLE DX	40525	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	8142	2.4	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	27952	1.9	1	1	1	2	2	3	3	5
20-34	18240	2.1	2	1	1	2	2	3	4	6
35-49	1925	2.5	4	1	1	2	3	4	5	10
50-64	390	3.3	31	1	1	2	3	5	8	22
65+	160	6.0	89	1	1	2	5	13	24	53
GRAND TOTAL	**48667**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37011	1.7		<1	1	2	2	2	2	3
20-34	1228	2.2	1	1	1	2	2	3	4	5
35-49	81	2.2		1	1	2	3	3	4	7
50-64	17	1.9		<1	1	2	2	2	3	4
65+	30	1.9		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	22399	1.8	1	<1	1	2	2	2	3	5
20-34	393	2.5	2	1	1	2	3	4	5	9
35-49	38	3.1	5	1	1	2	3	6	8	12
50-64	14	2.9	5	1	1	2	3	5	9	10
65+	18	2.3	3	<1	1	2	2	6	8	8
TOT. SINGLE DX	38367	1.7	1	<1	1	2	2	2	2	4
" MULTIPLE DX	22862	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	59410	1.7	1	<1	1	2	2	2	3	4
20-34	1621	2.2	2	1	1	2	3	3	4	7
35-49	119	2.5	2	1	1	2	3	3	6	10
50-64	31	2.3	3	1	1	2	2	4	5	10
65+	48	2.0	2	1	1	2	2	3	6	8
GRAND TOTAL	**61229**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3328	1.4		<1	<1	1	2	2	2	3
20-34	48	1.8		1	1	2	2	3	3	3
35-49	8	1.9		1	1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7172	1.4		<1	<1	1	2	2	2	3
20-34	55	2.5	5	1	1	2	3	4	5	16
35-49	11	2.6	1	2	2	2	3	4	5	5
50-64	5	6.0	29	<1	<1	4	10	14	14	14
65+	6	2.8	4	<1	<1	2	3	7	7	7
TOT. SINGLE DX	3387	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	7249	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	10500	1.4	1	<1	<1	1	2	2	2	3
20-34	103	2.2	3	1	1	2	2	3	4	11
35-49	19	2.3	1	1	1	2	3	4	5	5
50-64	6	5.8	24	<1	<1	4	9	13	14	14
65+	8	2.5	4	<1	<1	2	3	6	7	7
GRAND TOTAL	**10636**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	2.5	4	<1	1	2	3	5	6	12
20-34	1245	2.6	4	<1	1	2	3	4	6	10
35-49	480	3.2	12	1	1	2	4	5	8	16
50-64	480	4.7	58	1	1	2	5	9	15	45
65+	383	4.9	45	1	1	3	5	10	14	36
2. MULTIPLE DX										
0-19 YRS	592	3.1	10	<1	1	2	4	6	8	15
20-34	469	4.3	35	1	1	3	5	8	12	35
35-49	294	7.0	108	1	1	3	7	15	27	67
50-64	585	9.1	139	1	2	5	11	22	31	63
65+	542	10.3	163	1	2	6	14	22	29	85
TOT. SINGLE DX	4208	3.1	16	<1	1	2	3	5	8	17
" MULTIPLE DX	2482	6.8	99	1	1	3	7	15	24	58
TOTAL 0-19 YRS	2212	2.7	6	<1	1	2	3	5	7	13
20-34	1714	3.1	13	1	1	2	4	5	7	16
35-49	774	4.6	52	1	1	3	4	9	14	43
50-64	1065	7.1	108	1	1	3	8	16	27	60
65+	925	8.0	122	1	2	4	10	18	25	65
GRAND TOTAL	**6690**	**4.5**	**50**	**1**	**1**	**2**	**4**	**9**	**15**	**39**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	2.1	3	<1	<1	1	3	4	6	9
20-34	112	3.2	3	1	1	3	4	6	7	10
35-49	137	3.2	4	1	1	3	4	6	8	11
50-64	253	4.0	18	<1	1	3	5	8	10	18
65+	266	3.9	10	1	1	3	5	8	9	18
2. MULTIPLE DX										
0-19 YRS	442	3.7	11	1	1	3	4	6	7	10
20-34	96	5.0	27	<1	1	4	6	11	15	30
35-49	149	5.8	27	1	1	4	7	11	14	32
50-64	359	5.9	50	1	1	4	6	12	19	36
65+	645	6.7	56	1	2	5	8	14	17	42
TOT. SINGLE DX	1016	3.3	10	<1	<1	3	4	7	8	13
" MULTIPLE DX	1691	5.6	41	1	1	4	6	11	15	36
TOTAL 0-19 YRS	690	3.1	9	<1	<1	3	4	5	7	10
20-34	208	4.0	16	1	1	3	5	7	11	23
35-49	286	4.5	18	1	1	3	6	9	12	26
50-64	612	5.1	38	1	1	4	6	10	13	35
65+	911	5.9	45	1	1	4	7	12	16	38
GRAND TOTAL	**2707**	**4.7**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	1.7	1	<1	<1	2	2	2	3	6
20-34	937	1.7	1	<1	<1	2	2	2	3	5
35-49	1508	2.0	3	<1	1	2	2	3	3	11
50-64	2402	2.1	3	<1	1	2	2	3	4	10
65+	1486	2.5	18	1	1	2	2	3	5	17
2. MULTIPLE DX										
0-19 YRS	127	3.0	43	<1	<1	2	2	5	8	42
20-34	265	3.1	26	1	1	2	3	5	8	22
35-49	712	4.2	40	1	1	2	4	10	17	39
50-64	1746	5.1	58	1	1	2	5	12	19	41
65+	1406	6.7	102	1	1	2	8	17	24	60
TOT. SINGLE DX	6822	2.1	7	<1	1	2	2	3	4	11
" MULTIPLE DX	4256	5.3	69	1	1	2	5	13	20	47
TOTAL 0-19 YRS	616	2.0	11	<1	<1	2	2	2	3	13
20-34	1202	2.0	7	<1	<1	2	2	3	4	11
35-49	2220	2.7	17	<1	1	2	2	4	8	24
50-64	4148	3.4	29	<1	1	2	3	7	11	30
65+	2892	4.5	64	1	1	2	3	10	18	47
GRAND TOTAL	**11078**	**3.3**	**33**	**<1**	**1**	**2**	**2**	**6**	**11**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	20	<1	1	2	5	9	16	19
20-34	40	4.4	20	<1	1	3	5	12	14	21
35-49	82	5.5	27	<1	1	3	10	15	17	74
50-64	174	9.1	74	1	1	8	14	19	23	44
65+	124	9.4	72	1	2	8	13	20	24	47
2. MULTIPLE DX										
0-19 YRS	33	10.8	379	1	2	3	10	52	74	99+
20-34	35	7.4	49	1	2	4	10	19	24	27
35-49	70	12.5	157	1	2	9	18	28	34	64
50-64	208	15.0	157	2	2	12	20	31	47	76
65+	201	17.4	266	2	2	14	24	43	61	99+
TOT. SINGLE DX	445	7.8	61	1	1	5	12	18	21	45
" MULTIPLE DX	547	14.8	210	2	2	11	20	32	50	99
TOTAL 0-19 YRS	58	7.8	234	<1	1	2	5	18	62	98
20-34	75	5.8	36	1	1	3	8	14	20	26
35-49	152	8.7	99	1	1	5	13	21	28	67
50-64	382	12.4	128	1	2	10	17	27	35	59
65+	325	14.3	208	2	2	11	19	32	46	91
GRAND TOTAL	**992**	**11.7**	**156**	**1**	**2**	**9**	**16**	**26**	**40**	**74**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	32.3	507	11	11	27	46	64	64	64
35-49	45	18.2	122	7	10	16	20	29	41	65
50-64	234	17.8	95	9	10	15	20	26	34	60
65+	146	19.1	82	9	10	16	23	31	39	50
2. MULTIPLE DX										
0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	54	24.9	181	10	12	20	32	44	48	73
50-64	384	25.7	288	10	12	20	32	50	65	99
65+	410	25.3	254	11	12	21	31	50	78	99+
TOT. SINGLE DX	431	18.3	98	9	10	16	21	29	36	58
" MULTIPLE DX	854	25.3	266	10	12	20	32	49	71	99+
TOTAL 0-19 YRS	5	4.6	11	2	2	4	6	10	10	10
20-34	7	19.9	495	1	1	11	28	57	64	64
35-49	99	21.8	164	10	11	18	27	42	48	70
50-64	618	22.7	229	10	11	18	27	42	59	92
65+	556	23.7	216	10	12	19	29	45	67	99+
GRAND TOTAL	**1285**	**23.0**	**220**	**10**	**11**	**18**	**28**	**43**	**60**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	36.0	2048	4	4	36	68	68	68	68
35-49	7	8.4	12	5	5	7	10	14	15	15
50-64	30	13.3	265	2	2	8	15	44	74	99+
65+	18	17.9	185	5	6	14	30	75	99+	99+
2. MULTIPLE DX										
0-19 YRS	19	22.5	520	1	3	13	38	69	88	99+
20-34	20	38.1	673	4	6	33	61	99	99+	99+
35-49	38	27.3	724	2	5	20	53	97	99+	99+
50-64	97	26.7	484	4	5	23	48	94	99+	99+
65+	137	33.8	522	5	9	33	59	99+	99+	99+
TOT. SINGLE DX	58	14.8	254	2	2	9	18	48	87	99+
" MULTIPLE DX	311	30.4	555	4	6	29	52	99	99+	99+
TOTAL 0-19 YRS	20	21.6	510	2	3	10	37	68	87	99+
20-34	22	37.9	707	4	5	33	62	98	99+	99+
35-49	45	24.4	659	2	5	13	46	89	99+	99+
50-64	127	23.5	462	2	4	16	45	75	99+	99+
65+	155	31.9	508	5	7	30	52	99+	99+	99+
GRAND TOTAL	**369**	**27.9**	**539**	**3**	**5**	**25**	**50**	**95**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	7.0	105	<1	<1	4	7	15	27	63
20-34	83	8.3	177	<1	1	4	9	19	59	88
35-49	125	8.4	183	1	1	3	8	22	50	82
50-64	180	10.2	194	1	1	5	11	26	51	71
65+	172	10.6	221	1	1	4	14	29	44	99
2. MULTIPLE DX										
0-19 YRS	275	18.2	440	1	2	11	36	90	99+	99+
20-34	283	26.0	510	2	3	19	47	72	99+	99+
35-49	283	26.1	543	2	3	22	46	92	99+	99+
50-64	824	27.9	596	2	2	25	50	82	99+	99+
65+	984	35.2	688	2	4	36	64	99+	99+	99+
TOT. SINGLE DX	714	9.1	179	1	1	4	10	23	42	80
" MULTIPLE DX	2649	29.2	628	2	3	27	54	91	99+	99+
TOTAL 0-19 YRS	429	14.2	349	1	1	7	21	65	99+	99+
20-34	366	22.0	490	1	2	14	40	67	92	99+
35-49	408	20.7	499	1	2	14	36	73	99+	99+
50-64	1004	24.7	570	1	2	18	45	76	99+	99+
65+	1156	31.6	696	2	2	30	59	95	99+	99+
GRAND TOTAL	**3363**	**24.9**	**600**	**1**	**2**	**18**	**47**	**82**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	6.2	38	1	1	4	9	13	16	36
20-34	439	6.4	47	1	1	4	9	14	19	29
35-49	786	7.1	40	1	1	5	10	15	19	29
50-64	1942	7.9	51	1	2	6	11	17	22	32
65+	2281	8.8	72	1	2	7	11	19	24	45
2. MULTIPLE DX										
0-19 YRS	106	8.8	100	1	1	5	12	19	35	49
20-34	769	10.1	93	2	2	7	13	22	31	65
35-49	1803	11.3	103	2	2	9	15	23	31	53
50-64	6072	12.4	113	2	3	10	16	25	33	59
65+	9357	14.5	150	2	3	11	19	29	39	66
TOT. SINGLE DX	5532	8.0	59	1	2	6	11	17	22	36
" MULTIPLE DX	18107	13.3	132	2	3	10	17	27	36	63
TOTAL 0-19 YRS	190	7.6	75	1	1	5	10	15	24	45
20-34	1208	8.7	80	1	2	6	11	18	27	54
35-49	2589	10.0	88	1	2	8	13	21	27	51
50-64	8014	11.3	102	2	2	9	15	23	31	54
65+	11638	13.4	140	2	3	10	17	27	36	64
GRAND TOTAL	**23639**	**12.0**	**120**	**2**	**2**	**9**	**16**	**25**	**33**	**58**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.0	28	<1	<1	3	9	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	3	14.0	229	2	2	9	25	31	31	31
20-34	4	46.3	1167	19	19	35	67	96	96	96
35-49	2	12.0	8	10	10	12	14	14	14	14
50-64	9	15.8	272	1	2	11	21	42	55	55
65+	6	13.5	86	2	2	13	23	24	24	24
TOT. SINGLE DX	6	3.2	15	<1	<1	2	3	10	11	11
" MULTIPLE DX	24	19.8	434	2	2	15	23	41	67	96
TOTAL 0-19 YRS	5	8.8	165	1	1	2	14	31	31	31
20-34	4	46.3	1168	19	19	35	67	96	96	96
35-49	3	8.7	37	2	2	10	13	14	14	14
50-64	12	13.1	227	<1	1	9	18	32	52	55
65+	6	13.5	86	2	2	13	23	24	24	24
GRAND TOTAL	**30**	**16.4**	**392**	**1**	**1**	**10**	**22**	**35**	**55**	**96**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	12.1	64	5	6	9	16	19	32	41
20-34	348	10.2	41	2	4	9	12	18	21	35
35-49	586	10.3	40	2	4	9	13	18	21	34
50-64	1239	11.5	66	2	3	10	15	21	26	38
65+	1156	11.7	74	1	2	10	16	22	27	40
2. MULTIPLE DX										
0-19 YRS	164	15.7	175	5	6	11	18	34	51	69
20-34	571	14.1	133	3	5	11	17	25	37	64
35-49	1022	14.7	127	3	4	11	19	28	36	64
50-64	3191	15.4	131	3	5	12	20	29	37	64
65+	4166	16.4	142	3	4	14	22	31	39	63
TOT. SINGLE DX	3390	11.2	63	2	3	10	14	21	25	38
" MULTIPLE DX	9114	15.7	137	3	4	13	21	30	38	63
TOTAL 0-19 YRS	225	14.7	147	5	6	10	17	33	43	65
20-34	919	12.6	102	3	5	10	16	22	30	60
35-49	1608	13.1	101	3	4	10	17	25	33	55
50-64	4430	14.3	116	2	4	11	19	27	34	57
65+	5322	15.4	131	2	4	13	20	29	37	60
GRAND TOTAL	**12504**	**14.5**	**121**	**2**	**4**	**12**	**19**	**28**	**36**	**59**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	13.3	70	5	6	11	17	19	33	42
20-34	49	11.9	33	5	6	10	15	18	25	31
35-49	209	14.4	46	7	8	13	18	22	27	37
50-64	793	15.0	55	7	8	13	18	24	28	44
65+	614	16.1	55	8	9	14	20	25	30	41
2. MULTIPLE DX										
0-19 YRS	26	14.9	55	7	8	12	20	27	31	34
20-34	79	17.4	91	7	8	15	22	32	45	99+
35-49	395	17.7	128	8	9	14	21	31	37	72
50-64	1787	19.1	116	8	9	17	23	32	41	74
65+	1748	20.9	142	9	10	18	25	36	44	70
TOT. SINGLE DX	1683	15.2	55	7	8	13	18	24	29	42
" MULTIPLE DX	4035	19.7	130	8	9	17	24	33	42	72
TOTAL 0-19 YRS	44	14.3	61	6	7	11	18	22	31	42
20-34	128	15.3	76	6	7	13	19	28	34	99+
35-49	604	16.5	102	7	8	14	20	28	35	61
50-64	2580	17.8	102	8	9	15	22	30	37	63
65+	2362	19.6	125	8	10	17	24	33	41	64
GRAND TOTAL	**5718**	**18.4**	**112**	**8**	**9**	**16**	**22**	**31**	**39**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	569	4.1	21	<1	1	2	5	10	14	20
20-34	548	6.1	32	1	1	4	8	15	18	28
35-49	968	6.6	35	1	1	5	9	14	18	31
50-64	1847	6.7	42	1	1	5	9	14	19	31
65+	1848	8.1	70	1	2	5	11	18	23	37
2. MULTIPLE DX										
0-19 YRS	709	9.2	150	1	1	6	11	21	30	89
20-34	1105	10.7	128	1	2	8	13	23	33	59
35-49	2275	10.7	114	2	2	8	13	23	31	59
50-64	5949	11.7	114	2	2	9	15	24	32	59
65+	8480	14.3	150	2	3	11	19	29	39	71
TOT. SINGLE DX	5780	6.8	49	1	1	5	9	15	20	33
" MULTIPLE DX	18518	12.6	136	2	2	9	17	26	35	66
TOTAL 0-19 YRS	1278	6.9	100	1	1	3	9	16	23	67
20-34	1653	9.2	101	1	2	6	12	20	28	53
35-49	3243	9.5	95	1	2	7	12	20	27	50
50-64	7796	10.5	102	1	2	8	14	22	29	57
65+	10328	13.2	142	2	2	10	18	28	37	68
GRAND TOTAL	**24298**	**11.2**	**121**	**1**	**2**	**8**	**15**	**24**	**32**	**61**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	6.1	26	2	2	5	7	10	20	27
20-34	242	5.8	12	2	2	5	7	10	12	17
35-49	67	7.5	32	2	2	6	9	15	23	27
50-64	64	7.8	41	1	2	6	11	18	21	28
65+	71	9.6	79	2	2	7	12	20	26	49
2. MULTIPLE DX										
0-19 YRS	88	14.0	298	2	3	7	14	32	55	80
20-34	187	10.6	95	2	3	8	14	21	30	48
35-49	125	11.5	118	2	3	9	15	26	34	99+
50-64	252	15.6	197	3	3	11	20	32	50	76
65+	342	15.8	182	2	3	13	22	33	42	91
TOT. SINGLE DX	485	6.9	32	2	2	5	8	13	18	28
" MULTIPLE DX	994	14.1	176	2	3	10	18	30	42	76
TOTAL 0-19 YRS	129	11.5	225	2	2	6	11	29	51	77
20-34	429	7.9	54	2	3	6	9	15	20	37
35-49	192	10.1	92	2	3	7	12	23	29	89
50-64	316	14.0	175	2	3	10	18	28	48	74
65+	413	14.7	170	2	3	11	20	31	40	88
GRAND TOTAL	**1479**	**11.7**	**140**	**2**	**3**	**8**	**15**	**26**	**35**	**73**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	476	6.4	21	2	3	5	8	11	14	24
20-34	2037	6.2	15	2	3	5	7	11	14	21
35-49	719	7.5	41	2	3	6	9	14	19	34
50-64	610	10.2	62	2	3	8	13	21	25	35
65+	435	12.7	76	3	4	10	17	24	30	44
2. MULTIPLE DX										
0-19 YRS	1018	13.4	207	3	4	9	15	29	49	86
20-34	1941	10.0	104	2	3	7	11	20	30	59
35-49	1515	12.2	114	3	4	9	15	24	36	64
50-64	2667	14.8	144	3	4	11	19	30	39	68
65+	3375	17.2	182	4	5	14	22	34	44	81
TOT. SINGLE DX	4277	7.7	38	2	3	6	9	15	20	33
" MULTIPLE DX	10516	14.2	158	3	4	10	18	30	41	74
TOTAL 0-19 YRS	1494	11.2	159	2	3	7	12	22	39	81
20-34	3978	8.1	63	2	3	6	9	15	21	48
35-49	2234	10.7	96	3	3	8	13	22	31	58
50-64	3277	13.9	133	3	4	11	18	28	37	66
65+	3810	16.7	173	4	5	13	22	34	43	78
GRAND TOTAL	**14793**	**12.3**	**132**	**3**	**3**	**9**	**15**	**26**	**36**	**67**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	566	6.3	29	1	2	6	7	9	12	22
20-34	565	7.6	39	1	2	6	10	15	20	31
35-49	527	7.7	62	1	1	6	10	17	21	41
50-64	702	8.7	65	1	2	6	12	19	24	44
65+	570	10.6	97	1	2	8	14	22	30	52
2. MULTIPLE DX										
0-19 YRS	255	10.0	103	1	2	7	13	21	28	51
20-34	663	11.8	121	1	2	9	15	26	36	61
35-49	896	12.1	129	2	2	9	15	26	35	57
50-64	2130	13.6	137	2	3	11	18	28	36	60
65+	2872	15.6	157	2	4	12	21	31	40	69
TOT. SINGLE DX	2930	8.2	61	1	2	6	10	17	22	40
" MULTIPLE DX	6816	13.9	145	2	3	11	18	29	37	63
TOTAL 0-19 YRS	821	7.5	55	1	2	6	8	13	19	35
20-34	1228	9.9	88	1	2	7	13	20	30	50
35-49	1423	10.5	109	1	2	8	13	23	31	54
50-64	2832	12.4	124	2	2	10	17	26	35	56
65+	3442	14.8	151	2	3	12	19	31	39	64
GRAND TOTAL	**9746**	**12.2**	**126**	**2**	**2**	**9**	**16**	**26**	**34**	**58**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	10.0	26	6	7	9	11	15	19	31
20-34	200	11.9	78	7	8	10	13	17	20	89
35-49	307	12.4	40	7	8	11	14	18	20	31
50-64	477	14.2	30	9	9	13	16	20	25	36
65+	276	16.2	53	9	10	14	18	24	32	45
2. MULTIPLE DX										
0-19 YRS	806	13.5	96	7	7	10	14	25	35	69
20-34	371	17.5	167	8	8	12	20	35	48	69
35-49	705	17.0	115	8	9	13	19	30	39	63
50-64	1988	19.2	123	9	10	16	23	33	43	69
65+	1930	22.4	173	10	11	18	27	39	52	80
TOT. SINGLE DX	1740	12.8	45	7	7	11	15	19	23	38
" MULTIPLE DX	5800	19.1	147	8	9	15	23	34	45	72
TOTAL 0-19 YRS	1286	12.2	73	7	7	10	13	20	30	58
20-34	571	15.5	143	7	8	11	17	28	44	75
35-49	1012	15.6	97	8	9	13	17	26	34	59
50-64	2465	18.3	109	9	10	15	21	31	39	66
65+	2206	21.7	162	10	11	18	26	37	50	76
GRAND TOTAL	**7540**	**17.7**	**130**	**8**	**9**	**14**	**21**	**31**	**41**	**69**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	14.3	44	8	8	11	20	24	25	25
20-34	51	10.6	9	7	8	10	12	15	18	21
35-49	1252	11.3	16	8	8	10	13	16	18	26
50-64	3870	12.1	19	8	8	11	14	17	20	28
65+	1559	13.7	33	8	9	12	16	21	24	35
2. MULTIPLE DX										
0-19 YRS	13	15.9	133	9	10	11	16	29	48	52
20-34	161	12.9	51	8	8	11	14	19	23	37
35-49	3977	13.3	40	8	8	11	15	20	25	38
50-64	14947	14.8	59	8	9	12	17	23	29	46
65+	8026	18.0	103	9	10	15	21	30	38	64
TOT. SINGLE DX	6738	12.3	23	8	8	11	14	18	21	30
" MULTIPLE DX	27124	15.5	72	8	9	13	18	25	31	52
TOTAL 0-19 YRS	19	15.4	102	8	9	11	17	24	40	52
20-34	212	12.4	42	7	8	11	14	18	21	36
35-49	5229	12.8	35	8	8	11	14	19	24	36
50-64	18817	14.2	52	8	9	12	16	22	27	44
65+	9585	17.3	95	9	9	14	20	29	36	61
GRAND TOTAL	**33862**	**14.9**	**64**	**8**	**9**	**12**	**17**	**24**	**30**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1393	2.1	3	1	1	2	2	2	5	11
20-34	977	3.4	11	1	2	2	3	7	10	18
35-49	5771	3.4	10	1	2	2	3	7	10	16
50-64	11133	3.3	10	1	2	2	3	7	10	17
65+	3558	3.9	17	1	2	2	4	9	13	20
2. MULTIPLE DX										
0-19 YRS	1915	3.2	30	1	1	2	2	6	10	25
20-34	1629	5.1	32	1	2	3	6	12	16	29
35-49	13788	4.8	27	1	2	2	6	11	15	24
50-64	34240	5.2	31	1	2	3	7	12	16	26
65+	16319	6.7	52	2	2	4	9	15	20	35
TOT. SINGLE DX	22832	3.3	12	1	2	2	3	7	10	17
" MULTIPLE DX	67891	5.4	36	1	2	3	7	13	17	29
TOTAL 0-19 YRS	3308	2.7	19	1	1	2	2	4	8	19
20-34	2606	4.4	25	1	2	2	5	10	14	27
35-49	19559	4.4	23	1	2	2	5	10	14	22
50-64	45373	4.7	27	1	2	2	6	11	15	24
65+	19877	6.2	48	2	2	3	8	14	19	33
GRAND TOTAL	**90723**	**4.9**	**31**	**1**	**2**	**2**	**6**	**11**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	5.4	21	1	2	4	6	10	18	22
20-34	64	5.6	13	1	2	4	8	11	13	18
35-49	206	8.2	40	2	2	6	12	17	21	27
50-64	889	8.0	38	2	2	6	11	16	20	29
65+	3594	7.3	31	2	2	6	9	14	18	27
2. MULTIPLE DX										
0-19 YRS	92	8.2	59	2	2	6	10	17	24	42
20-34	181	9.4	106	2	3	6	12	17	26	62
35-49	759	12.1	70	2	3	11	15	22	27	42
50-64	4570	12.7	81	3	4	11	17	24	29	45
65+	23780	13.4	104	3	4	11	17	26	33	55
TOT. SINGLE DX	4788	7.4	33	2	2	6	10	15	19	27
" MULTIPLE DX	29382	13.2	101	3	4	11	17	25	32	53
TOTAL 0-19 YRS	127	7.4	51	1	2	5	9	16	22	40
20-34	245	8.4	85	2	2	6	11	16	19	45
35-49	965	11.3	66	2	3	10	15	21	26	41
50-64	5459	12.0	78	2	3	10	16	23	28	44
65+	27374	12.6	100	3	4	10	16	24	31	52
GRAND TOTAL	**34170**	**12.4**	**95**	**2**	**3**	**10**	**16**	**24**	**31**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	9.5	70	3	6	8	9	15	18	62
20-34	66	8.7	26	2	2	8	11	15	20	24
35-49	251	6.2	25	2	2	4	9	13	16	25
50-64	406	6.3	37	2	2	4	8	13	17	31
65+	161	8.0	55	2	2	5	12	17	22	38
2. MULTIPLE DX										
0-19 YRS	109	13.3	110	4	5	10	16	23	33	61
20-34	216	13.8	150	2	4	11	17	28	47	99+
35-49	619	11.0	98	2	2	9	14	23	30	51
50-64	1518	11.8	113	2	3	9	16	24	33	58
65+	815	16.0	192	3	3	12	21	34	44	73
TOT. SINGLE DX	943	7.0	40	2	2	5	9	14	18	31
" MULTIPLE DX	3277	12.9	136	2	3	10	17	27	36	63
TOTAL 0-19 YRS	168	12.0	99	3	5	9	14	21	25	64
20-34	282	12.6	126	2	3	10	15	23	36	93
35-49	870	9.6	82	2	2	7	12	20	26	46
50-64	1924	10.6	102	2	2	8	14	22	30	56
65+	976	14.7	179	2	3	11	19	32	42	68
GRAND TOTAL	**4220**	**11.5**	**121**	**2**	**3**	**9**	**15**	**24**	**33**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	854	3.3	12	<1	<1	2	4	7	11	18
20-34	680	4.2	25	<1	1	2	5	11	14	24
35-49	931	3.9	24	<1	1	2	4	9	14	24
50-64	1341	4.1	31	<1	1	2	4	10	14	32
65+	1213	5.9	55	1	1	3	7	14	21	38
2. MULTIPLE DX										
0-19 YRS	1576	6.3	66	1	2	4	7	14	19	47
20-34	927	9.4	92	1	1	7	12	20	27	48
35-49	1618	9.8	107	1	2	7	13	21	29	56
50-64	4020	10.7	107	1	2	8	14	23	30	52
65+	8310	13.9	140	2	3	11	18	29	38	65
TOT. SINGLE DX	5019	4.4	33	<1	1	2	5	11	15	29
" MULTIPLE DX	16451	11.7	126	1	2	9	16	25	34	59
TOTAL 0-19 YRS	2430	5.3	50	<1	1	3	6	12	16	39
20-34	1607	7.2	70	1	1	4	9	17	23	39
35-49	2549	7.6	86	1	1	4	10	18	25	50
50-64	5361	9.1	97	1	1	6	12	21	28	47
65+	9523	12.9	137	2	2	10	17	27	36	62
GRAND TOTAL	**21470**	**10.0**	**114**	**1**	**1**	**7**	**14**	**23**	**31**	**55**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	3.4	2	1	2	3	4	6	7	8
20-34	2672	4.0	5	2	2	4	5	6	7	12
35-49	3607	4.4	6	2	2	4	5	7	9	14
50-64	2759	5.0	14	2	2	4	6	8	10	19
65+	791	6.2	28	2	3	5	7	11	15	29
2. MULTIPLE DX										
0-19 YRS	20	6.2	23	2	3	5	6	14	19	20
20-34	602	5.9	28	2	2	4	7	11	16	29
35-49	1324	6.5	31	2	3	5	7	12	16	28
50-64	1827	7.9	48	2	3	6	9	15	21	36
65+	915	11.0	111	3	3	8	14	22	32	54
TOT. SINGLE DX	9935	4.6	11	2	2	4	5	7	9	17
" MULTIPLE DX	4688	7.8	56	2	3	5	9	16	21	39
TOTAL 0-19 YRS	126	3.8	7	1	2	3	4	6	7	18
20-34	3274	4.3	10	2	2	4	5	7	8	17
35-49	4931	4.9	14	2	2	4	5	8	11	21
50-64	4586	6.1	30	2	3	5	7	11	15	30
65+	1706	8.8	79	2	3	6	10	18	25	44
GRAND TOTAL	**14623**	**5.6**	**27**	**2**	**2**	**4**	**6**	**10**	**14**	**28**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	11.0	189	2	2	8	12	20	25	87
20-34	131	7.9	44	1	2	7	10	16	21	32
35-49	510	9.6	35	2	2	9	12	17	21	31
50-64	1864	11.2	42	3	5	10	14	18	21	34
65+	1857	12.9	70	3	6	11	15	21	27	53
2. MULTIPLE DX										
0-19 YRS	222	15.6	215	3	5	11	18	38	53	99+
20-34	549	13.0	148	2	2	10	17	28	40	62
35-49	1696	14.7	143	2	4	12	18	29	40	88
50-64	6539	16.3	139	5	7	13	19	30	42	75
65+	8456	20.3	203	6	8	16	25	40	52	92
TOT. SINGLE DX	4449	11.6	58	2	4	10	14	19	24	42
" MULTIPLE DX	17462	18.0	178	4	7	14	22	35	47	86
TOTAL 0-19 YRS	309	14.3	212	2	3	10	16	32	52	94
20-34	680	12.0	133	2	2	9	16	25	37	5[illegible]
35-49	2206	13.5	123	2	4	11	16	26	36	79
50-64	8403	15.2	123	4	6	12	18	27	39	71
65+	10313	19.0	187	5	7	15	23	37	49	87
GRAND TOTAL	**21911**	**16.7**	**160**	**4**	**6**	**13**	**20**	**32**	**44**	**80**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49	3	14.3	17	11	11	13	17	19	19	19
50-64	12	12.6	9	8	9	12	14	16	19	20
65+	2	16.5	5	15	15	16	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	5	11.4	3	10	10	11	12	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	15.9	72	7	9	11	19	30	35	35
50-64	25	18.7	205	6	9	13	20	33	44	76
65+	20	22.9	216	5	10	20	28	37	55	71
TOT. SINGLE DX	18	14.2	22	8	9	13	15	20	25	28
" MULTIPLE DX	62	18.7	176	5	9	15	22	34	37	75
TOTAL 0-19 YRS	6	14.2	48	10	10	11	14	27	28	28
20-34	1	3.0		3	3	3	3	3	3	3
35-49	14	15.6	59	8	9	12	19	27	33	35
50-64	37	16.7	148	8	9	13	19	30	34	76
65+	22	22.3	199	6	11	19	26	36	52	71
GRAND TOTAL	**80**	**17.7**	**144**	**7**	**9**	**14**	**20**	**32**	**35**	**74**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.6	15	<1	1	3	5	10	12	19
20-34	122	3.0	18	<1	<1	<1	3	8	10	25
35-49	121	4.2	24	<1	<1	2	6	9	13	24
50-64	163	5.4	26	<1	<1	4	8	13	17	21
65+	147	6.9	58	<1	<1	5	9	15	20	45
2. MULTIPLE DX										
0-19 YRS	201	6.1	59	<1	1	4	7	14	16	49
20-34	1646	5.8	46	<1	<1	4	7	13	17	35
35-49	1845	7.0	62	<1	1	5	8	15	21	43
50-64	3500	7.6	77	<1	1	5	9	16	23	48
65+	3026	9.5	102	1	2	6	12	20	28	57
TOT. SINGLE DX	590	5.0	33	<1	<1	3	7	12	16	25
" MULTIPLE DX	10218	7.7	79	<1	1	5	10	16	24	49
TOTAL 0-19 YRS	238	5.9	53	<1	1	4	7	13	16	47
20-34	1768	5.6	45	<1	<1	4	7	12	17	32
35-49	1966	6.8	61	<1	<1	4	8	15	20	42
50-64	3663	7.5	75	<1	1	5	9	16	22	47
65+	3173	9.4	101	1	2	6	12	20	28	57
GRAND TOTAL	**10808**	**7.6**	**77**	**<1**	**1**	**5**	**9**	**16**	**23**	**49**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	8.2	90	1	1	6	10	14	21	53
20-34	843	7.1	72	1	1	4	9	15	21	41
35-49	1347	8.9	70	1	2	7	11	19	25	41
50-64	4446	9.0	53	2	3	7	11	16	21	37
65+	6079	10.0	54	2	3	8	13	18	22	37
2. MULTIPLE DX										
0-19 YRS	6988	18.8	379	2	3	11	26	52	72	99+
20-34	2618	10.4	143	1	1	7	13	24	36	71
35-49	3942	12.5	158	1	2	9	16	28	38	75
50-64	15073	13.4	143	2	3	10	17	27	38	75
65+	24663	15.9	169	3	5	12	20	31	43	78
TOT. SINGLE DX	13632	9.2	60	2	3	7	12	17	22	38
" MULTIPLE DX	53284	15.0	192	2	3	11	19	32	46	87
TOTAL 0-19 YRS	7905	17.6	358	2	3	10	23	49	68	99+
20-34	3461	9.6	128	1	1	6	12	22	33	67
35-49	5289	11.6	139	1	2	8	15	25	35	71
50-64	19519	12.4	126	2	3	10	15	25	34	69
65+	30742	14.7	152	3	4	11	18	29	39	73
GRAND TOTAL	**66916**	**13.9**	**170**	**2**	**3**	**10**	**17**	**29**	**41**	**80**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1685	3.1	13	<1	1	2	3	7	10	17
20-34	1982	4.2	18	<1	1	3	5	9	13	22
35-49	1392	4.6	22	<1	1	3	6	10	14	23
50-64	1576	6.1	35	1	1	4	8	13	18	29
65+	1352	7.6	51	1	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	667	5.6	40	1	1	3	7	12	16	36
20-34	1302	8.5	75	1	2	6	11	18	25	45
35-49	1567	9.1	81	1	2	6	12	20	27	47
50-64	3150	10.5	92	2	2	8	14	22	29	50
65+	3903	12.7	126	2	2	10	17	26	34	57
TOT. SINGLE DX	7987	5.0	29	<1	1	3	6	11	15	27
" MULTIPLE DX	10589	10.5	102	1	2	8	14	23	30	51
TOTAL 0-19 YRS	2352	3.8	22	<1	1	2	4	8	12	23
20-34	3284	5.9	46	<1	1	3	7	13	18	33
35-49	2959	7.0	59	1	1	4	9	16	21	38
50-64	4726	9.0	78	1	2	7	12	20	26	43
65+	[illegible]	11.4	112	2	2	9	15	24	32	53
GRAND TOTAL	**1[illegible]**	**8.2**	**78**	**1**	**1**	**5**	**11**	**19**	**25**	**44**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.3	13	<1	1	3	6	8	11	21
20-34	157	6.1	19	1	2	5	8	11	15	22
35-49	134	8.4	66	1	2	7	10	15	22	49
50-64	309	9.2	50	3	3	8	11	17	23	39
65+	285	10.2	64	2	3	8	12	20	24	45
2. MULTIPLE DX										
0-19 YRS	43	9.0	76	1	2	9	11	17	23	53
20-34	205	8.7	57	2	3	8	10	14	16	37
35-49	282	12.5	140	3	4	9	15	24	38	61
50-64	801	12.7	134	3	5	9	15	25	36	75
65+	891	12.9	129	4	4	9	16	25	35	75
TOT. SINGLE DX	941	8.6	52	2	2	7	10	16	22	38
" MULTIPLE DX	2222	12.3	126	3	4	9	15	24	35	71
TOTAL 0-19 YRS	99	6.3	46	<1	1	4	9	12	18	38
20-34	362	7.6	42	1	2	7	9	13	15	32
35-49	416	11.2	120	2	3	8	13	22	32	58
50-64	1110	11.7	113	3	4	8	13	23	33	67
65+	1176	12.3	115	3	4	9	15	24	33	66
GRAND TOTAL	**3163**	**11.2**	**107**	**2**	**3**	**8**	**13**	**22**	**31**	**58**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	16	2	2	9	10	11	11	11
20-34	2	16.0	18	13	13	16	19	19	19	19
35-49	6	4.3	3	3	3	4	6	7	7	7
50-64	8	6.5	28	1	1	5	11	14	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	5	11.0	87	3	3	7	17	26	26	26
35-49	3	10.0	93	3	3	6	17	21	21	21
50-64	7	21.4	519	5	6	11	31	61	67	67
65+	5	16.8	146	4	4	13	26	34	34	34
TOT. SINGLE DX	21	7.1	24	1	2	7	10	14	17	19
" MULTIPLE DX	20	16.0	246	3	4	10	22	35	52	67
TOTAL 0-19 YRS	4	7.8	16	2	2	9	10	11	11	11
20-34	7	12.4	67	3	3	13	18	25	26	26
35-49	9	6.2	33	3	3	4	6	15	21	21
50-64	15	13.5	296	1	2	8	13	37	59	67
65+	6	15.3	130	4	4	11	24	33	34	34
GRAND TOTAL	**41**	**11.4**	**149**	**2**	**2**	**8**	**13**	**25**	**35**	**67**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	31.0		31	31	31	31	31	31	31
35-49	2	22.5	685	4	4	22	41	41	41	41
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	47.1	232	33	34	45	65	94	99+	99+
20-34	2	39.0	162	30	30	39	48	48	48	48
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.0	32	8	8	12	16	16	16	16
TOT. SINGLE DX	5	17.8	291	4	4	8	33	41	41	41
" MULTIPLE DX	14	34.9	393	6	8	39	47	79	95	99+
TOTAL 0-19 YRS	9	38.1	496	5	6	42	51	89	99+	99+
20-34	3	36.3	102	30	30	31	44	48	48	48
35-49	4	24.3	345	4	4	26	40	41	41	41
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.0	32	8	8	12	16	16	16	16
GRAND TOTAL	**19**	**30.4**	**409**	**4**	**5**	**35**	**45**	**65**	**89**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1184	6.9	44	1	2	5	8	13	18	31
20-34	1154	8.7	54	2	2	7	10	17	24	39
35-49	960	9.1	73	2	2	7	10	18	25	44
50-64	1441	9.1	74	2	2	7	11	18	25	46
65+	1985	10.6	92	2	3	8	13	22	30	50
2. MULTIPLE DX										
0-19 YRS	1547	10.7	116	2	3	7	12	22	31	61
20-34	2686	12.9	144	3	4	9	15	27	39	72
35-49	3048	13.1	138	3	4	10	16	27	37	64
50-64	6917	14.0	150	3	4	10	17	29	39	70
65+	16844	14.9	147	3	4	12	18	29	40	71
TOT. SINGLE DX	6724	9.1	73	2	2	7	11	18	26	44
" MULTIPLE DX	31042	14.1	147	3	4	11	17	29	39	70
TOTAL 0-19 YRS	2731	9.1	89	1	2	7	10	19	27	54
20-34	3840	11.6	121	2	3	8	13	24	34	64
35-49	4008	12.1	126	2	3	9	15	25	34	61
50-64	8358	13.1	141	2	3	10	16	27	37	67
65+	18829	14.5	143	3	4	11	18	29	39	69
GRAND TOTAL	**37766**	**13.2**	**137**	**2**	**4**	**10**	**16**	**27**	**37**	**65**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	11.2	162	1	2	7	13	30	45	69
20-34	193	11.4	162	1	2	8	15	28	40	58
35-49	173	12.0	175	1	2	8	15	30	33	71
50-64	195	11.0	155	1	2	7	14	25	43	93
65+	165	13.4	163	2	2	9	18	30	38	65
2. MULTIPLE DX										
0-19 YRS	466	18.1	414	2	3	9	27	55	80	99+
20-34	542	16.9	264	2	3	11	24	38	55	99+
35-49	700	15.1	240	2	2	9	20	39	53	80
50-64	1350	15.1	216	1	2	10	21	36	46	93
65+	1502	20.8	305	3	4	16	29	45	57	89
TOT. SINGLE DX	892	11.8	163	1	2	8	15	29	39	68
" MULTIPLE DX	4560	17.5	281	2	3	12	25	42	56	95
TOTAL 0-19 YRS	632	16.3	357	2	2	8	23	48	71	99+
20-34	735	15.5	244	2	2	10	21	36	48	95
35-49	873	14.5	229	2	2	9	19	35	52	75
50-64	1545	14.6	210	1	2	10	20	36	46	93
65+	1667	20.0	296	2	4	15	28	43	56	88
GRAND TOTAL	**5452**	**16.6**	**266**	**2**	**2**	**11**	**23**	**40**	**53**	**93**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	3.7	18	<1	1	2	4	9	13	22
20-34	318	4.7	16	1	1	4	7	11	13	19
35-49	467	6.0	38	1	1	4	8	13	18	29
50-64	759	7.0	69	1	1	4	9	16	23	39
65+	1031	7.1	59	1	1	4	9	16	21	38
2. MULTIPLE DX										
0-19 YRS	244	7.6	90	1	1	4	9	18	32	69
20-34	702	8.4	91	1	2	6	10	16	25	68
35-49	1511	9.3	102	1	2	7	11	19	26	56
50-64	3221	10.1	120	1	2	7	12	21	30	64
65+	5533	12.1	141	2	3	9	15	26	36	69
TOT. SINGLE DX	2851	6.3	51	1	1	4	8	14	19	34
" MULTIPLE DX	11211	10.8	128	1	2	8	13	23	32	67
TOTAL 0-19 YRS	520	5.5	56	<1	1	3	7	13	20	47
20-34	1020	7.3	71	1	1	5	9	15	19	47
35-49	1978	8.5	89	1	2	6	10	18	24	52
50-64	3980	9.5	112	1	2	7	12	20	29	61
65+	6564	11.3	132	2	2	8	14	24	33	66
GRAND TOTAL	**14062**	**9.9**	**116**	**1**	**2**	**7**	**12**	**21**	**30**	**62**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1569	4.0	3	2	2	4	5	6	8	11
20-34	20	9.1	35	2	3	9	11	16	23	27
35-49	13	11.1	19	4	4	11	13	18	19	19
50-64	19	12.9	39	7	8	11	15	22	29	32
65+	25	19.6	272	3	9	15	24	37	57	80
2. MULTIPLE DX										
0-19 YRS	389	6.8	42	2	3	5	7	11	15	39
20-34	35	13.9	94	5	5	11	17	32	45	99+
35-49	36	15.5	135	4	7	12	19	28	33	67
50-64	82	19.8	194	7	8	15	25	38	48	73
65+	163	23.3	209	7	9	19	31	45	53	77
TOT. SINGLE DX	1646	4.5	14	2	2	4	5	7	10	17
" MULTIPLE DX	705	12.9	157	3	3	8	17	31	39	68
TOTAL 0-19 YRS	1958	4.6	13	2	2	4	5	7	9	15
20-34	55	12.1	78	3	4	10	15	26	35	97
35-49	49	14.3	108	4	7	11	18	25	30	67
50-64	101	18.5	172	7	8	14	24	34	43	72
65+	188	22.8	218	6	9	18	30	44	51	79
GRAND TOTAL	**2351**	**7.0**	**71**	**2**	**2**	**4**	**7**	**14**	**24**	**46**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	103	3	3	6	9	12	33	49
20-34	17	11.1	56	2	3	9	14	24	28	29
35-49	24	16.6	373	2	4	9	20	26	58	96
50-64	78	20.5	309	3	5	17	25	44	65	99
65+	136	21.4	342	4	5	16	25	47	63	99+
2. MULTIPLE DX										
0-19 YRS	137	23.3	465	4	5	18	37	74	99+	99+
20-34	88	20.0	279	3	7	15	31	58	99+	99+
35-49	135	27.4	438	5	6	23	42	67	95	99+
50-64	502	25.2	381	5	7	21	37	67	90	99+
65+	1904	27.0	353	6	8	23	38	62	88	99+
TOT. SINGLE DX	274	19.2	314	3	5	14	24	44	61	99+
" MULTIPLE DX	2766	26.3	368	5	8	22	38	64	92	99+
TOTAL 0-19 YRS	156	21.5	444	4	4	16	30	66	99	99+
20-34	105	18.6	253	3	5	14	28	50	99	99+
35-49	159	25.8	441	5	6	21	40	64	94	99+
50-64	580	24.6	374	5	7	19	36	65	88	99+
65+	2040	26.7	355	6	8	22	38	61	87	99+
GRAND TOTAL	**3040**	**25.7**	**367**	**5**	**7**	**21**	**37**	**63**	**88**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	6.3	64	1	2	5	7	9	12	55
20-34	484	5.8	13	<1	2	5	8	10	13	19
35-49	864	6.7	26	1	2	6	8	13	16	28
50-64	1046	6.8	28	<1	2	6	8	12	16	26
65+	1216	8.1	49	1	2	6	10	16	21	34
2. MULTIPLE DX										
0-19 YRS	186	8.2	78	2	2	6	9	14	20	55
20-34	1428	8.3	49	2	3	6	10	15	20	40
35-49	3110	8.9	55	2	3	7	11	16	22	39
50-64	5815	10.1	68	2	3	8	12	18	24	46
65+	10897	12.4	100	3	4	10	15	24	31	56
TOT. SINGLE DX	3696	7.0	35	<1	2	6	9	13	17	30
" MULTIPLE DX	21436	11.0	84	3	3	9	13	21	28	50
TOTAL 0-19 YRS	272	7.6	75	1	2	6	9	13	18	58
20-34	1912	7.7	41	2	2	6	9	14	18	37
35-49	3974	8.4	50	2	3	7	10	16	20	38
50-64	6861	9.6	64	2	3	8	12	17	23	44
65+	12113	12.0	98	3	4	9	15	23	31	55
GRAND TOTAL	**25132**	**10.4**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**49**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.3	32	4	5	9	12	19	24	25
20-34	269	11.9	33	6	7	10	14	19	24	35
35-49	556	13.3	46	7	8	11	16	21	26	43
50-64	617	14.6	57	7	8	13	17	23	28	38
65+	589	17.5	66	8	10	15	21	27	33	48
2. MULTIPLE DX										
0-19 YRS	20	18.7	218	7	9	13	22	28	52	75
20-34	283	17.3	178	7	8	13	19	32	42	73
35-49	905	17.5	150	8	8	14	20	30	39	77
50-64	1639	20.2	176	8	9	16	24	37	50	86
65+	2545	24.7	225	10	11	20	30	45	58	92
TOT. SINGLE DX	2044	14.7	58	7	8	13	18	24	29	43
" MULTIPLE DX	5392	21.7	204	8	9	18	26	40	53	86
TOTAL 0-19 YRS	33	15.4	159	5	7	11	18	26	29	75
20-34	552	14.6	115	6	7	11	17	25	33	66
35-49	1461	15.9	115	7	8	13	18	26	35	71
50-64	2256	18.7	150	8	9	15	22	33	44	83
65+	3134	23.3	203	9	11	19	28	43	54	85
GRAND TOTAL	**7436**	**19.8**	**174**	**8**	**9**	**16**	**24**	**36**	**47**	**83**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	14.0	33	8	8	14	17	23	23	23
35-49	25	20.8	94	9	11	19	27	35	38	44
50-64	97	22.0	94	11	12	20	27	34	44	53
65+	88	22.1	105	11	12	19	29	35	43	56
2. MULTIPLE DX										
0-19 YRS										
20-34	12	19.2	29	12	13	18	24	27	28	28
35-49	80	25.0	186	10	12	21	33	47	58	90
50-64	295	25.4	189	11	12	22	31	45	59	99+
65+	375	27.2	260	11	13	23	32	48	69	99
TOT. SINGLE DX	215	21.7	98	10	12	19	28	34	43	51
" MULTIPLE DX	762	26.1	222	11	13	22	32	46	60	99+
TOTAL 0-19 YRS										
20-34	17	17.6	34	9	10	16	23	26	27	28
35-49	105	24.0	167	10	12	20	33	43	56	81
50-64	392	24.5	168	11	12	21	30	43	54	96
65+	463	26.2	235	11	13	23	31	46	61	98
GRAND TOTAL	**977**	**25.1**	**198**	**11**	**12**	**22**	**30**	**44**	**57**	**97**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	9.8	17	6	6	8	12	16	19	19
20-34	224	10.9	22	6	7	9	13	17	21	29
35-49	364	11.3	26	6	7	10	13	18	21	27
50-64	344	11.9	27	6	7	10	14	18	21	35
65+	188	16.3	59	8	9	14	20	27	32	39
2. MULTIPLE DX										
0-19 YRS	12	17.4	245	4	5	12	22	40	57	60
20-34	234	14.5	126	6	7	11	16	25	38	65
35-49	476	14.2	81	6	7	12	17	23	29	54
50-64	650	16.6	103	7	8	14	20	29	37	62
65+	715	22.3	203	9	10	18	27	41	52	85
TOT. SINGLE DX	1132	12.2	34	6	7	10	14	20	24	34
" MULTIPLE DX	2087	17.8	147	7	8	14	21	32	43	77
TOTAL 0-19 YRS	24	13.6	141	5	6	10	14	24	40	60
20-34	458	12.7	79	6	7	10	14	21	27	57
35-49	840	12.9	59	6	7	11	15	21	25	45
50-64	994	15.0	82	7	8	12	18	25	33	54
65+	903	21.1	179	9	10	17	26	38	47	82
GRAND TOTAL	**3219**	**15.8**	**115**	**7**	**8**	**13**	**19**	**28**	**37**	**63**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	8.2	65	2	3	7	9	12	17	40
20-34	1372	8.5	15	5	6	8	9	12	14	26
35-49	1242	9.3	17	5	6	8	10	14	16	25
50-64	609	11.0	31	6	6	9	13	18	22	32
65+	519	14.3	72	6	7	11	17	26	31	45
2. MULTIPLE DX										
0-19 YRS	300	17.1	262	4	5	11	21	45	62	99+
20-34	2192	10.6	63	5	6	8	11	17	25	54
35-49	2887	11.6	68	5	6	9	12	20	28	51
50-64	2094	16.0	143	6	7	12	19	31	42	71
65+	2492	22.2	222	8	9	18	28	42	55	97
TOT. SINGLE DX	3956	9.9	33	5	6	8	11	15	20	33
" MULTIPLE DX	9965	15.1	148	6	6	11	18	30	41	75
TOTAL 0-19 YRS	514	13.4	199	3	4	8	15	32	47	97
20-34	3564	9.8	46	5	6	8	10	15	21	44
35-49	4129	10.9	55	5	6	9	12	18	25	46
50-64	2703	14.9	122	6	7	11	17	28	39	67
65+	3011	20.8	205	7	9	17	26	40	53	92
GRAND TOTAL	**13921**	**13.6**	**121**	**5**	**6**	**10**	**15**	**26**	**37**	**66**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	630	5.4	22	1	1	4	7	10	12	26
20-34	1508	6.1	23	1	1	5	8	12	15	23
35-49	1437	5.6	28	1	1	4	8	11	15	25
50-64	2595	4.6	21	1	1	2	7	11	14	21
65+	2947	5.0	37	1	1	2	6	11	16	28
2. MULTIPLE DX										
0-19 YRS	610	8.8	116	2	2	6	9	16	24	94
20-34	2161	8.7	58	2	3	7	10	16	23	37
35-49	3155	8.8	57	1	2	7	11	17	22	39
50-64	6887	8.9	67	1	2	7	11	18	23	43
65+	12680	11.3	107	1	2	9	15	23	31	56
TOT. SINGLE DX	9117	5.2	28	1	1	3	7	11	15	25
" MULTIPLE DX	25493	10.0	88	1	2	8	13	20	28	49
TOTAL 0-19 YRS	1240	7.1	71	1	2	5	8	12	18	50
20-34	3669	7.6	46	1	2	6	9	14	20	35
35-49	4592	7.8	51	1	1	6	10	15	20	35
50-64	9482	7.7	58	1	1	6	10	16	21	39
65+	15627	10.1	100	1	2	8	13	21	29	53
GRAND TOTAL	**34610**	**8.7**	**77**	**1**	**2**	**7**	**11**	**18**	**25**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	10.8	47	5	6	9	12	21	30	79
20-34	177	12.0	55	5	6	10	13	21	25	42
35-49	183	13.5	66	7	7	11	16	22	30	48
50-64	226	15.0	71	7	8	12	17	25	29	46
65+	314	16.7	71	8	9	15	19	27	34	57
2. MULTIPLE DX										
0-19 YRS	252	16.8	266	5	6	11	19	50	81	99+
20-34	619	15.6	139	6	7	12	17	29	44	68
35-49	624	18.8	180	7	8	14	23	36	50	72
50-64	1133	21.5	220	8	9	17	27	45	61	99+
65+	2203	23.2	237	8	10	19	28	45	58	97
TOT. SINGLE DX	983	14.4	69	6	7	12	17	25	31	47
" MULTIPLE DX	4831	20.9	222	7	8	16	26	43	57	99+
TOTAL 0-19 YRS	335	15.3	219	5	6	10	18	41	70	99+
20-34	796	14.8	123	6	7	11	16	27	39	66
35-49	807	17.6	160	7	8	13	21	33	47	71
50-64	1359	20.4	201	8	9	16	25	41	57	99+
65+	2517	22.4	221	8	10	18	27	43	56	95
GRAND TOTAL	**5814**	**19.8**	**203**	**7**	**8**	**15**	**24**	**39**	**54**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	13.3	106	5	6	10	14	25	38	55
20-34	543	13.5	56	6	7	11	16	22	28	41
35-49	964	12.7	35	7	8	11	14	19	25	36
50-64	2569	13.4	41	7	8	12	15	20	24	41
65+	3804	15.5	50	8	9	14	18	23	29	44
2. MULTIPLE DX										
0-19 YRS	276	18.8	269	6	7	13	24	47	67	99+
20-34	989	17.9	146	7	8	14	22	33	43	72
35-49	2183	16.1	100	7	8	13	18	27	36	66
50-64	7348	17.5	105	8	9	15	20	28	37	63
65+	17164	21.3	153	9	10	18	25	37	47	81
TOT. SINGLE DX	8021	14.3	49	7	8	13	17	22	27	42
" MULTIPLE DX	27960	19.7	142	9	10	16	23	34	44	77
TOTAL 0-19 YRS	417	16.9	221	5	6	11	20	39	56	99+
20-34	1532	16.4	119	7	8	13	19	29	39	61
35-49	3147	15.1	83	7	8	12	17	25	33	57
50-64	9917	16.4	92	8	9	14	19	27	34	59
65+	20968	20.2	140	9	10	17	24	35	45	77
GRAND TOTAL	**35981**	**18.5**	**126**	**8**	**9**	**15**	**22**	**32**	**41**	**71**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.2	30	3	4	8	12	19	20	24
20-34	41	9.2	22	3	4	9	11	15	18	27
35-49	62	11.9	30	6	7	11	14	17	20	38
50-64	107	12.9	38	5	7	11	16	22	25	34
65+	155	14.8	94	6	7	12	18	26	32	66
2. MULTIPLE DX										
0-19 YRS	64	18.6	393	3	5	12	21	64	80	99+
20-34	136	16.2	204	5	6	11	18	35	51	72
35-49	173	18.0	138	7	7	15	23	31	39	68
50-64	438	19.5	161	7	9	16	24	35	44	85
65+	912	23.3	222	8	10	19	28	43	55	87
TOT. SINGLE DX	396	12.8	60	5	6	11	15	22	26	40
" MULTIPLE DX	1723	21.1	209	7	8	17	26	40	53	85
TOTAL 0-19 YRS	95	15.5	293	3	4	11	19	40	69	99+
20-34	177	14.6	170	4	5	10	16	27	45	68
35-49	235	16.4	117	6	7	13	19	29	34	62
50-64	545	18.2	144	7	8	15	23	33	41	82
65+	1067	22.1	213	8	9	18	27	41	54	84
GRAND TOTAL	**2119**	**19.5**	**192**	**6**	**8**	**15**	**24**	**36**	**49**	**82**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	396	7.0	18	2	3	6	9	11	14	18
20-34	539	9.2	20	4	5	9	11	13	17	26
35-49	540	10.4	29	4	6	10	12	16	19	34
50-64	799	10.2	30	4	6	9	12	15	18	33
65+	994	11.4	53	4	5	10	13	18	22	38
2. MULTIPLE DX										
0-19 YRS	563	11.7	100	4	4	9	13	23	38	67
20-34	1130	13.0	101	5	5	10	15	23	34	67
35-49	1160	14.9	141	5	6	11	16	30	42	87
50-64	2051	15.3	119	6	7	12	18	28	38	72
65+	3424	17.3	150	6	7	14	20	33	43	76
TOT. SINGLE DX	3268	10.1	36	3	5	9	12	15	19	34
" MULTIPLE DX	8328	15.5	135	5	7	12	18	30	40	74
TOTAL 0-19 YRS	959	9.8	72	3	4	8	11	16	26	57
20-34	1669	11.8	79	4	5	9	13	21	28	56
35-49	1700	13.5	111	5	6	10	15	25	37	71
50-64	2850	13.9	99	5	6	11	16	25	35	64
65+	4418	16.0	135	5	7	13	18	30	40	71
GRAND TOTAL	**11596**	**14.0**	**113**	**5**	**6**	**11**	**16**	**26**	**37**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	9.7	30	3	5	8	12	16	23	27
20-34	40	12.6	99	2	4	10	15	24	28	58
35-49	82	15.3	128	4	6	13	19	25	40	64
50-64	154	15.7	77	5	7	14	20	28	34	44
65+	303	21.1	178	8	9	18	26	34	51	81
2. MULTIPLE DX										
0-19 YRS	79	19.8	269	6	8	14	25	59	89	99+
20-34	160	20.0	266	5	7	15	25	45	66	99+
35-49	335	22.2	263	7	9	17	27	50	66	99+
50-64	961	22.6	212	8	10	19	28	44	61	99+
65+	2301	26.4	240	10	12	23	34	49	61	99+
TOT. SINGLE DX	623	17.7	144	5	7	15	22	31	42	69
" MULTIPLE DX	3836	24.7	241	8	10	21	31	48	62	99+
TOTAL 0-19 YRS	123	16.2	207	5	6	13	21	35	73	99+
20-34	200	18.5	241	4	7	13	24	42	60	99+
35-49	417	20.9	244	6	8	16	25	48	64	99+
50-64	1115	21.6	199	7	9	18	27	42	56	99+
65+	2604	25.8	236	9	11	22	32	48	60	99+
GRAND TOTAL	**4459**	**23.7**	**234**	**8**	**10**	**20**	**30**	**46**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26354	4.3	5	2	2	4	5	7	9	13
20-34	17440	4.4	5	2	2	4	5	7	8	13
35-49	5312	5.3	8	2	3	5	6	9	11	16
50-64	2712	6.7	14	3	3	6	8	11	14	20
65+	1116	8.4	22	3	4	7	10	14	16	24
2. MULTIPLE DX										
0-19 YRS	6305	6.5	24	2	3	5	8	12	15	24
20-34	5390	6.7	25	3	3	5	8	12	15	26
35-49	2284	8.7	37	3	4	7	11	15	19	35
50-64	2100	11.0	62	4	4	9	13	19	25	43
65+	1827	14.0	97	5	6	11	17	25	32	55
TOT. SINGLE DX	52934	4.6	7	2	2	4	5	8	10	15
" MULTIPLE DX	17906	8.1	44	3	3	6	10	15	20	34
TOTAL 0-19 YRS	32659	4.7	10	2	2	4	5	8	10	17
20-34	22830	4.9	11	2	2	4	6	8	10	17
35-49	7596	6.3	20	2	3	5	8	11	14	23
50-64	4812	8.6	40	3	3	7	10	15	19	33
65+	2943	11.8	76	4	5	10	14	21	28	49
GRAND TOTAL	**70840**	**5.5**	**19**	**2**	**2**	**4**	**6**	**10**	**13**	**23**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	4.4	4	2	2	4	5	7	9	12
20-34	251	4.8	6	2	3	4	5	8	9	13
35-49	73	6.1	15	2	3	5	7	11	14	24
50-64	38	7.3	25	3	4	6	8	12	14	33
65+	12	11.0	30	4	5	10	15	20	21	21
2. MULTIPLE DX										
0-19 YRS	156	6.1	17	2	3	5	7	10	15	21
20-34	188	7.4	31	3	3	6	8	13	21	33
35-49	79	9.6	69	3	4	7	11	15	24	53
50-64	54	15.9	121	5	7	13	20	35	47	98
65+	38	14.0	51	6	7	11	21	26	31	99+
TOT. SINGLE DX	705	5.0	9	2	2	4	6	8	10	15
" MULTIPLE DX	515	8.7	54	3	3	6	10	17	23	48
TOTAL 0-19 YRS	487	5.0	10	2	2	4	6	8	10	18
20-34	439	5.9	19	2	3	5	7	9	13	28
35-49	152	7.9	46	3	3	6	9	14	16	47
50-64	92	12.3	99	4	4	8	16	25	38	79
65+	50	13.3	48	5	6	11	19	23	28	99
GRAND TOTAL	**1220**	**6.6**	**31**	**2**	**3**	**5**	**7**	**12**	**16**	**33**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	8.9	29	2	3	8	11	15	20	28
20-34	68	9.1	17	3	4	9	11	15	17	20
35-49	39	10.5	16	5	6	10	13	15	18	23
50-64	33	12.2	33	5	6	11	15	20	22	30
65+	21	13.6	49	6	7	11	18	21	27	34
2. MULTIPLE DX										
0-19 YRS	41	10.5	38	4	4	8	13	20	22	33
20-34	46	10.6	41	3	3	10	13	20	23	30
35-49	30	14.4	71	6	6	11	20	26	32	38
50-64	47	14.2	62	5	6	13	17	21	35	42
65+	37	20.4	189	7	8	15	26	38	53	66
TOT. SINGLE DX	248	10.0	28	3	4	9	12	17	20	28
" MULTIPLE DX	201	13.8	88	4	5	11	17	26	32	53
TOTAL 0-19 YRS	128	9.4	33	3	4	8	11	17	22	29
20-34	114	9.7	27	3	4	9	12	17	19	28
35-49	69	12.2	43	5	6	10	14	21	26	37
50-64	80	13.4	51	5	6	12	16	21	29	40
65+	58	17.9	148	6	7	15	21	32	47	65
GRAND TOTAL	**449**	**11.7**	**59**	**3**	**4**	**10**	**14**	**20**	**26**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	430	4.5	47	<1	1	3	5	10	12	29
20-34	652	5.0	16	1	1	4	7	10	14	21
35-49	478	5.0	21	1	1	4	6	10	12	23
50-64	812	4.8	27	1	1	3	6	10	13	25
65+	1278	5.5	28	1	2	4	7	12	16	27
2. MULTIPLE DX										
0-19 YRS	276	6.9	66	1	1	4	8	15	23	43
20-34	581	7.6	64	1	2	6	9	14	20	48
35-49	705	7.8	59	1	2	5	10	17	23	36
50-64	1741	9.1	83	2	2	7	11	18	25	46
65+	3761	10.9	102	2	3	8	14	22	30	54
TOT. SINGLE DX	3650	5.1	28	1	1	3	6	10	14	26
" MULTIPLE DX	7064	9.7	91	2	2	7	12	20	28	50
TOTAL 0-19 YRS	706	5.4	56	<1	1	3	6	11	17	38
20-34	1233	6.2	41	1	2	4	8	12	16	34
35-49	1183	6.7	46	1	2	5	8	13	19	34
50-64	2553	7.7	70	1	2	5	10	16	22	41
65+	5039	9.5	89	2	2	7	12	20	27	49
GRAND TOTAL	**10714**	**8.1**	**74**	**1**	**2**	**6**	**10**	**17**	**24**	**45**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	3.0	3	1	1	2	4	6	7	9
20-34	931	3.4	5	1	1	3	4	6	7	13
35-49	761	3.8	14	1	1	3	4	7	9	15
50-64	395	4.3	14	1	1	3	5	8	10	24
65+	145	5.6	35	1	2	4	7	10	14	39
2. MULTIPLE DX										
0-19 YRS	74	7.3	48	1	1	5	9	15	22	35
20-34	433	5.4	28	1	2	4	6	11	14	27
35-49	555	6.2	51	1	2	4	7	13	18	35
50-64	456	7.0	38	2	2	5	9	14	19	31
65+	315	10.8	133	3	3	7	13	23	29	65
TOT. SINGLE DX	2419	3.8	12	1	1	3	4	7	9	15
" MULTIPLE DX	1833	7.1	60	1	2	5	8	15	21	37
TOTAL 0-19 YRS	261	4.2	20	1	1	3	5	8	12	27
20-34	1364	4.0	14	1	1	3	5	7	10	18
35-49	1316	4.8	32	1	1	3	5	9	13	29
50-64	851	5.8	29	1	2	4	7	11	16	29
65+	460	9.2	108	2	2	6	11	20	27	59
GRAND TOTAL	**4252**	**5.2**	**35**	**1**	**1**	**4**	**6**	**10**	**15**	**30**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	11.3	56	3	6	10	13	16	23	52
20-34	83	13.6	64	3	4	12	18	24	28	44
35-49	226	14.9	50	4	8	13	18	24	29	40
50-64	739	15.6	47	8	9	14	18	23	27	45
65+	1029	18.1	77	9	10	16	21	28	32	55
2. MULTIPLE DX										
0-19 YRS	80	15.1	149	4	6	11	17	35	40	62
20-34	154	18.2	155	5	7	14	24	37	47	98
35-49	377	18.3	108	8	9	15	22	32	40	64
50-64	1697	20.0	120	9	10	17	23	34	41	66
65+	3295	23.2	169	10	11	20	28	40	50	83
TOT. SINGLE DX	2149	16.5	66	7	9	15	19	26	30	45
" MULTIPLE DX	5603	21.7	153	9	11	18	26	37	47	75
TOTAL 0-19 YRS	152	13.3	108	3	6	11	15	23	36	59
20-34	237	16.6	128	4	6	13	21	31	42	69
35-49	603	17.0	89	7	9	14	20	29	37	56
50-64	2436	18.7	102	9	10	16	22	30	38	61
65+	4324	22.0	152	10	11	19	27	37	47	77
GRAND TOTAL	**7752**	**20.2**	**134**	**8**	**10**	**17**	**24**	**34**	**43**	**70**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	852	4.8	29	1	1	4	6	9	12	21
20-34	3239	5.3	16	1	2	4	7	9	12	21
35-49	3490	5.5	17	1	1	5	7	10	13	20
50-64	3414	5.7	23	1	1	5	7	11	13	24
65+	3052	6.8	36	1	1	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	1231	6.4	32	1	2	5	8	12	16	33
20-34	7165	7.0	40	2	2	5	9	13	17	33
35-49	11095	7.7	41	2	3	6	9	14	19	33
50-64	15813	8.5	51	2	3	7	10	16	21	38
65+	23217	10.6	79	2	3	8	13	20	27	49
TOT. SINGLE DX	14047	5.7	24	1	1	5	7	11	14	24
" MULTIPLE DX	58521	9.0	61	2	3	7	11	17	23	42
TOTAL 0-19 YRS	2083	5.8	32	1	2	4	7	10	14	28
20-34	10404	6.5	34	1	2	5	8	12	15	29
35-49	14585	7.2	36	2	2	6	9	13	17	31
50-64	19227	8.0	48	2	2	6	10	15	20	35
65+	26269	10.2	76	2	3	8	13	20	26	47
GRAND TOTAL	**72568**	**8.4**	**55**	**2**	**2**	**6**	**10**	**16**	**21**	**40**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.7	3	<1	1	2	3	5	6	10
20-34	1341	3.5	3	1	2	3	4	6	7	9
35-49	1486	3.6	4	1	2	3	4	6	7	12
50-64	851	3.7	3	1	2	3	4	6	7	11
65+	288	4.1	8	2	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	61	4.4	11	1	2	4	5	8	10	22
20-34	958	4.3	9	1	2	4	5	7	8	17
35-49	1296	4.7	12	2	2	4	5	7	10	20
50-64	1101	5.2	15	2	2	4	6	9	11	23
65+	550	7.2	59	2	3	5	8	14	19	48
TOT. SINGLE DX	4138	3.6	4	1	2	3	4	6	7	11
" MULTIPLE DX	3966	5.1	20	2	2	4	6	9	11	24
TOTAL 0-19 YRS	233	3.2	6	1	1	2	4	6	8	14
20-34	2299	3.8	6	1	2	3	5	6	7	11
35-49	2782	4.1	8	1	2	4	5	7	9	15
50-64	1952	4.5	11	2	2	4	5	8	10	17
65+	838	6.2	44	2	2	4	7	12	15	43
GRAND TOTAL	**8104**	**4.3**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	2.8	2	<1	1	3	4	5	6	10
20-34	1503	3.1	2	<1	1	3	4	5	6	8
35-49	839	3.4	3	1	1	3	4	6	7	12
50-64	428	3.8	6	1	2	3	5	6	8	15
65+	247	4.8	22	1	2	4	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	131	3.8	6	1	1	3	5	6	8	15
20-34	1190	4.5	10	1	2	4	5	8	9	18
35-49	1308	5.0	12	2	2	4	6	8	11	22
50-64	1116	5.4	28	2	2	4	6	9	11	22
65+	754	8.0	56	2	3	6	9	17	23	35
TOT. SINGLE DX	3268	3.4	5	1	1	3	4	5	7	12
" MULTIPLE DX	4499	5.4	25	2	2	4	6	9	13	27
TOTAL 0-19 YRS	382	3.1	4	<1	1	3	4	5	7	11
20-34	2693	3.7	7	1	1	3	4	6	8	13
35-49	2147	4.4	10	1	2	4	5	7	9	15
50-64	1544	5.0	23	1	2	4	6	8	11	20
65+	1001	7.2	50	2	2	5	8	15	21	35
GRAND TOTAL	**7767**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**22**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.1	3	2	2	4	5	7	8	9
20-34	2131	4.7	3	2	3	4	6	7	8	10
35-49	2668	4.9	4	2	3	5	6	8	9	13
50-64	1838	5.0	5	2	3	5	6	8	9	13
65+	652	5.9	10	3	3	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	253	4.7	5	2	2	5	6	7	8	14
20-34	6213	5.3	8	2	3	5	6	8	10	15
35-49	9635	5.8	14	3	3	5	7	9	11	19
50-64	7975	6.3	16	3	3	5	7	10	13	22
65+	3855	8.0	36	3	4	6	9	15	19	33
TOT. SINGLE DX	7363	5.0	5	2	3	5	6	8	9	13
" MULTIPLE DX	27931	6.1	17	3	3	5	7	10	13	22
TOTAL 0-19 YRS	327	4.6	5	2	2	4	6	7	8	12
20-34	8344	5.1	7	2	3	5	6	8	9	14
35-49	12303	5.6	12	3	3	5	6	9	11	18
50-64	9813	6.1	15	3	3	5	7	10	13	21
65+	4507	7.7	33	3	3	6	9	14	18	32
GRAND TOTAL	**35294**	**5.9**	**15**	**3**	**3**	**5**	**7**	**9**	**12**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	3.4	5	1	1	3	4	6	8	11
20-34	1387	3.5	7	1	1	3	4	6	8	13
35-49	1069	3.6	6	1	1	3	4	6	8	12
50-64	685	4.2	12	1	1	3	5	8	10	18
65+	439	5.3	19	1	2	4	6	10	14	21
2. MULTIPLE DX										
0-19 YRS	175	6.1	59	1	2	4	7	12	18	43
20-34	891	5.4	49	1	2	4	6	9	14	34
35-49	998	6.0	45	1	2	4	7	11	16	34
50-64	1007	7.1	49	2	2	5	8	14	20	36
65+	949	9.9	95	2	3	7	12	22	30	65
TOT. SINGLE DX	3867	3.8	10	1	1	3	5	7	9	15
" MULTIPLE DX	4020	7.0	63	1	2	5	8	14	21	42
TOTAL 0-19 YRS	462	4.4	28	1	1	3	5	8	11	25
20-34	2278	4.2	25	1	1	3	5	7	10	19
35-49	2067	4.7	27	1	1	4	5	9	12	24
50-64	1692	5.9	36	1	2	4	7	12	17	31
65+	1388	8.4	76	2	2	6	10	18	25	48
GRAND TOTAL	**7887**	**5.5**	**39**	**1**	**2**	**4**	**6**	**10**	**15**	**32**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	15.6	94	2	3	16	21	30	33	33
20-34	28	12.4	64	2	5	9	18	25	28	32
35-49	27	11.7	306	1	1	6	15	22	34	92
50-64	38	14.7	196	<1	1	12	19	38	45	59
65+	26	12.3	83	1	2	10	19	27	29	30
2. MULTIPLE DX										
0-19 YRS	15	16.9	255	1	2	11	28	47	49	50
20-34	64	17.3	210	3	5	13	21	33	57	66
35-49	53	16.6	229	2	3	12	22	40	54	99
50-64	111	21.6	240	5	6	17	31	43	50	70
65+	143	22.2	290	3	5	17	29	44	54	85
TOT. SINGLE DX	128	13.1	158	1	2	10	18	27	32	66
" MULTIPLE DX	386	20.2	256	3	5	16	28	43	53	84
TOTAL 0-19 YRS	24	16.4	189	2	2	12	22	35	48	50
20-34	92	15.8	170	3	5	12	19	31	42	64
35-49	80	15.0	258	1	2	11	19	31	53	98
50-64	149	19.9	237	2	4	15	29	42	49	59
65+	169	20.7	271	2	4	17	28	42	53	83
GRAND TOTAL	**514**	**18.5**	**241**	**2**	**3**	**14**	**25**	**40**	**51**	**84**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	5.9	38	1	1	3	8	14	17	31
20-34	1006	4.8	32	1	1	2	6	11	14	29
35-49	993	5.1	37	1	1	2	7	13	17	28
50-64	1225	6.3	50	1	1	3	9	16	21	34
65+	780	8.4	85	1	1	5	12	19	24	45
2. MULTIPLE DX										
0-19 YRS	355	12.5	153	2	2	8	16	30	42	80
20-34	1540	11.0	123	1	2	8	13	23	32	64
35-49	2247	10.6	98	1	2	8	14	22	29	48
50-64	4357	12.3	122	1	2	10	16	25	32	58
65+	4508	14.6	130	2	3	12	19	28	36	60
TOT. SINGLE DX	4199	6.0	50	1	1	3	8	15	20	33
" MULTIPLE DX	13007	12.6	125	1	2	10	17	26	34	59
TOTAL 0-19 YRS	550	10.1	123	1	2	7	12	25	35	64
20-34	2546	8.5	97	1	1	6	11	19	26	54
35-49	3240	8.9	86	1	1	6	12	20	26	45
50-64	5582	10.9	113	1	2	8	15	23	31	53
65+	5288	13.7	129	1	2	11	18	28	35	59
GRAND TOTAL	**17206**	**11.0**	**115**	**1**	**2**	**8**	**15**	**24**	**31**	**54**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1305	7.2	10	4	4	7	8	11	13	18
20-34	15247	7.0	6	4	5	6	8	10	12	16
35-49	14048	7.5	9	4	5	7	8	11	13	18
50-64	13225	8.2	11	5	5	7	9	12	15	20
65+	7981	10.2	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
0-19 YRS	838	9.6	36	4	5	8	11	16	19	31
20-34	10502	9.1	25	5	5	8	11	14	18	29
35-49	13880	10.1	39	5	5	8	12	16	20	35
50-64	20517	11.5	48	5	6	10	14	19	24	40
65+	24086	15.6	94	6	7	13	19	27	34	57
TOT. SINGLE DX	51806	7.9	13	4	5	7	9	12	14	21
" MULTIPLE DX	69823	12.2	66	5	6	10	15	21	27	46
TOTAL 0-19 YRS	2143	8.2	22	4	5	7	9	13	16	25
20-34	25749	7.9	15	4	5	7	9	12	15	22
35-49	27928	8.7	26	5	5	7	10	14	17	27
50-64	33742	10.2	37	5	6	8	12	17	21	34
65+	32067	14.2	83	6	7	12	17	25	31	52
GRAND TOTAL	**121629**	**10.4**	**48**	**5**	**5**	**8**	**12**	**18**	**23**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	9.2	110	1	1	5	13	21	26	52
20-34	197	8.8	39	2	2	8	12	16	22	30
35-49	275	9.3	54	2	2	8	13	19	22	36
50-64	368	10.9	81	2	2	10	15	21	27	51
65+	692	14.6	102	2	3	13	19	27	33	50
2. MULTIPLE DX										
0-19 YRS	43	14.8	221	2	3	10	17	30	42	85
20-34	200	13.5	109	3	4	11	17	25	32	61
35-49	441	15.9	140	3	5	12	20	31	42	59
50-64	1082	18.7	181	4	6	16	23	36	47	82
65+	2670	21.1	172	5	8	18	27	37	47	77
TOT. SINGLE DX	1565	12.0	87	2	2	10	16	23	29	44
" MULTIPLE DX	4436	19.6	174	4	7	17	25	36	46	77
TOTAL 0-19 YRS	76	12.4	179	1	2	9	16	26	38	76
20-34	397	11.2	80	2	3	9	15	21	27	48
35-49	716	13.3	118	2	3	10	17	26	36	54
50-64	1450	16.8	168	2	4	14	22	32	43	78
65+	3362	19.8	165	3	7	17	25	35	45	74
GRAND TOTAL	**6001**	**17.6**	**163**	**3**	**4**	**15**	**23**	**33**	**43**	**71**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	7.5	41	1	2	7	10	15	20	31
20-34	374	7.0	51	1	1	5	9	16	20	32
35-49	582	7.9	83	1	1	5	10	17	25	49
50-64	565	9.4	112	1	1	5	12	23	32	59
65+	504	10.5	103	1	2	7	15	23	30	48
2. MULTIPLE DX										
0-19 YRS	78	15.5	176	2	2	11	22	33	41	60
20-34	500	13.0	181	2	2	9	16	27	42	81
35-49	1036	15.5	239	2	2	11	19	35	51	87
50-64	1566	16.6	247	2	3	12	21	36	51	88
65+	1884	17.6	235	2	3	14	24	36	51	85
TOT. SINGLE DX	2072	8.8	91	1	1	6	11	20	27	47
" MULTIPLE DX	5064	16.4	236	2	3	12	21	35	50	85
TOTAL 0-19 YRS	125	12.5	140	1	2	9	17	30	37	57
20-34	874	10.4	134	1	2	7	14	22	32	70
35-49	1618	12.8	197	1	2	9	16	29	42	84
50-64	2131	14.7	222	1	2	10	19	33	46	82
65+	2388	16.1	216	2	3	12	22	34	47	79
GRAND TOTAL	**7136**	**14.2**	**206**	**1**	**2**	**10**	**19**	**32**	**44**	**80**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1372	4.4	13	1	1	4	6	8	11	18
20-34	3945	5.1	19	1	2	4	6	9	12	23
35-49	3847	5.1	17	1	1	4	6	10	12	21
50-64	4575	4.9	20	1	1	4	6	10	12	23
65+	5387	5.9	34	1	1	4	8	12	16	27
2. MULTIPLE DX										
0-19 YRS	1198	6.0	37	1	2	4	7	11	14	34
20-34	6167	6.6	35	2	2	5	8	12	16	32
35-49	9710	7.0	38	2	2	5	8	13	17	32
50-64	17761	7.6	46	2	2	6	9	14	19	36
65+	36507	9.4	69	2	3	7	11	18	25	46
TOT. SINGLE DX	19126	5.3	23	1	1	4	7	10	13	24
" MULTIPLE DX	71343	8.3	58	2	2	6	10	16	22	40
TOTAL 0-19 YRS	2570	5.2	25	1	2	4	6	9	12	25
20-34	10112	6.0	30	1	2	5	7	11	15	28
35-49	13557	6.5	33	1	2	5	8	12	16	30
50-64	22336	7.0	43	1	2	5	9	13	18	34
65+	41894	9.0	66	2	2	7	11	17	24	44
GRAND TOTAL	**90469**	**7.7**	**52**	**1**	**2**	**6**	**9**	**15**	**20**	**38**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12209	2.1	1	<1	<1	2	3	4	4	6
20-34	12916	3.4	2	1	2	3	4	5	6	8
35-49	11596	3.7	2	2	2	3	4	5	6	9
50-64	16974	4.0	3	2	2	4	5	6	7	10
65+	13213	4.7	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	6019	2.5	11	<1	<1	2	3	4	6	12
20-34	4124	4.2	7	2	2	4	5	6	8	13
35-49	5780	4.8	11	2	2	4	6	8	10	18
50-64	12322	5.5	16	2	3	5	6	9	12	21
65+	16458	7.6	42	2	3	6	9	14	19	36
TOT. SINGLE DX	66908	3.6	4	1	2	3	4	6	7	10
" MULTIPLE DX	44703	5.7	27	1	2	4	7	10	14	27
TOTAL 0-19 YRS	18228	2.2	5	<1	<1	2	3	4	5	8
20-34	17040	3.6	3	1	2	3	4	5	6	9
35-49	17376	4.1	6	2	2	4	5	6	8	13
50-64	29296	4.7	10	2	2	4	5	7	9	16
65+	29671	6.3	28	2	3	5	7	11	15	28
GRAND TOTAL	**111611**	**4.4**	**14**	**1**	**2**	**4**	**5**	**7**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2522	1.7	1	<1	<1	1	2	3	4	6
20-34	1088	4.0	2	2	2	4	5	6	6	10
35-49	1615	4.4	2	2	3	4	5	6	7	10
50-64	2440	4.6	3	2	3	4	6	7	8	11
65+	1649	5.3	7	2	3	5	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	1692	3.2	64	<1	<1	2	2	4	8	59
20-34	467	4.6	6	2	3	4	5	7	8	12
35-49	939	5.3	16	2	3	5	6	8	10	16
50-64	2147	6.1	17	3	3	5	7	10	13	21
65+	2398	8.1	39	3	3	6	9	14	19	33
TOT. SINGLE DX	9314	3.8	5	<1	1	4	5	6	8	11
" MULTIPLE DX	7643	5.9	37	1	1	5	7	10	14	31
TOTAL 0-19 YRS	4214	2.3	27	<1	<1	2	2	3	5	21
20-34	1555	4.2	4	2	2	4	5	6	7	10
35-49	2554	4.7	8	2	3	4	5	7	8	12
50-64	4587	5.3	10	2	3	5	6	8	10	18
65+	4047	6.9	29	3	3	6	8	12	16	27
GRAND TOTAL	**16957**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**8**	**10**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.9	3	1	1	3	4	5	5	12
20-34	325	3.6	2	1	2	3	4	6	6	8
35-49	489	4.0	4	2	2	4	5	6	8	12
50-64	642	4.5	5	2	2	4	5	7	8	14
65+	857	6.2	15	2	3	5	8	10	13	22
2. MULTIPLE DX										
0-19 YRS	29	4.9	28	1	1	3	4	11	18	26
20-34	118	4.8	6	1	2	4	6	7	9	15
35-49	228	5.9	16	2	2	5	7	10	13	21
50-64	473	7.0	26	2	3	6	8	13	17	30
65+	1336	10.7	83	3	4	8	13	20	28	61
TOT. SINGLE DX	2395	4.8	9	2	2	4	6	8	10	16
" MULTIPLE DX	2184	9.0	64	2	3	7	11	17	23	42
TOTAL 0-19 YRS	111	3.4	11	1	1	3	4	5	7	21
20-34	443	3.9	4	1	2	4	5	6	7	11
35-49	717	4.6	9	2	2	4	5	8	10	16
50-64	1115	5.5	16	2	2	5	6	9	13	23
65+	2193	8.9	62	3	3	7	10	17	23	42
GRAND TOTAL	**4579**	**6.8**	**40**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2322	2.1	1	<1	1	2	2	3	4	6
20-34	1052	3.2	2	1	2	3	4	5	6	9
35-49	1420	3.6	4	1	2	3	4	6	7	10
50-64	1121	4.1	5	1	2	4	5	7	8	12
65+	527	5.1	10	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	514	3.4	16	<1	1	2	4	7	9	23
20-34	517	4.9	12	1	2	4	6	8	11	19
35-49	1106	5.7	33	2	2	4	7	10	14	21
50-64	1413	7.1	33	2	3	5	8	13	17	31
65+	1138	9.6	64	3	3	7	12	18	24	48
TOT. SINGLE DX	6442	3.2	5	1	1	3	4	6	7	11
" MULTIPLE DX	4688	6.7	41	2	2	5	8	13	17	33
TOTAL 0-19 YRS	2836	2.3	4	<1	1	2	3	4	5	9
20-34	1569	3.8	7	1	2	3	5	6	8	13
35-49	2526	4.5	18	1	2	4	5	8	10	18
50-64	2534	5.8	23	2	2	4	7	10	14	26
65+	1665	8.2	52	2	3	6	10	16	21	42
GRAND TOTAL	**11130**	**4.7**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**24**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	512	2.5	2	<1	1	2	3	4	6	8
20-34	1600	4.1	5	1	2	4	5	7	8	11
35-49	2548	5.2	8	2	2	5	6	9	10	16
50-64	3161	6.1	11	2	3	6	8	10	12	18
65+	2182	6.9	14	3	3	6	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	149	4.4	20	<1	1	3	5	11	14	19
20-34	1039	6.3	24	2	3	5	7	10	14	26
35-49	2394	8.0	35	3	3	7	9	14	18	30
50-64	3800	9.0	39	3	4	8	11	16	21	35
65+	3919	11.3	77	3	4	9	13	20	27	47
TOT. SINGLE DX	10003	5.5	11	2	2	5	7	9	11	17
" MULTIPLE DX	11301	9.3	53	3	3	8	11	17	22	39
TOTAL 0-19 YRS	661	2.9	7	<1	1	2	3	5	7	14
20-34	2639	4.9	14	2	2	4	6	8	10	20
35-49	4942	6.6	23	2	3	5	8	11	15	25
50-64	6961	7.7	29	2	3	6	9	13	17	29
65+	6101	9.7	60	3	4	8	11	17	23	41
GRAND TOTAL	**21304**	**7.5**	**37**	**2**	**3**	**6**	**9**	**13**	**18**	**31**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	4.2	24	1	1	3	5	10	12	31
20-34	123	6.5	14	2	3	6	8	11	14	22
35-49	197	7.8	15	2	3	8	10	13	14	21
50-64	261	8.2	17	3	4	8	10	13	16	21
65+	190	11.9	63	4	4	10	15	20	25	49
2. MULTIPLE DX										
0-19 YRS	86	10.0	108	1	2	7	12	28	39	79
20-34	226	10.6	37	5	5	9	12	19	24	37
35-49	537	10.9	39	5	6	9	13	18	22	38
50-64	817	12.4	58	6	6	10	14	20	26	45
65+	893	15.8	111	6	7	13	19	28	37	61
TOT. SINGLE DX	841	8.4	32	2	3	8	10	14	18	29
" MULTIPLE DX	2559	13.0	77	5	6	10	15	23	30	53
TOTAL 0-19 YRS	156	7.4	79	1	1	4	9	21	30	44
20-34	349	9.2	33	3	3	8	11	15	22	31
35-49	734	10.1	35	3	5	9	12	16	20	34
50-64	1078	11.4	52	4	6	10	13	19	24	41
65+	1083	15.1	105	5	6	12	18	27	36	60
GRAND TOTAL	**3400**	**11.9**	**70**	**3**	**5**	**10**	**14**	**21**	**27**	**47**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	4.0	15	<1	1	3	5	8	12	20
20-34	1188	5.2	21	1	1	4	7	10	13	22
35-49	926	6.4	41	1	2	5	8	13	18	34
50-64	1052	8.6	62	1	2	6	11	17	23	36
65+	922	10.3	84	1	2	8	14	21	27	45
2. MULTIPLE DX										
0-19 YRS	584	7.2	77	1	1	5	8	15	26	55
20-34	1618	8.7	88	1	2	6	10	19	26	51
35-49	2070	11.0	106	2	2	8	14	23	30	54
50-64	4073	13.7	143	2	3	10	18	28	37	65
65+	4966	16.2	165	2	4	13	21	32	41	70
TOT. SINGLE DX	4858	6.9	50	1	1	5	9	15	20	35
" MULTIPLE DX	13311	13.3	144	2	3	10	18	28	37	63
TOTAL 0-19 YRS	1354	5.4	45	1	1	3	6	11	16	38
20-34	2806	7.2	64	1	2	5	8	14	21	40
35-49	2996	9.6	91	1	2	7	12	21	28	51
50-64	5125	12.6	131	2	3	9	16	26	34	62
65+	5888	15.3	157	2	3	12	20	31	40	67
GRAND TOTAL	**18169**	**11.6**	**127**	**1**	**2**	**8**	**15**	**25**	**33**	**58**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	902	6.0	17	2	3	5	7	10	13	21
20-34	2105	6.6	20	2	3	6	8	11	15	25
35-49	885	9.1	39	3	4	7	11	16	23	35
50-64	718	11.6	61	4	5	10	14	20	26	38
65+	700	14.3	73	5	6	12	18	25	30	54
2. MULTIPLE DX										
0-19 YRS	1149	9.8	103	3	4	7	10	17	26	85
20-34	3598	9.0	75	3	4	7	10	16	23	52
35-49	2128	12.9	119	4	5	9	15	26	37	65
50-64	2181	17.9	191	5	6	14	22	36	48	85
65+	3096	21.1	208	7	8	17	26	40	51	92
TOT. SINGLE DX	5310	8.6	44	2	3	7	10	16	22	35
" MULTIPLE DX	12152	14.4	165	4	5	10	18	30	42	77
TOTAL 0-19 YRS	2051	8.1	69	2	3	6	9	14	19	55
20-34	5703	8.1	57	2	3	6	9	14	21	45
35-49	3013	11.8	99	3	4	9	14	23	32	60
50-64	2899	16.3	167	5	6	12	20	32	43	81
65+	3796	19.8	191	6	8	16	25	37	48	90
GRAND TOTAL	**17462**	**12.7**	**136**	**3**	**4**	**9**	**16**	**26**	**37**	**68**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1710	3.3	7	<1	1	2	4	7	9	13
20-34	8222	2.6	6	<1	<1	2	3	6	7	12
35-49	1355	2.6	6	<1	<1	2	3	5	7	11
50-64	230	3.5	13	1	1	2	4	8	11	18
65+	101	6.6	55	1	1	3	10	16	21	38
2. MULTIPLE DX										
0-19 YRS	1373	4.3	20	1	1	3	6	9	11	19
20-34	9235	3.3	12	<1	<1	2	4	7	10	16
35-49	1907	4.0	21	<1	1	2	5	9	13	22
50-64	383	7.8	79	1	1	5	10	18	24	48
65+	257	12.7	161	2	2	9	17	30	38	62
TOT. SINGLE DX	11618	2.8	8	<1	<1	2	3	6	8	13
" MULTIPLE DX	13155	3.8	21	<1	1	2	5	8	11	22
TOTAL 0-19 YRS	3083	3.8	13	<1	1	3	5	8	10	15
20-34	17457	3.0	10	<1	<1	2	3	6	8	15
35-49	3262	3.4	16	<1	<1	2	4	8	11	19
50-64	613	6.2	59	1	1	3	8	15	20	40
65+	358	11.0	139	1	2	7	15	24	36	56
GRAND TOTAL	**24773**	**3.3**	**15**	**<1**	**<1**	**2**	**4**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	7.0	18	1	2	6	9	12	14	22
20-34	1685	6.4	19	1	2	6	8	12	14	22
35-49	1204	9.0	36	2	3	8	11	16	20	33
50-64	999	10.4	44	3	4	9	13	17	22	33
65+	926	13.2	69	4	6	11	16	22	28	48
2. MULTIPLE DX										
0-19 YRS	629	10.0	119	1	2	7	11	20	31	70
20-34	4153	7.6	50	1	2	6	8	14	19	36
35-49	2562	11.6	95	2	4	9	14	23	31	52
50-64	2753	16.3	161	4	5	13	20	31	43	70
65+	3578	19.5	184	6	8	16	24	38	49	97
TOT. SINGLE DX	5177	9.1	43	2	2	8	11	16	21	34
" MULTIPLE DX	13675	13.3	142	2	4	10	17	28	38	68
TOTAL 0-19 YRS	992	8.9	84	1	2	7	10	16	23	55
20-34	5838	7.3	42	1	2	6	8	13	18	33
35-49	3766	10.8	78	2	3	8	13	20	28	49
50-64	3752	14.7	137	4	5	11	18	28	39	64
65+	4504	18.2	167	5	7	15	22	35	45	85
GRAND TOTAL	18852	12.1	119	2	3	9	15	25	33	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	8.7	14	3	4	8	11	14	17	19
20-34	216	9.3	14	5	6	8	10	14	17	22
35-49	279	11.2	19	6	7	10	13	17	20	28
50-64	570	12.2	21	7	8	11	15	18	21	26
65+	556	14.4	44	8	8	12	17	23	28	44
2. MULTIPLE DX										
0-19 YRS	304	12.7	151	4	5	9	14	21	34	75
20-34	459	13.9	110	6	7	10	16	26	33	64
35-49	634	15.5	116	6	7	12	18	27	38	73
50-64	1431	16.7	105	7	8	14	20	28	36	61
65+	2078	19.6	136	8	9	16	23	34	43	66
TOT. SINGLE DX	1732	12.1	31	6	7	11	15	19	22	33
" MULTIPLE DX	4906	17.2	129	7	8	14	21	30	40	65
TOTAL 0-19 YRS	415	11.6	118	4	5	9	12	19	28	72
20-34	675	12.4	85	6	6	9	14	22	29	57
35-49	913	14.2	91	6	7	11	16	23	32	63
50-64	2001	15.4	85	7	8	13	18	25	32	56
65+	2634	18.5	122	8	9	16	22	32	41	63
GRAND TOTAL	6638	15.9	108	7	8	13	19	28	36	61

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	593	7.6	40	2	2	6	10	15	18	29
20-34	1322	8.8	30	2	2	8	11	15	19	31
35-49	1289	9.1	33	2	3	8	11	14	17	30
50-64	1324	9.5	30	2	3	9	11	15	19	28
65+	645	10.5	48	2	2	9	13	17	22	41
2. MULTIPLE DX										
0-19 YRS	657	11.4	86	2	3	9	14	23	29	51
20-34	1724	13.3	134	2	3	10	16	27	37	62
35-49	1806	13.8	119	2	4	11	17	26	35	59
50-64	2349	14.0	117	2	4	11	17	26	36	60
65+	2071	15.9	155	2	4	13	20	30	41	77
TOT. SINGLE DX	5173	9.1	35	2	2	8	11	15	19	31
" MULTIPLE DX	8607	14.1	130	2	3	11	17	27	36	64
TOTAL 0-19 YRS	1250	9.6	68	2	2	8	12	19	25	46
20-34	3046	11.3	95	2	3	9	13	22	30	53
35-49	3095	11.9	89	2	3	9	14	22	30	55
50-64	3673	12.3	91	2	4	10	15	23	31	53
65+	2716	14.6	136	2	4	11	18	28	37	69
GRAND TOTAL	13780	12.2	100	2	3	10	15	23	31	55

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	7.4	16	2	2	7	10	12	13	23
20-34	1203	8.3	15	3	4	8	10	13	15	21
35-49	1629	8.6	15	3	4	8	10	13	16	21
50-64	1420	9.4	20	3	5	9	11	14	17	22
65+	575	9.9	21	3	5	9	12	16	18	23
2. MULTIPLE DX										
0-19 YRS	68	9.0	57	2	2	9	12	15	19	92
20-34	665	10.1	36	4	5	9	12	17	20	28
35-49	1033	10.8	46	3	5	9	13	17	21	36
50-64	1461	12.2	56	4	6	11	15	20	25	41
65+	1232	14.8	107	4	6	12	18	27	34	59
TOT. SINGLE DX	4928	8.9	18	3	4	8	11	14	16	22
" MULTIPLE DX	4459	12.2	68	4	5	10	15	21	26	47
TOTAL 0-19 YRS	169	8.1	33	2	2	8	11	13	16	51
20-34	1868	8.9	23	3	4	8	11	14	17	25
35-49	2662	9.5	29	3	4	9	11	15	18	29
50-64	2881	10.8	41	4	5	10	13	17	21	35
65+	1807	13.3	85	3	5	11	16	23	30	55
GRAND TOTAL	**9387**	**10.5**	**45**	**3**	**5**	**9**	**12**	**17**	**21**	**36**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	571	8.5	11	4	5	8	10	12	15	18
20-34	99	10.9	36	4	6	9	12	18	21	41
35-49	67	14.6	142	5	6	12	17	25	28	84
50-64	49	14.9	55	5	7	14	18	23	29	42
65+	69	17.0	37	10	11	16	21	26	30	33
2. MULTIPLE DX										
0-19 YRS	614	10.6	41	5	6	9	12	16	21	39
20-34	204	14.5	105	6	7	11	17	26	44	99+
35-49	150	17.3	141	6	7	14	23	32	50	99
50-64	212	20.0	182	6	9	16	24	37	51	94
65+	311	22.2	213	6	9	18	29	41	52	99
TOT. SINGLE DX	855	10.3	38	4	5	9	12	17	21	31
" MULTIPLE DX	1491	15.6	139	6	7	12	18	30	40	86
TOTAL 0-19 YRS	1185	9.6	28	4	6	8	11	15	17	29
20-34	303	13.3	85	6	7	10	15	22	36	84
35-49	217	16.5	143	5	7	13	21	29	44	94
50-64	261	19.1	162	6	8	16	23	35	44	90
65+	380	21.3	185	7	9	17	27	37	50	96
GRAND TOTAL	**2346**	**13.6**	**108**	**5**	**6**	**10**	**16**	**25**	**35**	**67**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	283	4.6	12	<1	1	4	6	9	12	19
20-34	1687	4.5	6	1	2	4	6	8	9	14
35-49	2063	4.5	7	1	2	4	6	8	9	15
50-64	1548	5.1	12	1	2	4	6	9	11	18
65+	580	6.1	25	2	2	5	8	11	15	24
2. MULTIPLE DX										
0-19 YRS	204	7.8	38	<1	1	6	11	16	19	28
20-34	799	6.3	30	2	2	5	8	11	14	23
35-49	1081	6.7	34	2	2	5	8	12	16	32
50-64	1294	7.5	37	2	2	6	9	14	19	33
65+	1014	10.6	86	2	3	8	13	21	28	46
TOT. SINGLE DX	6161	4.8	11	1	2	4	6	8	11	17
" MULTIPLE DX	4392	7.8	49	2	2	6	10	15	21	37
TOTAL 0-19 YRS	487	5.9	26	<1	1	4	8	12	16	26
20-34	2486	5.1	15	2	2	4	6	9	11	18
35-49	3144	5.3	18	2	2	4	7	9	12	22
50-64	2842	6.2	25	2	2	5	8	11	15	25
65+	1594	9.0	69	2	2	7	11	18	24	43
GRAND TOTAL	**10553**	**6.1**	**29**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3478	2.4	5	<1	<1	2	3	5	7	12
20-34	4892	3.8	11	<1	1	3	5	8	10	17
35-49	5473	4.0	14	<1	1	3	5	8	11	18
50-64	6563	3.8	14	1	1	2	5	8	10	19
65+	7682	4.6	25	1	1	3	6	10	13	24
2. MULTIPLE DX										
0-19 YRS	4045	3.6	24	<1	1	2	4	8	10	21
20-34	7428	6.2	46	1	1	4	8	12	17	36
35-49	9423	6.8	51	1	1	5	9	14	20	35
50-64	16845	7.4	65	1	1	5	9	16	21	42
65+	31331	10.3	109	1	2	7	13	22	31	61
TOT. SINGLE DX	28088	3.9	16	<1	1	2	5	8	11	19
" MULTIPLE DX	69072	8.3	83	1	1	6	10	18	25	49
TOTAL 0-19 YRS	7523	3.0	16	<1	1	2	4	7	9	17
20-34	12320	5.2	34	1	1	3	7	10	14	30
35-49	14896	5.8	39	1	1	4	7	12	17	30
50-64	23408	6.4	54	1	1	4	8	14	19	37
65+	39013	9.2	98	1	2	6	12	20	28	57
GRAND TOTAL	**97160**	**7.0**	**68**	**1**	**1**	**4**	**9**	**15**	**22**	**43**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.9	7	1	1	3	5	8	9	12
20-34	342	3.2	7	1	1	2	4	6	8	15
35-49	867	3.6	6	1	1	3	5	7	9	13
50-64	3386	3.9	12	1	1	3	5	7	9	18
65+	6955	4.7	14	1	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	75	4.9	27	<1	1	3	6	8	13	32
20-34	470	6.0	49	1	2	4	6	12	19	39
35-49	1098	5.3	31	1	1	4	6	11	15	33
50-64	4247	6.2	45	1	2	4	7	12	17	35
65+	12911	8.3	72	2	2	6	10	17	24	46
TOT. SINGLE DX	11612	4.3	13	1	2	3	5	8	10	18
" MULTIPLE DX	18801	7.5	64	1	2	5	9	16	22	43
TOTAL 0-19 YRS	137	4.4	18	1	1	3	6	8	11	24
20-34	812	4.8	34	1	1	3	5	10	15	35
35-49	1965	4.6	22	1	1	3	5	9	12	24
50-64	7633	5.2	32	1	2	4	6	10	14	31
65+	19866	7.0	55	2	2	5	8	14	20	39
GRAND TOTAL	**30413**	**6.3**	**47**	**1**	**2**	**4**	**7**	**13**	**18**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.2	25	1	1	5	8	12	15	25
20-34	426	5.7	21	1	1	4	8	12	14	24
35-49	643	6.5	28	1	2	5	9	13	15	26
50-64	1136	6.7	35	1	2	4	9	15	19	27
65+	1705	7.7	55	1	2	5	11	17	22	33
2. MULTIPLE DX										
0-19 YRS	628	10.4	123	2	3	7	12	21	29	65
20-34	765	10.5	156	1	2	7	12	25	38	86
35-49	1051	9.9	107	1	2	7	13	21	30	67
50-64	2375	11.2	118	2	2	8	15	25	32	58
65+	5742	13.6	159	2	3	10	18	29	39	74
TOT. SINGLE DX	4201	7.0	41	1	2	5	10	15	19	29
" MULTIPLE DX	10561	12.3	145	2	2	9	16	27	36	68
TOTAL 0-19 YRS	919	9.0	96	1	2	6	11	18	25	57
20-34	1191	8.8	113	1	2	6	11	18	28	65
35-49	1694	8.6	80	1	2	6	11	18	24	50
50-64	3511	9.8	96	1	2	7	13	22	28	51
65+	7447	12.3	141	2	2	9	16	26	35	66
GRAND TOTAL	**14762**	**10.8**	**121**	**2**	**2**	**8**	**14**	**24**	**31**	**61**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	820	1.5	2	<1	<1	1	2	2	3	6
20-34	87	2.4	5	<1	<1	2	2	4	6	15
35-49	64	2.4	2	<1	<1	2	3	4	6	7
50-64	61	3.1	7	<1	<1	2	4	7	8	15
65+	43	3.3	5	<1	1	3	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	627	2.2	4	<1	<1	2	2	5	6	11
20-34	160	3.3	12	1	1	2	4	6	8	14
35-49	109	3.9	14	1	2	3	4	7	10	22
50-64	171	5.5	44	1	1	3	7	12	15	34
65+	179	8.2	95	2	2	5	9	18	23	52
TOT. SINGLE DX	1075	1.8	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1246	3.8	29	<1	1	2	4	8	12	23
TOTAL 0-19 YRS	1447	1.8	3	<1	<1	1	2	3	5	9
20-34	247	3.0	10	<1	1	2	3	6	8	14
35-49	173	3.4	10	<1	1	2	4	7	8	17
50-64	232	4.8	35	<1	1	3	6	11	14	27
65+	222	7.2	82	1	2	5	8	15	21	48
GRAND TOTAL	**2321**	**2.9**	**18**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1341	5.8	14	1	1	5	8	11	12	16
20-34	679	3.8	13	<1	<1	2	5	8	10	17
35-49	421	4.8	11	1	1	4	7	9	11	17
50-64	459	4.7	13	1	1	4	6	9	11	19
65+	512	5.0	16	1	2	4	6	10	15	20
2. MULTIPLE DX										
0-19 YRS	682	5.8	29	1	1	4	8	12	16	28
20-34	508	5.6	39	1	1	4	7	12	16	33
35-49	521	6.7	43	1	2	5	9	13	18	34
50-64	738	7.1	62	1	2	5	9	14	21	41
65+	1119	8.7	88	2	2	6	10	18	27	50
TOT. SINGLE DX	3412	5.0	15	1	1	4	7	10	12	18
" MULTIPLE DX	3568	7.1	60	1	2	5	9	14	21	41
TOTAL 0-19 YRS	2023	5.8	20	1	1	5	8	11	13	21
20-34	1187	4.5	25	<1	1	3	6	10	12	23
35-49	942	5.8	30	1	2	4	8	11	15	28
50-64	1197	6.2	45	1	2	4	8	12	17	36
65+	1631	7.5	69	2	2	5	9	16	22	46
GRAND TOTAL	**6980**	**6.1**	**39**	**1**	**1**	**4**	**8**	**12**	**16**	**33**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1064	1.8	2	<1	<1	1	2	3	5	9
20-34	723	3.0	6	<1	<1	2	4	6	8	13
35-49	635	3.4	19	<1	<1	2	4	7	10	20
50-64	677	3.6	15	<1	1	2	4	8	11	19
65+	759	4.1	12	1	1	3	5	9	11	18
2. MULTIPLE DX										
0-19 YRS	1726	2.6	11	<1	<1	2	3	6	8	15
20-34	1907	5.3	34	<1	1	3	7	12	16	29
35-49	2092	6.5	50	1	1	4	8	13	18	38
50-64	2897	7.0	53	1	2	5	9	15	20	37
65+	5195	9.8	92	2	2	7	13	20	28	52
TOT. SINGLE DX	3858	3.1	11	<1	<1	2	4	7	9	16
" MULTIPLE DX	13817	7.2	65	1	1	5	9	16	22	41
TOTAL 0-19 YRS	2790	2.3	8	<1	<1	1	2	5	7	12
20-34	2630	4.7	28	<1	1	3	6	10	14	25
35-49	2727	5.7	45	<1	1	4	7	12	17	35
50-64	3574	6.4	48	1	1	4	8	14	18	34
65+	5954	9.1	86	1	2	7	12	19	27	48
GRAND TOTAL	**17675**	**6.3**	**56**	**<1**	**1**	**4**	**8**	**14**	**20**	**38**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	521	2.4	3	<1	<1	2	3	4	6	10
20-34	687	3.7	8	1	1	3	4	8	11	13
35-49	583	4.2	10	1	1	3	5	8	11	15
50-64	548	4.7	15	1	2	4	6	9	11	19
65+	616	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	534	2.9	15	<1	1	2	3	5	7	14
20-34	783	4.8	44	1	1	3	5	9	14	36
35-49	682	5.6	34	1	2	4	7	12	15	26
50-64	976	6.4	34	2	2	4	9	13	17	30
65+	1758	8.5	74	2	2	6	10	17	24	44
TOT. SINGLE DX	2955	4.0	11	1	1	3	5	8	10	15
" MULTIPLE DX	4733	6.4	52	1	2	4	8	14	18	36
TOTAL 0-19 YRS	1055	2.6	10	<1	<1	2	3	5	7	12
20-34	1470	4.3	28	1	1	3	5	9	11	27
35-49	1265	4.9	24	1	1	3	6	10	13	22
50-64	1524	5.8	28	1	2	4	8	11	16	29
65+	2374	7.5	61	2	2	5	9	15	21	39
GRAND TOTAL	**7688**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	5	2	2	6	7	8	8	8
20-34	239	7.5	9	4	5	7	8	10	12	20
35-49	1024	7.9	6	5	5	8	9	11	13	16
50-64	962	8.7	11	5	5	8	10	12	15	20
65+	533	9.7	13	5	6	9	11	14	16	23
2. MULTIPLE DX										
0-19 YRS	5	6.6	6	3	3	7	8	10	10	10
20-34	354	9.0	37	5	5	8	10	13	17	29
35-49	1503	9.4	22	5	6	8	10	14	18	28
50-64	1536	10.1	24	5	6	9	11	16	19	28
65+	975	12.3	50	6	7	10	14	21	26	40
TOT. SINGLE DX	2765	8.5	10	5	5	8	10	12	14	20
" MULTIPLE DX	4373	10.2	32	5	6	9	11	16	21	32
TOTAL 0-19 YRS	12	5.8	6	2	3	6	7	9	10	10
20-34	593	8.4	27	4	5	7	9	12	15	25
35-49	2527	8.8	17	5	5	8	10	13	16	24
50-64	2498	9.5	20	5	6	9	11	14	18	26
65+	1508	11.4	39	6	6	10	13	18	23	36
GRAND TOTAL	**7138**	**9.6**	**24**	**5**	**6**	**8**	**11**	**15**	**18**	**28**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	78	7.0	7	3	4	7	8	10	12	17
35-49	280	7.7	8	4	5	8	9	11	13	17
50-64	300	7.9	11	4	4	8	9	11	14	21
65+	187	8.1	11	4	5	8	10	12	15	19
2. MULTIPLE DX										
0-19 YRS	14	9.2	23	3	4	9	12	14	19	21
20-34	87	9.3	48	3	3	8	10	17	23	43
35-49	346	8.7	23	4	4	8	9	13	18	31
50-64	431	9.2	38	4	4	8	10	15	20	35
65+	348	10.9	52	4	5	9	13	19	23	34
TOT. SINGLE DX	845	7.8	10	4	4	8	9	11	14	18
" MULTIPLE DX	1226	9.6	39	4	4	8	11	16	21	34
TOTAL 0-19 YRS	14	9.2	24	3	4	9	12	14	19	21
20-34	165	8.2	31	3	4	7	9	13	18	38
35-49	626	8.3	17	4	5	8	9	12	15	26
50-64	731	8.7	28	4	4	8	10	13	17	29
65+	535	9.9	40	4	5	8	11	17	21	33
GRAND TOTAL	**2071**	**8.8**	**28**	**4**	**4**	**8**	**10**	**14**	**18**	**30**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.0	4	<1	<1	2	5	5	7	9
20-34	65	5.2	12	1	1	5	7	11	12	17
35-49	78	5.5	33	1	2	4	6	11	13	37
50-64	60	5.8	40	1	1	4	6	17	20	30
65+	47	6.9	32	1	2	4	10	16	18	24
2. MULTIPLE DX										
0-19 YRS	39	4.3	15	<1	1	3	5	10	13	18
20-34	108	7.4	59	1	2	5	9	16	22	43
35-49	111	9.1	66	1	2	7	12	18	22	45
50-64	158	8.7	62	1	2	6	11	17	27	41
65+	243	10.3	108	1	2	7	13	22	31	56
TOT. SINGLE DX	273	5.5	28	1	1	4	7	11	17	26
" MULTIPLE DX	659	8.9	79	1	2	6	11	18	27	43
TOTAL 0-19 YRS	62	3.8	12	<1	<1	3	5	8	11	17
20-34	173	6.5	43	1	1	5	8	14	17	28
35-49	189	7.6	56	1	2	5	9	16	20	43
50-64	218	7.9	58	1	2	5	10	17	24	37
65+	290	9.7	98	1	2	7	12	21	29	54
GRAND TOTAL	**932**	**7.9**	**66**	**1**	**2**	**5**	**10**	**17**	**22**	**42**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.3	35	<1	1	6	9	18	19	19
20-34	38	7.2	21	1	1	8	9	13	14	23
35-49	36	8.2	31	<1	<1	9	11	15	21	21
50-64	37	8.3	38	1	1	7	10	16	23	28
65+	25	7.8	20	1	3	7	10	11	19	21
2. MULTIPLE DX										
0-19 YRS	19	11.2	215	2	3	8	10	20	49	68
20-34	76	9.8	40	3	4	8	12	17	23	36
35-49	61	15.0	126	2	4	12	19	35	38	47
50-64	116	14.0	125	2	4	11	18	25	41	75
65+	141	16.8	212	3	3	13	21	32	46	80
TOT. SINGLE DX	148	7.8	28	1	1	7	10	14	19	27
" MULTIPLE DX	413	14.2	149	2	4	10	17	27	39	68
TOTAL 0-19 YRS	31	9.7	146	2	2	8	10	18	26	68
20-34	114	8.9	35	2	2	8	11	16	21	31
35-49	97	12.5	101	1	2	10	16	25	36	46
50-64	153	12.7	110	2	3	10	16	25	30	63
65+	166	15.4	193	3	3	11	20	31	43	78
GRAND TOTAL	**561**	**12.5**	**125**	**2**	**3**	**9**	**15**	**25**	**34**	**63**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	5.8	3	3	4	6	7	8	10	12
20-34	32	5.6	13	2	2	4	8	10	14	17
35-49	285	6.0	9	2	3	5	7	8	11	18
50-64	6652	6.5	9	4	4	6	8	10	12	17
65+	14725	7.4	14	4	4	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	39	10.7	42	4	4	9	13	22	24	31
20-34	62	8.5	67	3	4	7	9	13	17	60
35-49	553	9.0	47	3	4	7	11	17	21	39
50-64	11676	9.1	40	4	4	7	11	16	21	36
65+	40591	11.6	79	4	5	9	14	21	28	52
TOT. SINGLE DX	21717	7.1	13	4	4	6	8	11	13	20
" MULTIPLE DX	52921	11.0	72	4	5	8	13	20	27	49
TOTAL 0-19 YRS	62	8.9	34	4	4	7	10	17	22	30
20-34	94	7.5	51	2	3	6	9	12	17	46
35-49	838	8.0	37	3	4	6	9	14	19	32
50-64	18328	8.2	31	4	4	7	9	14	18	31
65+	55316	10.5	66	4	5	8	12	19	25	47
GRAND TOTAL	**74638**	**9.9**	**58**	**4**	**5**	**8**	**11**	**18**	**24**	**44**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.2	13	1	1	2	8	10	11	11
20-34	6	4.0	5	1	1	4	6	7	7	7
35-49	23	11.6	44	1	3	12	15	18	24	29
50-64	757	12.0	24	6	7	11	14	18	21	29
65+	1339	12.6	28	6	7	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	13	5.8	50	1	1	3	6	17	24	26
20-34	10	10.7	42	<1	1	10	13	20	22	22
35-49	35	11.5	43	1	2	12	16	19	22	25
50-64	1092	14.5	58	7	8	13	17	23	28	46
65+	3861	16.0	83	7	8	14	19	26	32	55
TOT. SINGLE DX	2135	12.3	28	6	7	11	15	18	22	31
" MULTIPLE DX	5011	15.6	78	7	8	14	18	25	31	52
TOTAL 0-19 YRS	23	5.1	34	1	1	3	7	12	19	26
20-34	16	8.2	39	<1	1	8	11	18	21	22
35-49	58	11.6	43	1	2	12	16	19	22	29
50-64	1849	13.4	46	6	7	12	16	21	25	41
65+	5200	15.1	71	7	8	13	17	24	30	49
GRAND TOTAL	**7146**	**14.6**	**65**	**6**	**8**	**13**	**17**	**23**	**29**	**47**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.7	1	1	1	2	4	4	4	4
20-34	37	3.0	6	1	1	2	3	6	10	13
35-49	250	2.7	5	1	1	2	3	5	7	11
50-64	1834	3.0	7	1	1	2	3	5	7	14
65+	2752	3.6	12	1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	15	6.3	20	<1	2	6	10	11	16	17
20-34	36	4.3	7	1	1	4	6	8	10	11
35-49	254	5.2	32	1	2	3	6	11	15	30
50-64	1907	6.0	46	1	2	4	7	13	18	31
65+	4681	8.4	74	2	2	5	11	18	24	43
TOT. SINGLE DX	4880	3.3	11	1	1	2	4	6	9	17
" MULTIPLE DX	6893	7.6	66	1	2	5	10	17	23	40
TOTAL 0-19 YRS	22	5.1	17	1	1	4	7	11	14	17
20-34	73	3.6	7	1	1	3	4	8	10	13
35-49	504	3.9	20	1	1	2	4	8	12	23
50-64	3741	4.5	30	1	1	3	5	10	14	28
65+	7433	6.6	57	1	2	4	8	15	21	37
GRAND TOTAL	**11773**	**5.8**	**47**	**1**	**2**	**3**	**7**	**13**	**19**	**34**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	500	2.7	4	<1	1	2	3	5	6	10
20-34	468	3.2	7	1	1	3	4	6	7	12
35-49	355	3.8	19	1	1	3	4	6	9	28
50-64	353	3.8	9	1	2	3	4	7	9	17
65+	229	4.6	22	1	2	3	5	8	12	34
2. MULTIPLE DX										
0-19 YRS	329	3.1	8	1	1	2	3	6	9	16
20-34	339	5.2	27	1	1	4	6	11	15	32
35-49	279	6.4	58	1	2	4	8	13	19	43
50-64	409	7.8	83	2	2	5	9	18	27	66
65+	474	10.0	102	2	3	7	11	22	33	49
TOT. SINGLE DX	1905	3.4	11	1	1	3	4	6	8	17
" MULTIPLE DX	1830	6.8	66	1	2	4	8	15	22	46
TOTAL 0-19 YRS	829	2.8	6	<1	1	2	3	5	7	13
20-34	807	4.0	17	1	1	3	5	7	11	25
35-49	634	4.9	38	1	1	3	5	10	13	40
50-64	762	6.0	53	1	2	4	6	12	19	53
65+	703	8.2	83	2	2	5	9	18	27	45
GRAND TOTAL	**3735**	**5.1**	**41**	**1**	**1**	**3**	**5**	**10**	**16**	**38**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	663	3.0	5	1	1	3	4	5	7	12
20-34	884	4.4	14	1	1	3	5	8	11	22
35-49	412	4.1	7	1	2	3	5	8	9	14
50-64	398	5.1	22	2	2	4	6	11	14	19
65+	988	5.9	31	2	2	4	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	537	3.3	10	1	1	3	4	6	8	16
20-34	555	6.0	42	1	2	4	7	13	19	27
35-49	306	6.9	70	2	2	4	8	13	19	47
50-64	704	8.4	74	2	2	5	10	18	25	46
65+	2631	10.9	101	2	3	8	14	23	31	53
TOT. SINGLE DX	3345	4.6	19	1	2	3	5	9	12	21
" MULTIPLE DX	4733	8.8	85	2	2	5	11	20	27	48
TOTAL 0-19 YRS	1200	3.2	7	1	1	3	4	5	7	13
20-34	1439	5.0	26	1	2	4	6	10	15	25
35-49	718	5.3	36	1	2	4	6	10	13	35
50-64	1102	7.2	58	2	2	4	9	15	21	42
65+	3619	9.5	87	2	2	6	12	20	28	49
GRAND TOTAL	**8078**	**7.1**	**62**	**1**	**2**	**4**	**9**	**16**	**22**	**42**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3438	2.4	1	1	1	2	3	4	5	7
20-34	420	2.5	2	1	1	2	3	5	5	8
35-49	40	2.7	2	<1	1	2	3	5	6	9
50-64	6	2.7	1	2	2	2	4	4	4	4
65+	7	4.4	9	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	1946	2.8	3	<1	1	2	3	5	7	9
20-34	169	3.9	8	1	1	3	5	7	9	18
35-49	25	3.2	3	1	2	3	4	6	7	8
50-64	7	5.1	3	3	3	5	6	8	8	8
65+	9	7.8	75	2	2	4	8	21	30	30
TOT. SINGLE DX	3911	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	2156	3.0	5	<1	1	2	4	5	7	10
TOTAL 0-19 YRS	5384	2.6	3	1	1	2	3	4	5	8
20-34	589	2.9	5	1	1	2	4	5	6	11
35-49	65	2.9	3	1	1	3	3	6	7	9
50-64	13	4.0	4	2	2	4	5	7	8	8
65+	16	6.3	47	1	2	4	8	9	24	30
GRAND TOTAL	**6067**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	665	2.3	3	1	1	2	3	4	5	7
20-34	607	2.5	2	<1	1	2	3	4	5	8
35-49	188	3.0	4	<1	1	2	4	5	6	13
50-64	78	3.5	5	1	2	3	4	7	9	11
65+	20	5.2	16	1	2	4	7	8	14	20
2. MULTIPLE DX										
0-19 YRS	274	3.0	7	1	1	2	3	5	7	11
20-34	270	3.6	18	<1	1	3	4	7	8	25
35-49	121	4.5	13	1	2	3	5	10	12	18
50-64	91	7.4	66	1	2	5	9	16	21	49
65+	50	11.0	178	2	2	8	14	22	29	88
TOT. SINGLE DX	1558	2.5	4	<1	1	2	3	4	6	10
" MULTIPLE DX	806	4.4	33	1	1	3	5	9	13	27
TOTAL 0-19 YRS	939	2.5	5	1	1	2	3	4	6	9
20-34	877	2.8	8	<1	1	2	3	5	7	13
35-49	309	3.6	8	1	1	3	4	7	10	16
50-64	169	5.6	42	1	2	4	6	11	16	30
65+	70	9.4	138	2	2	6	11	19	26	77
GRAND TOTAL	**2364**	**3.2**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.9	2	1	1	2	4	6	6	6
20-34	552	1.4	3	<1	<1	1	1	2	3	4
35-49	340	1.5	2	<1	<1	<1	1	2	3	9
50-64	53	3.0	9	<1	<1	2	4	8	10	13
65+	31	8.1	27	2	3	7	11	12	13	31
2. MULTIPLE DX										
0-19 YRS	5	3.0	8	1	1	2	4	8	8	8
20-34	199	3.8	30	<1	<1	2	4	8	12	30
35-49	236	3.9	21	<1	<1	2	4	9	14	24
50-64	88	6.5	24	1	2	6	9	13	15	26
65+	134	13.3	114	3	5	11	15	26	31	54
TOT. SINGLE DX	983	1.7	6	<1	<1	1	2	3	5	11
" MULTIPLE DX	662	6.1	57	<1	1	3	8	14	20	33
TOTAL 0-19 YRS	12	2.9	4	1	1	2	3	7	8	8
20-34	751	2.0	12	<1	<1	1	2	3	5	14
35-49	576	2.5	12	<1	<1	1	2	5	9	19
50-64	141	5.2	21	<1	1	4	7	12	13	20
65+	165	12.3	102	3	5	10	14	25	30	46
GRAND TOTAL	**1645**	**3.5**	**31**	**<1**	**<1**	**1**	**3**	**9**	**13**	**28**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2004	2.3	1	<1	1	2	3	4	5	7
20-34	2848	2.5	2	1	1	2	3	4	5	8
35-49	1975	2.7	2	1	1	2	3	4	5	8
50-64	1591	3.2	2	1	2	3	4	5	6	10
65+	779	3.5	3	2	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	1168	2.6	9	<1	1	2	3	4	5	9
20-34	1516	3.0	5	1	1	3	4	5	6	11
35-49	1134	3.6	7	1	1	3	4	6	8	15
50-64	1447	4.7	12	2	2	4	5	9	12	19
65+	1071	6.1	28	2	2	4	7	12	17	27
TOT. SINGLE DX	9197	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	6336	3.9	14	1	1	3	4	7	10	20
TOTAL 0-19 YRS	3172	2.4	5	<1	1	2	3	4	5	8
20-34	4364	2.7	3	1	1	2	3	4	5	9
35-49	3109	3.0	4	1	1	3	4	5	6	12
50-64	3038	3.9	8	1	2	3	4	7	9	15
65+	1850	5.0	20	2	2	4	6	9	14	23
GRAND TOTAL	**15533**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2315	1.8	3	<1	<1	2	2	2	3	8
20-34	1124	1.9	1	<1	1	2	2	3	3	5
35-49	680	2.1	3	<1	1	2	2	3	3	9
50-64	447	2.2	3	<1	1	2	2	3	4	11
65+	293	2.4	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	845	3.0	21	<1	1	2	3	5	9	28
20-34	729	3.3	12	1	1	2	3	7	9	17
35-49	831	4.0	21	1	1	2	5	9	12	26
50-64	871	4.5	22	1	2	3	5	10	12	24
65+	852	6.4	48	1	2	4	8	14	20	37
TOT. SINGLE DX	6750	1.9	3	<1	<1	2	2	3	3	8
" MULTIPLE DX	5092	4.5	33	1	1	2	5	10	15	31
TOTAL 0-19 YRS	4505	2.4	14	<1	<1	2	2	3	6	22
20-34	2266	2.4	6	<1	1	2	2	4	6	12
35-49	1881	3.1	13	<1	1	2	3	6	9	19
50-64	1724	3.7	17	1	1	2	4	8	11	21
65+	1466	5.4	48	1	1	3	6	12	19	34
GRAND TOTAL	**11842**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	340	3.1	5	<1	<1	2	4	7	8	12
20-34	409	3.3	20	<1	<1	2	4	8	10	16
35-49	351	4.0	7	1	1	3	5	7	9	13
50-64	647	5.1	11	1	2	4	6	9	11	18
65+	360	5.6	33	1	2	4	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	286	3.9	11	<1	1	3	5	8	11	17
20-34	372	6.7	53	1	1	4	9	14	16	40
35-49	519	6.8	52	1	2	5	8	12	17	39
50-64	1082	6.2	28	2	2	5	7	11	14	33
65+	645	7.3	55	2	2	5	9	15	22	55
TOT. SINGLE DX	2107	4.3	16	<1	1	3	6	8	10	18
" MULTIPLE DX	2904	6.4	41	1	2	5	8	12	16	37
TOTAL 0-19 YRS	626	3.5	9	<1	<1	3	5	7	8	15
20-34	781	4.9	39	<1	<1	3	6	10	14	35
35-49	870	5.7	36	1	2	4	7	10	14	30
50-64	1729	5.8	23	2	2	5	7	10	12	26
65+	1005	6.7	48	2	2	5	8	13	20	41
GRAND TOTAL	**5011**	**5.5**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**31**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1130	5.5	4	3	3	5	6	8	9	13
20-34	3877	5.5	4	2	3	5	6	8	9	13
35-49	540	6.2	6	2	4	6	7	9	11	15
50-64	97	7.7	17	2	4	7	9	13	16	24
65+	69	12.3	62	4	5	10	17	21	30	39
2. MULTIPLE DX										
0-19 YRS	1094	6.2	9	3	4	6	7	9	11	16
20-34	6460	6.2	9	3	4	6	7	9	11	18
35-49	1131	7.5	22	2	4	6	8	12	16	25
50-64	263	12.3	63	4	6	10	15	24	29	42
65+	268	17.9	131	7	8	14	22	30	43	63
TOT. SINGLE DX	5713	5.7	6	2	3	5	7	8	9	14
" MULTIPLE DX	9216	6.9	21	3	4	6	7	10	14	26
TOTAL 0-19 YRS	2224	5.8	7	3	3	5	7	8	10	14
20-34	10337	5.9	7	3	4	6	7	8	10	16
35-49	1671	7.1	18	2	4	6	8	11	15	22
50-64	360	11.1	55	3	5	9	13	21	27	39
65+	337	16.7	122	6	7	13	20	30	40	60
GRAND TOTAL	**14929**	**6.4**	**15**	**3**	**4**	**6**	**7**	**9**	**12**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	593	6.0	4	3	4	6	7	8	9	15
20-34	3652	6.0	4	4	4	6	7	8	9	14
35-49	1296	6.5	6	4	4	6	7	9	11	17
50-64	237	8.3	17	4	5	7	9	13	18	22
65+	142	11.2	51	5	6	9	13	19	22	42
2. MULTIPLE DX										
0-19 YRS	632	6.8	9	4	4	6	8	10	13	17
20-34	6858	6.8	10	4	4	6	8	10	12	19
35-49	3128	7.9	21	4	5	7	9	12	16	27
50-64	535	11.7	63	5	6	9	14	21	27	41
65+	475	17.3	157	6	7	14	21	31	41	72
TOT. SINGLE DX	5920	6.3	7	4	4	6	7	9	11	17
" MULTIPLE DX	11628	7.8	27	4	4	6	8	12	16	29
TOTAL 0-19 YRS	1225	6.4	7	4	4	6	7	9	11	16
20-34	10510	6.5	9	4	4	6	7	9	11	18
35-49	4424	7.5	18	4	5	6	8	11	15	24
50-64	772	10.7	52	5	5	8	12	19	24	37
65+	617	15.9	140	6	6	12	19	30	37	70
GRAND TOTAL	**17548**	**7.3**	**21**	**4**	**4**	**6**	**8**	**11**	**14**	**25**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.9	20	3	4	6	8	10	18	23
20-34	426	6.3	5	3	4	6	7	9	10	15
35-49	653	7.1	7	4	5	6	8	10	12	18
50-64	338	8.1	11	5	5	7	9	12	15	20
65+	175	10.7	34	6	6	9	13	17	22	38
2. MULTIPLE DX										
0-19 YRS	36	7.7	20	3	4	6	8	13	15	28
20-34	1446	7.3	11	4	5	6	8	11	14	21
35-49	2554	8.3	21	4	5	7	9	13	16	28
50-64	1005	11.5	66	5	6	9	13	20	26	49
65+	636	15.3	107	6	7	12	18	26	35	51
TOT. SINGLE DX	1610	7.5	13	4	5	7	8	11	14	21
" MULTIPLE DX	5677	9.4	43	4	5	7	10	16	21	36
TOTAL 0-19 YRS	54	7.4	20	3	4	6	8	12	15	28
20-34	1872	7.1	11	4	4	6	8	10	13	20
35-49	3207	8.1	19	4	5	7	9	12	15	26
50-64	1343	10.6	55	5	5	8	12	18	23	43
65+	811	14.3	95	6	7	11	17	24	34	49
GRAND TOTAL	**7287**	**9.0**	**37**	**4**	**5**	**7**	**10**	**15**	**20**	**34**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	4.0	10	1	1	3	5	7	9	14
20-34	859	3.6	6	<1	1	3	5	7	8	12
35-49	151	4.2	8	<1	1	3	6	8	9	13
50-64	18	5.1	22	1	1	3	7	10	16	20
65+	9	9.9	48	2	2	8	13	21	24	24
2. MULTIPLE DX										
0-19 YRS	256	5.1	14	1	2	4	6	9	12	24
20-34	2042	5.0	14	1	2	5	6	8	10	16
35-49	402	5.4	28	1	1	5	6	9	12	27
50-64	25	8.6	68	1	2	5	11	21	26	34
65+	21	14.1	128	5	5	11	15	28	44	53
TOT. SINGLE DX	1285	3.8	8	1	1	3	5	7	8	14
" MULTIPLE DX	2746	5.2	18	1	2	5	6	8	11	21
TOTAL 0-19 YRS	504	4.5	13	1	1	4	6	8	10	21
20-34	2901	4.6	12	1	1	4	6	8	9	15
35-49	553	5.1	23	1	1	5	6	9	12	19
50-64	43	7.1	51	1	1	5	9	18	22	34
65+	30	12.9	106	3	4	10	14	23	36	53
GRAND TOTAL	**4031**	**4.7**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	1.6	1	<1	<1	1	2	2	3	8
20-34	11272	1.4		<1	<1	1	2	2	2	4
35-49	4528	1.4		<1	<1	1	2	2	2	4
50-64	17	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.2	2	<1	<1	2	3	5	6	6
20-34	6957	1.9	3	<1	<1	1	2	3	4	8
35-49	3588	1.8	3	<1	<1	1	2	3	4	8
50-64	21	2.4	16	<1	<1	2	2	3	11	20
65+										
TOT. SINGLE DX	15893	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	10616	1.9	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	126	1.9	2	<1	<1	2	2	3	5	8
20-34	18229	1.6	2	<1	<1	1	2	2	3	6
35-49	8116	1.6	2	<1	<1	1	2	2	3	6
50-64	38	1.9	9	<1	<1	1	2	2	3	20
65+										
GRAND TOTAL	**26509**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	3.0	4	<1	1	2	4	6	7	11
20-34	9343	2.4	2	<1	1	2	3	4	5	7
35-49	3351	2.3	1	<1	1	2	3	4	5	7
50-64	22	4.0	18	<1	1	2	7	9	14	18
65+										
2. MULTIPLE DX										
0-19 YRS	144	3.9	5	1	2	3	5	7	8	13
20-34	14932	3.5	5	1	2	3	4	5	6	10
35-49	4209	3.5	7	1	1	3	4	6	7	13
50-64	35	8.3	68	2	2	7	10	17	23	42
65+										
TOT. SINGLE DX	12817	2.4	2	<1	1	2	3	4	5	7
" MULTIPLE DX	19320	3.5	6	1	1	3	4	5	7	11
TOTAL 0-19 YRS	245	3.5	5	1	1	3	4	6	8	12
20-34	24275	3.1	5	1	1	3	4	5	6	9
35-49	7560	3.0	5	<1	1	3	4	5	6	10
50-64	57	6.6	53	1	1	4	8	17	19	41
65+										
GRAND TOTAL	**32137**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	461	5.0	3	3	3	5	6	7	8	11
20-34	6979	4.9	3	2	3	5	6	7	8	10
35-49	948	4.9	5	<1	1	5	6	7	8	11
50-64	16	6.1	17	2	3	5	6	13	16	18
65+	7	6.0	34	1	1	5	7	16	18	18
2. MULTIPLE DX										
0-19 YRS	491	5.9	9	3	3	5	7	8	11	20
20-34	7303	5.3	6	2	3	5	6	8	9	13
35-49	1150	5.5	10	1	2	5	7	8	10	17
50-64	37	11.0	152	2	2	9	12	23	29	71
65+	16	15.9	116	5	7	12	20	33	41	44
TOT. SINGLE DX	8411	4.9	4	2	3	5	6	7	8	11
" MULTIPLE DX	8997	5.4	8	2	3	5	6	8	9	15
TOTAL 0-19 YRS	952	5.4	6	3	3	5	6	8	9	17
20-34	14282	5.1	5	2	3	5	6	7	8	12
35-49	2098	5.3	8	1	2	5	6	8	9	14
50-64	53	9.5	116	2	2	6	11	19	24	70
65+	23	12.9	111	1	2	11	16	28	37	44
GRAND TOTAL	**17408**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.0	1	<1	<1	2	2	3	4	6
20-34	3182	2.2	1	<1	1	2	3	3	4	7
35-49	1176	2.3	2	<1	<1	2	3	4	5	8
50-64	452	2.5	2	<1	1	2	3	4	5	9
65+	164	2.9	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	95	2.2	1	<1	<1	2	3	3	4	8
20-34	2104	2.6	3	<1	1	2	3	4	6	10
35-49	1134	3.1	10	<1	1	2	3	6	8	18
50-64	508	3.5	13	1	1	2	3	7	11	19
65+	236	5.4	34	1	2	3	6	12	18	28
TOT. SINGLE DX	5107	2.3	2	<1	1	2	3	4	4	8
" MULTIPLE DX	4077	3.0	9	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	228	2.1	1	<1	<1	2	3	3	4	6
20-34	5286	2.3	2	<1	1	2	3	4	5	8
35-49	2310	2.7	6	<1	1	2	3	4	7	12
50-64	960	3.0	9	<1	1	2	3	5	8	17
65+	400	4.4	23	1	1	3	4	10	14	26
GRAND TOTAL	**9184**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.0	1	<1	<1	2	2	3	4	6
20-34	1461	2.1	3	<1	<1	2	2	3	4	9
35-49	1552	2.1	4	<1	<1	2	2	3	5	9
50-64	1077	2.5	6	<1	1	2	2	4	6	14
65+	511	4.6	32	1	1	2	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	126	3.3	24	<1	1	2	3	6	9	34
20-34	2158	3.0	13	<1	1	2	3	6	8	18
35-49	3360	3.0	12	<1	1	2	3	6	8	18
50-64	2161	4.2	32	1	1	2	4	10	13	27
65+	1383	7.6	73	2	2	5	9	16	22	46
TOT. SINGLE DX	4710	2.5	8	<1	<1	2	2	4	7	13
" MULTIPLE DX	9188	4.0	29	<1	1	2	4	9	13	26
TOTAL 0-19 YRS	235	2.7	14	<1	<1	2	3	4	7	20
20-34	3619	2.6	10	<1	<1	2	3	5	7	15
35-49	4912	2.7	10	<1	1	2	3	5	8	15
50-64	3238	3.6	24	<1	1	2	3	8	12	23
65+	1894	6.8	64	1	2	4	8	15	20	41
GRAND TOTAL	**13898**	**3.5**	**23**	**<1**	**1**	**2**	**3**	**7**	**11**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	3.2	4	1	1	3	4	5	8	14
20-34	3003	2.9	4	1	1	3	3	5	6	9
35-49	259	2.9	2	1	1	3	4	5	5	11
50-64	5	1.6	2	1	1	1	2	4	4	4
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	47	4.5	7	1	2	4	7	9	9	13
20-34	771	4.2	19	1	1	3	5	8	10	23
35-49	101	4.0	17	1	1	3	4	7	11	25
50-64	11	2.7	3	1	1	2	4	6	6	6
65+	7	5.7	15	1	1	8	8	10	11	11
TOT. SINGLE DX	3410	2.9	4	1	1	3	3	5	6	9
" MULTIPLE DX	937	4.2	18	1	1	3	5	8	10	23
TOTAL 0-19 YRS	188	3.5	6	1	1	3	4	7	9	14
20-34	3774	3.2	8	1	1	3	4	5	7	12
35-49	360	3.2	7	1	1	3	4	5	6	14
50-64	16	2.4	3	1	1	2	3	6	6	6
65+	9	5.9	15	1	1	8	9	11	11	11
GRAND TOTAL	**4347**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	4.7	21	1	1	3	7	8	9	30
20-34	1165	5.3	7	1	1	6	7	8	9	11
35-49	428	5.0	8	1	1	5	7	8	9	12
50-64	119	3.3	12	<1	1	2	3	8	10	19
65+	72	4.1	22	1	1	2	4	9	14	26
2. MULTIPLE DX										
0-19 YRS	62	4.7	11	<1	1	5	6	8	11	19
20-34	1756	5.7	9	1	2	6	7	9	10	15
35-49	854	5.8	21	1	1	6	8	9	13	24
50-64	325	5.5	54	<1	1	2	7	13	19	35
65+	222	10.2	132	1	2	7	14	23	34	74
TOT. SINGLE DX	1829	5.0	9	1	1	5	7	8	9	13
" MULTIPLE DX	3219	6.0	27	1	1	6	7	10	13	27
TOTAL 0-19 YRS	107	4.7	16	1	1	4	7	8	10	24
20-34	2921	5.5	9	1	2	6	7	8	10	14
35-49	1282	5.5	17	1	1	6	7	9	11	21
50-64	444	4.9	44	<1	1	2	6	12	17	27
65+	294	8.7	112	1	2	4	11	23	30	64
GRAND TOTAL	**5048**	**5.6**	**21**	**1**	**1**	**6**	**7**	**9**	**11**	**23**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	7.0	7	4	4	6	8	10	13	18
20-34	5183	6.8	4	5	5	6	7	9	10	14
35-49	9317	7.1	4	5	5	7	8	9	10	15
50-64	3127	8.0	7	5	6	7	9	11	13	18
65+	1400	9.5	17	6	6	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	229	8.2	16	4	5	7	9	14	16	25
20-34	24807	7.4	8	5	5	7	8	10	12	19
35-49	52478	7.8	9	5	5	7	8	10	13	20
50-64	14693	8.9	22	5	6	8	10	13	17	28
65+	5452	12.4	68	6	6	10	14	21	27	47
TOT. SINGLE DX	19091	7.3	7	5	5	7	8	10	11	17
" MULTIPLE DX	97659	8.1	16	5	5	7	9	11	15	24
TOTAL 0-19 YRS	293	8.0	15	4	5	7	9	13	15	24
20-34	29990	7.3	8	5	5	7	8	10	12	18
35-49	61795	7.7	9	5	5	7	8	10	12	19
50-64	17820	8.8	20	5	6	8	9	13	16	27
65+	6852	11.8	60	6	6	9	14	20	25	45
GRAND TOTAL	**116750**	**8.0**	**15**	**5**	**5**	**7**	**9**	**11**	**14**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.2	1	2	3	5	6	7	7	7
20-34	2906	5.7	2	4	4	5	6	7	8	12
35-49	2962	5.2	4	4	4	6	7	9	10	14
50-64	1425	7.8	6	5	5	7	9	11	13	17
65+	1243	8.5	7	5	6	8	10	12	14	18
2. MULTIPLE DX										
0-19 YRS	30	7.0	9	2	4	6	9	12	13	14
20-34	9648	6.3	6	4	4	6	7	9	10	15
35-49	15281	6.7	7	4	4	6	8	9	11	16
50-64	5300	8.2	13	5	5	8	9	12	14	20
65+	3810	9.6	20	5	6	8	11	14	18	28
TOT. SINGLE DX	8547	6.7	6	4	4	6	8	9	11	15
" MULTIPLE DX	34069	7.2	10	4	5	6	8	10	12	19
TOTAL 0-19 YRS	41	6.5	8	2	4	6	7	11	12	14
20-34	12554	6.1	5	4	4	6	7	8	10	14
35-49	18243	6.6	7	4	4	6	7	9	11	16
50-64	6725	8.1	12	5	5	7	9	12	14	19
65+	5053	9.4	18	5	6	8	10	14	17	26
GRAND TOTAL	**42616**	**7.1**	**10**	**4**	**4**	**6**	**8**	**10**	**12**	**18**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	89	11.2	15	6	7	10	13	17	18	23
35-49	96	12.0	18	6	8	11	14	17	20	26
50-64	66	13.5	29	7	8	12	17	20	24	32
65+	35	18.1	76	10	10	16	23	27	29	55
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	96	12.5	45	4	6	11	15	20	23	44
35-49	124	15.6	107	7	8	12	18	27	35	57
50-64	156	18.3	181	7	8	14	21	34	44	87
65+	104	21.2	144	8	9	18	26	39	46	60
TOT. SINGLE DX	288	12.8	31	6	8	12	15	19	23	29
" MULTIPLE DX	482	17.0	135	7	8	13	20	31	41	62
TOTAL 0-19 YRS	4	9.8	8	6	6	10	12	12	12	12
20-34	185	11.9	31	5	7	11	14	18	20	33
35-49	220	14.0	72	6	8	12	16	23	30	54
50-64	222	16.9	140	7	8	13	19	30	36	76
65+	139	20.4	129	8	9	18	25	37	46	56
GRAND TOTAL	**770**	**15.5**	**100**	**6**	**8**	**13**	**18**	**26**	**34**	**55**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	827	1.2		<1	<1	<1	1	2	2	4
20-34	3150	1.3		<1	<1	<1	1	2	2	5
35-49	400	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	169	3.1	9	<1	<1	2	4	8	10	16
20-34	1144	3.0	16	<1	<1	2	3	7	10	18
35-49	392	2.4	5	<1	<1	2	3	5	6	14
50-64										
65+										
TOT. SINGLE DX	4377	1.3	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	1705	2.9	13	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	996	1.5	3	<1	<1	<1	1	2	4	10
20-34	4294	1.7	6	<1	<1	1	2	3	5	12
35-49	792	1.8	3	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**6082**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9127	1.8	1	<1	<1	1	2	3	4	8
20-34	60344	1.7	2	<1	<1	1	2	3	4	7
35-49	23120	1.7	1	<1	<1	1	2	2	3	7
50-64	8875	1.9	2	<1	<1	2	2	3	3	8
65+	2572	2.9	8	<1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	3286	3.2	11	1	1	2	4	6	8	15
20-34	32248	2.9	10	<1	1	2	3	6	8	15
35-49	27361	2.8	11	<1	<1	2	3	6	9	16
50-64	12217	3.3	19	<1	1	2	3	7	11	22
65+	5093	5.5	53	1	1	3	6	12	18	39
TOT. SINGLE DX	104038	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	80205	3.1	15	<1	1	2	3	7	9	19
TOTAL 0-19 YRS	12413	2.2	5	<1	1	2	2	4	6	10
20-34	92592	2.1	5	<1	<1	2	2	4	6	10
35-49	50481	2.3	7	<1	<1	2	2	4	7	13
50-64	21092	2.7	13	<1	<1	2	2	5	8	18
65+	7665	4.6	40	1	1	2	5	10	16	32
GRAND TOTAL	**184243**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3135	1.1		<1	<1	1	1	1	2	3
20-34	9301	1.1		<1	<1	<1	1	1	2	3
35-49	1167	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1014	1.8	9	<1	<1	<1	1	3	6	12
20-34	4503	1.9	6	<1	<1	<1	2	4	6	14
35-49	1080	2.1	5	<1	<1	1	2	4	5	12
50-64										
65+										
TOT. SINGLE DX	13603	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	6597	1.9	7	<1	<1	<1	2	4	6	13
TOTAL 0-19 YRS	4149	1.3	3	<1	<1	<1	1	2	2	7
20-34	13804	1.4	3	<1	<1	<1	1	2	3	8
35-49	2247	1.6	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**20200**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1199	1.4		<1	<1	1	2	2	3	5
20-34	6252	1.4	1	<1	<1	1	2	2	3	6
35-49	783	1.4	1	<1	<1	1	2	2	3	5
50-64	22	1.9	2	<1	<1	1	2	3	6	8
65+	9	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	184	2.6	11	<1	<1	2	3	5	7	20
20-34	1298	2.4	7	<1	<1	2	3	5	6	14
35-49	292	2.6	17	<1	<1	2	3	4	7	13
50-64	34	9.4	197	<1	1	4	10	24	34	73
65+	29	11.1	111	1	1	7	18	29	34	35
TOT. SINGLE DX	8265	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1837	2.7	16	<1	<1	2	3	5	7	21
TOTAL 0-19 YRS	1383	1.6	2	<1	<1	1	2	3	4	7
20-34	7550	1.6	3	<1	<1	1	2	3	4	7
35-49	1075	1.7	6	<1	<1	1	2	3	4	8
50-64	56	6.5	133	<1	<1	2	6	18	27	71
65+	38	9.1	99	1	1	4	16	27	32	35
GRAND TOTAL	**10102**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.5	3	1	1	3	5	6	6	6
20-34	138	5.0	4	<1	1	5	6	7	9	10
35-49	22	6.1	11	<1	1	7	8	9	12	16
50-64	19	9.2	17	5	6	8	10	16	19	20
65+	20	8.9	8	4	5	9	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	26	4.8	3	2	3	5	6	7	9	9
20-34	429	5.7	5	2	3	6	7	8	9	15
35-49	54	6.9	20	1	2	6	8	11	16	28
50-64	38	9.2	21	6	6	8	10	14	21	25
65+	46	12.0	103	5	6	9	13	19	33	65
TOT. SINGLE DX	207	5.8	9	1	2	6	7	9	11	16
" MULTIPLE DX	593	6.5	18	2	3	6	7	9	12	24
TOTAL 0-19 YRS	34	4.5	4	1	2	5	6	6	8	9
20-34	567	5.5	5	2	3	5	7	8	9	13
35-49	76	6.6	18	1	2	6	8	10	15	26
50-64	57	9.2	20	6	6	8	10	15	19	25
65+	66	11.0	76	5	5	9	12	16	23	60
GRAND TOTAL	**800**	**6.3**	**16**	**2**	**3**	**6**	**7**	**9**	**12**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	2.9	5	<1	1	2	5	6	7	12
20-34	644	3.2	5	<1	<1	2	5	7	7	10
35-49	172	3.4	5	<1	1	3	4	7	8	12
50-64	147	4.0	4	2	2	4	5	6	7	11
65+	98	4.9	39	2	3	4	4	6	7	46
2. MULTIPLE DX										
0-19 YRS	88	4.4	12	1	1	4	6	7	9	21
20-34	869	4.1	14	1	1	3	6	8	9	18
35-49	251	4.1	11	<1	1	3	6	8	12	18
50-64	193	4.4	15	2	2	4	5	8	10	22
65+	224	5.3	20	2	3	4	5	11	15	22
TOT. SINGLE DX	1200	3.4	9	<1	1	3	5	6	7	11
" MULTIPLE DX	1625	4.3	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	227	3.5	9	<1	1	3	5	7	8	17
20-34	1513	3.7	11	<1	1	3	5	7	8	13
35-49	423	3.8	9	<1	1	3	5	7	9	15
50-64	340	4.2	11	2	2	4	5	6	9	12
65+	322	5.2	26	2	3	4	5	9	14	26
GRAND TOTAL	**2825**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	380	5.8	7	2	3	6	7	9	11	14
35-49	1063	6.7	6	3	4	6	8	10	11	15
50-64	1929	7.0	7	4	4	7	8	10	12	16
65+	1322	7.4	12	4	4	7	9	11	12	19
2. MULTIPLE DX										
0-19 YRS	9	8.7	30	1	3	7	10	17	21	21
20-34	636	7.3	15	3	4	7	9	12	14	24
35-49	2329	8.1	14	4	5	7	9	12	15	22
50-64	3239	8.5	17	4	5	8	10	13	16	24
65+	2502	9.4	22	4	5	8	11	15	18	28
TOT. SINGLE DX	4697	6.9	9	3	4	7	8	10	12	16
" MULTIPLE DX	8715	8.5	18	4	5	8	10	13	16	24
TOTAL 0-19 YRS	12	7.7	27	1	2	7	9	15	20	21
20-34	1016	6.7	13	2	3	6	8	11	13	20
35-49	3392	7.6	13	4	4	7	9	12	14	21
50-64	5168	7.9	14	4	5	7	9	12	14	22
65+	3824	8.7	20	4	5	8	10	14	17	26
GRAND TOTAL	**13412**	**8.0**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	3.5	9	<1	1	2	5	8	11	14
20-34	624	3.9	7	1	1	3	5	7	9	14
35-49	284	4.4	10	1	1	4	6	8	11	17
50-64	181	5.8	12	1	1	6	7	9	12	16
65+	81	7.9	43	1	2	7	10	13	15	43
2. MULTIPLE DX										
0-19 YRS	174	4.2	78	<1	1	2	4	7	14	49
20-34	394	5.5	58	1	1	4	6	10	13	32
35-49	288	6.1	20	1	1	5	8	11	14	23
50-64	287	9.1	54	2	3	7	11	16	23	35
65+	272	11.2	117	2	4	8	12	21	29	60
TOT. SINGLE DX	1292	4.5	13	1	1	4	6	8	10	16
" MULTIPLE DX	1415	7.3	69	1	1	5	9	14	19	40
TOTAL 0-19 YRS	296	3.9	50	<1	1	2	5	8	12	25
20-34	1018	4.5	28	1	1	4	5	8	10	23
35-49	572	5.2	16	1	1	4	7	10	11	20
50-64	468	7.8	41	1	2	7	9	14	18	32
65+	353	10.4	102	2	3	8	11	19	28	57
GRAND TOTAL	**2707**	**5.9**	**44**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	514	3.0	8	<1	<1	2	4	6	9	15
20-34	1555	3.3	10	<1	<1	2	4	7	9	17
35-49	532	3.9	15	<1	1	2	5	8	11	19
50-64	391	4.5	24	<1	1	3	6	9	12	19
65+	490	5.9	31	1	2	5	7	10	14	32
2. MULTIPLE DX										
0-19 YRS	402	4.3	23	1	1	3	5	10	12	18
20-34	1356	4.6	17	1	1	3	6	9	12	18
35-49	691	6.9	56	1	1	5	8	15	22	38
50-64	842	7.5	61	1	2	5	9	14	20	47
65+	1186	10.0	86	2	2	7	12	21	29	53
TOT. SINGLE DX	3482	3.8	16	<1	<1	2	5	8	10	19
" MULTIPLE DX	4477	6.9	56	1	1	5	8	14	20	41
TOTAL 0-19 YRS	916	3.6	16	<1	1	2	4	8	11	17
20-34	2911	3.9	14	<1	1	3	5	8	11	18
35-49	1223	5.6	41	<1	1	3	7	12	17	29
50-64	1233	6.5	51	1	2	5	8	13	18	44
65+	1676	8.8	74	2	2	6	10	18	26	49
GRAND TOTAL	**7959**	**5.6**	**41**	**<1**	**1**	**4**	**7**	**11**	**16**	**34**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	716	2.3	2	<1	<1	2	3	4	5	9
20-34	3276	2.2	2	<1	<1	2	3	4	5	7
35-49	1516	2.3	4	<1	<1	2	3	4	5	9
50-64	657	2.7	5	<1	1	2	3	4	7	13
65+	402	4.2	38	<1	1	3	4	8	11	31
2. MULTIPLE DX										
0-19 YRS	281	4.2	33	1	1	3	5	8	11	38
20-34	1243	3.6	14	<1	1	3	4	7	10	19
35-49	816	4.9	40	<1	1	3	5	10	14	34
50-64	655	6.2	71	1	1	3	7	14	21	48
65+	648	8.7	98	1	2	5	11	18	28	52
TOT. SINGLE DX	6567	2.4	6	<1	<1	2	3	4	5	10
" MULTIPLE DX	3643	5.3	50	1	1	3	6	11	17	38
TOTAL 0-19 YRS	997	2.9	12	<1	1	2	3	5	7	13
20-34	4519	2.6	6	<1	<1	2	3	4	6	12
35-49	2332	3.2	18	<1	1	2	3	6	9	22
50-64	1312	4.5	41	<1	1	3	4	9	14	34
65+	1050	7.0	80	1	2	4	8	16	22	48
GRAND TOTAL	**10210**	**3.4**	**23**	**<1**	**1**	**2**	**4**	**6**	**10**	**24**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.6	2	<1	<1	2	4	5	5	5
20-34	59	4.7	63	<1	1	3	5	9	10	55
35-49	78	7.2	53	1	2	5	10	17	19	43
50-64	103	7.1	31	1	2	6	10	15	18	26
65+	126	10.3	57	2	3	8	14	21	27	34
2. MULTIPLE DX										
0-19 YRS	5	10.0	33	2	2	9	15	17	17	17
20-34	34	8.6	47	1	1	6	13	16	23	31
35-49	66	10.2	77	2	2	8	14	23	33	90
50-64	96	15.4	205	2	3	11	20	33	51	68
65+	245	16.6	162	3	4	14	24	34	44	99+
TOT. SINGLE DX	377	7.7	53	1	2	5	10	17	21	34
" MULTIPLE DX	446	14.7	156	2	3	11	20	32	43	90
TOTAL 0-19 YRS	16	4.9	23	<1	1	3	7	13	16	17
20-34	93	6.1	60	<1	1	3	8	13	16	47
35-49	144	8.6	66	1	2	6	12	19	23	53
50-64	199	11.1	132	2	2	7	15	23	32	62
65+	371	14.5	136	3	3	11	21	31	38	82
GRAND TOTAL	**823**	**11.5**	**121**	**2**	**2**	**8**	**16**	**26**	**34**	**58**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	2.3	4	<1	<1	1	3	5	6	12
20-34	256	3.0	3	1	1	3	4	5	7	11
35-49	91	4.0	11	<1	1	3	5	8	10	18
50-64	60	4.1	9	1	1	3	5	8	11	15
65+	26	5.4	11	1	2	5	8	11	12	13
2. MULTIPLE DX										
0-19 YRS	127	2.9	22	<1	1	1	3	5	8	30
20-34	182	4.1	6	1	2	3	6	7	9	14
35-49	78	6.0	57	1	2	4	7	13	21	45
50-64	68	6.2	74	1	1	4	7	11	13	60
65+	38	9.6	106	1	2	8	11	18	20	63
TOT. SINGLE DX	545	3.3	7	<1	1	3	4	6	9	13
" MULTIPLE DX	493	4.8	39	1	1	3	6	9	13	31
TOTAL 0-19 YRS	239	2.6	14	<1	1	1	3	5	7	26
20-34	438	3.5	5	1	1	3	4	6	8	12
35-49	169	4.9	33	1	1	3	6	9	14	33
50-64	128	5.2	45	1	1	4	6	9	12	33
65+	64	7.9	71	1	2	6	10	16	18	57
GRAND TOTAL	**1038**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.7	1	<1	<1	1	2	4	5	5
20-34	73	2.7	15	<1	<1	1	3	6	8	26
35-49	20	3.2	9	<1	<1	3	4	5	10	15
50-64	9	1.8		<1	<1	2	2	3	3	3
65+	9	3.2	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	36	4.1	43	<1	1	2	4	9	23	30
20-34	85	5.3	47	<1	1	3	6	14	17	41
35-49	27	3.3	12	1	1	2	3	9	12	15
50-64	28	8.0	98	1	1	4	9	16	36	43
65+	24	13.7	210	1	2	9	16	36	48	59
TOT. SINGLE DX	147	2.5	10	<1	<1	2	3	5	7	16
" MULTIPLE DX	200	6.2	77	<1	1	3	7	14	24	46
TOTAL 0-19 YRS	72	2.9	24	<1	<1	1	3	5	9	30
20-34	158	4.1	35	<1	<1	2	5	8	15	29
35-49	47	3.2	11	<1	1	2	3	7	12	15
50-64	37	6.5	81	<1	1	3	8	14	29	43
65+	33	10.8	175	1	2	7	12	29	42	59
GRAND TOTAL	**347**	**4.6**	**52**	**<1**	**<1**	**2**	**5**	**11**	**16**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7311	3.1	1	2	2	3	4	4	5	6
20-34	36395	3.3	1	2	2	3	4	4	5	6
35-49	1690	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9065	3.4	3	2	2	3	4	5	6	9
20-34	47250	3.6	3	2	2	3	4	5	6	9
35-49	2891	3.8	4	2	2	4	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	45396	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	59206	3.6	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	16376	3.3	3	2	2	3	4	4	5	8
20-34	83645	3.4	3	2	2	3	4	5	5	8
35-49	4581	3.7	4	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**104602**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	2.9		1	2	3	4	4	4	5
20-34	991	3.1	2	1	2	3	4	4	5	6
35-49	65	3.2		1	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	304	3.0	4	1	1	3	4	4	6	14
20-34	2273	3.4	4	1	2	3	4	5	6	11
35-49	234	3.6	5	1	2	3	4	6	8	13
50-64										
65+										
TOT. SINGLE DX	1152	3.1	2	1	2	3	4	4	5	6
" MULTIPLE DX	2811	3.4	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	400	3.0	3	1	1	3	4	4	5	11
20-34	3264	3.3	4	1	2	3	4	5	6	10
35-49	299	3.5	4	1	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**3963**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1066	3.1	1	2	2	3	4	4	5	7
20-34	6433	3.3	1	2	2	3	4	5	5	7
35-49	318	3.9	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1924	3.4	2	2	2	3	4	5	6	9
20-34	12335	3.6	2	2	2	3	4	5	6	9
35-49	826	3.7	3	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	7817	3.3	1	2	2	3	4	5	5	7
" MULTIPLE DX	15085	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	2990	3.3	2	2	2	3	4	5	5	8
20-34	18768	3.5	2	2	2	3	4	5	6	8
35-49	1144	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**22902**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38114	2.8	1	1	2	3	3	4	4	6
20-34	212593	2.9	1	1	2	3	3	4	5	6
35-49	10637	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	25915	3.0	3	1	2	3	3	4	5	9
20-34	166605	3.1	3	1	2	3	4	5	5	8
35-49	11150	3.4	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	261344	2.9	1	1	2	3	3	4	5	6
" MULTIPLE DX	203670	3.1	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	64029	2.9	2	1	2	3	3	4	5	7
20-34	379198	3.0	2	1	2	3	4	4	5	7
35-49	21787	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**465014**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4540	5.6	3	3	4	5	6	7	8	11
20-34	38139	5.7	3	4	4	6	6	7	8	10
35-49	2319	6.2	9	4	4	6	7	8	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12014	6.3	16	4	4	6	7	9	11	18
20-34	98650	6.1	10	4	4	6	7	8	9	18
35-49	9127	6.7	19	4	4	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	44998	5.7	4	4	4	6	6	7	8	10
" MULTIPLE DX	119791	6.2	11	4	4	6	7	8	10	19
TOTAL 0-19 YRS	16554	6.1	8	4	4	6	7	8	10	16
20-34	136789	6.0	9	4	4	6	7	8	9	16
35-49	11446	6.6	17	4	4	6	7	8	10	23
50-64										
65+										
GRAND TOTAL	**164789**	**6.1**	**9**	**4**	**4**	**6**	**7**	**8**	**9**	**17**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	5.6	2	4	4	5	6	7	8	12
20-34	2074	5.7	5	4	4	5	6	7	8	14
35-49	103	6.5	15	3	4	6	7	8	10	29
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	784	6.2	8	4	4	6	7	9	11	20
20-34	5296	6.3	14	4	4	6	7	8	10	19
35-49	518	7.3	35	4	4	6	7	10	14	36
50-64										
65+										
TOT. SINGLE DX	2522	5.7	6	4	4	5	6	7	8	14
" MULTIPLE DX	6598	6.3	15	4	4	6	7	8	11	21
TOTAL 0-19 YRS	1129	6.0	7	4	4	5	7	8	10	17
20-34	7370	6.1	12	4	4	6	7	8	9	18
35-49	621	7.2	32	4	4	6	7	10	14	36
50-64										
65+										
GRAND TOTAL	**9120**	**6.2**	**13**	**4**	**4**	**6**	**7**	**8**	**10**	**19**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.8	1	3	4	5	6	7	7	7
20-34	165	5.0	3	3	3	5	6	7	8	12
35-49	7	4.9	1	3	3	5	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.6	4	3	4	5	6	7	10	13
20-34	201	6.0	11	3	3	5	7	9	13	19
35-49	26	6.8	25	3	3	5	8	10	15	29
50-64										
65+										
TOT. SINGLE DX	198	5.0	3	3	3	5	6	7	7	11
" MULTIPLE DX	250	6.1	12	3	3	5	7	9	13	22
TOTAL 0-19 YRS	49	5.2	3	3	4	5	6	7	7	13
20-34	366	5.6	8	3	3	5	6	8	10	16
35-49	33	6.4	20	3	3	5	7	9	11	29
50-64										
65+										
GRAND TOTAL	**448**	**5.6**	**8**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2545	1.7		1	1	2	2	2	3	4
20-34	2724	1.8	1	1	1	2	2	3	3	5
35-49	224	1.7		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	503	2.1	1	1	1	2	2	3	4	8
20-34	701	2.4	3	1	1	2	3	4	5	10
35-49	102	2.3	2	1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	5493	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	1306	2.3	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	3048	1.8	1	1	1	2	2	3	3	5
20-34	3425	1.9	2	1	1	2	2	3	4	6
35-49	326	1.9	1	1	1	2	2	3	4	6
50-64										
65+										
GRAND TOTAL	**6799**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	4.2	17	<1	1	3	6	8	14	22
20-34	883	3.9	25	<1	<1	2	5	8	12	29
35-49	83	4.0	25	<1	<1	3	5	7	11	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	140	5.1	26	1	1	4	6	10	14	34
20-34	1012	4.4	36	<1	<1	2	5	10	16	30
35-49	603	1.7	9	<1	<1	<1	<1	1	6	17
50-64										
65+										
TOT. SINGLE DX	1156	4.0	24	<1	<1	3	5	8	12	28
" MULTIPLE DX	1755	3.5	28	<1	<1	<1	4	8	12	27
TOTAL 0-19 YRS	330	4.6	22	<1	1	3	6	9	14	25
20-34	1895	4.2	32	<1	<1	2	5	9	14	29
35-49	686	2.0	12	<1	<1	<1	<1	4	6	19
50-64										
65+										
GRAND TOTAL	**2911**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2641	2.4	2	<1	<1	2	3	4	4	7
20-34	13732	2.6	2	<1	<1	3	3	4	5	7
35-49	771	2.7	2	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2074	3.0	3	<1	1	3	4	4	5	9
20-34	12549	3.2	4	1	1	3	4	5	6	10
35-49	829	3.6	7	1	2	3	4	5	7	16
50-64										
65+										
TOT. SINGLE DX	17144	2.5	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	15452	3.2	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	4715	2.6	3	<1	<1	3	3	4	5	8
20-34	26281	2.9	4	<1	<1	3	3	4	5	8
35-49	1600	3.2	6	<1	<1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**32596**	**2.8**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5442	2.8	1	1	2	3	3	4	4	5
20-34	30893	2.8	1	1	2	3	3	4	4	6
35-49	2045	2.9	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7238	3.1	4	1	2	3	3	4	5	10
20-34	42160	3.1	2	1	2	3	4	4	5	8
35-49	3136	3.3	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	38380	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	52534	3.1	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	12680	3.0	3	1	2	3	3	4	5	8
20-34	73053	3.0	2	1	2	3	3	4	5	7
35-49	5181	3.1	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**90914**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	3.0	6	<1	1	2	3	5	7	18
20-34	177	3.8	13	1	1	3	4	8	11	19
35-49	158	4.6	31	1	1	3	5	10	14	36
50-64	188	4.8	27	1	1	3	6	11	15	24
65+	136	5.9	35	2	2	4	7	14	18	29
2. MULTIPLE DX										
0-19 YRS	95	6.0	61	1	2	4	6	16	19	48
20-34	178	4.8	36	1	2	3	4	9	16	32
35-49	165	5.9	64	1	2	3	6	12	19	47
50-64	308	9.0	151	2	2	4	12	22	31	94
65+	247	12.1	169	2	2	8	17	31	49	99+
TOT. SINGLE DX	820	4.4	23	1	1	3	5	9	14	27
" MULTIPLE DX	993	8.2	120	2	2	4	10	21	31	63
TOTAL 0-19 YRS	256	4.1	29	1	1	3	4	7	15	24
20-34	355	4.3	25	1	2	3	4	8	13	29
35-49	323	5.3	49	1	2	3	5	11	16	41
50-64	496	7.4	108	1	2	3	9	19	24	63
65+	383	9.9	130	2	2	5	14	26	38	99+
GRAND TOTAL	**1813**	**6.5**	**80**	**1**	**2**	**3**	**7**	**16**	**23**	**54**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1340	3.8	2	2	3	4	4	5	6	8
20-34	2154	3.7	2	2	2	3	4	5	6	8
35-49	792	3.8	2	2	2	3	4	6	7	10
50-64	299	4.1	10	2	2	3	5	6	8	16
65+	53	5.5	30	1	2	4	5	13	20	29
2. MULTIPLE DX										
0-19 YRS	988	4.5	9	2	3	4	5	6	8	18
20-34	1359	4.3	4	2	3	4	5	6	8	14
35-49	538	4.8	28	2	2	4	5	7	10	29
50-64	217	6.6	65	2	2	4	7	11	21	44
65+	82	8.4	96	2	2	4	11	24	34	85
TOT. SINGLE DX	4638	3.8	3	2	2	4	4	5	6	9
" MULTIPLE DX	3184	4.7	17	2	2	4	5	7	9	23
TOTAL 0-19 YRS	2328	4.1	5	2	3	4	4	6	7	13
20-34	3513	3.9	3	2	2	4	5	6	7	10
35-49	1330	4.2	13	2	2	4	5	6	8	15
50-64	516	5.1	35	2	2	4	5	9	12	31
65+	135	7.2	72	2	2	4	7	21	26	62
GRAND TOTAL	**7822**	**4.2**	**9**	**2**	**2**	**4**	**5**	**6**	**7**	**15**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	2.8	3	1	1	2	3	5	6	10
20-34	675	3.0	4	1	1	2	4	5	7	10
35-49	167	3.4	6	1	1	3	4	7	9	13
50-64	43	3.7	7	1	1	2	6	8	9	12
65+	21	6.1	37	1	2	4	7	12	20	29
2. MULTIPLE DX										
0-19 YRS	1014	4.3	34	1	1	3	5	8	11	33
20-34	1685	4.9	36	1	1	3	5	9	13	30
35-49	461	6.0	45	1	2	4	7	12	15	48
50-64	197	8.9	93	2	2	6	11	17	26	59
65+	126	10.1	76	2	2	7	12	22	31	44
TOT. SINGLE DX	1347	3.1	5	1	1	2	4	5	7	11
" MULTIPLE DX	3483	5.3	44	1	1	3	6	10	15	36
TOTAL 0-19 YRS	1455	3.8	25	1	1	3	4	7	9	24
20-34	2360	4.4	28	1	1	3	5	8	11	27
35-49	628	5.3	37	1	2	4	6	10	14	29
50-64	240	8.0	82	1	2	6	10	16	23	53
65+	147	9.5	72	2	2	7	12	22	29	44
GRAND TOTAL	**4830**	**4.7**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	325	3.5	7	1	1	3	4	6	8	15
20-34	927	3.5	9	1	1	3	4	6	8	15
35-49	322	3.8	5	1	1	3	5	7	9	12
50-64	122	4.2	12	1	1	3	5	8	10	20
65+	55	6.4	35	1	2	4	8	15	19	28
2. MULTIPLE DX										
0-19 YRS	1084	6.0	56	1	2	4	7	12	17	41
20-34	2710	6.1	58	1	2	4	7	12	18	43
35-49	1075	6.7	73	1	2	4	8	13	19	51
50-64	454	8.5	110	1	2	6	9	17	27	71
65+	252	11.3	102	2	3	9	14	23	35	48
TOT. SINGLE DX	1751	3.7	10	1	1	3	4	7	9	16
" MULTIPLE DX	5575	6.6	69	1	2	4	8	13	19	47
TOTAL 0-19 YRS	1409	5.5	46	1	2	4	6	11	15	31
20-34	3637	5.4	48	1	1	3	6	10	15	36
35-49	1397	6.1	60	1	2	4	7	12	17	44
50-64	576	7.6	93	1	2	5	8	15	24	60
65+	307	10.4	94	2	2	8	13	21	29	48
GRAND TOTAL	**7326**	**5.9**	**56**	**1**	**2**	**4**	**7**	**12**	**17**	**42**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.2	9	1	1	3	5	9	10	15
20-34	97	3.8	8	<1	1	3	5	9	10	13
35-49	96	4.6	15	1	1	4	6	9	11	22
50-64	77	3.8	5	1	2	3	5	8	9	11
65+	29	3.7	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	82	6.3	60	1	2	4	7	12	16	51
20-34	111	6.6	90	1	1	4	7	13	20	61
35-49	81	6.8	50	1	2	5	7	15	20	41
50-64	75	6.8	69	1	2	4	8	13	25	88
65+	48	9.1	82	2	2	5	13	22	38	99+
TOT. SINGLE DX	373	4.1	10	1	1	3	5	8	10	14
" MULTIPLE DX	397	6.9	71	1	2	4	8	15	21	60
TOTAL 0-19 YRS	156	5.3	37	1	2	4	6	10	14	23
20-34	208	5.3	54	<1	1	3	6	10	14	48
35-49	177	5.6	32	1	2	4	6	11	16	30
50-64	152	5.3	39	1	2	4	7	10	13	55
65+	77	7.1	59	1	2	5	8	17	23	84
GRAND TOTAL	**770**	**5.5**	**43**	**1**	**1**	**4**	**6**	**11**	**16**	**44**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1567	5.7	44	1	2	4	6	11	16	36
20-34	1543	4.8	27	1	1	3	5	9	12	27
35-49	1071	5.2	28	1	2	4	6	9	13	26
50-64	1331	6.5	35	2	2	5	8	11	14	28
65+	525	8.7	37	2	3	7	10	16	20	31
2. MULTIPLE DX										
0-19 YRS	978	7.8	83	2	2	5	8	17	27	47
20-34	1358	6.6	87	1	2	4	6	13	22	56
35-49	1325	6.9	81	2	2	4	7	13	23	50
50-64	1716	8.4	88	2	2	6	9	16	27	53
65+	908	14.1	221	2	3	9	18	33	51	99
TOT. SINGLE DX	6037	5.8	36	1	2	4	7	11	15	29
" MULTIPLE DX	6285	8.4	111	2	2	5	9	18	29	64
TOTAL 0-19 YRS	2545	6.5	60	1	2	4	7	13	20	43
20-34	2901	5.6	56	1	2	4	6	10	16	40
35-49	2396	6.1	58	1	2	4	7	11	17	42
50-64	3047	7.6	67	2	2	6	9	13	20	48
65+	1433	12.1	161	2	3	8	14	27	38	87
GRAND TOTAL	**12322**	**7.1**	**76**	**1**	**2**	**5**	**8**	**14**	**22**	**49**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	978	3.6	2	1	2	3	4	6	6	8
20-34	2010	3.7	3	1	2	3	4	6	7	9
35-49	1947	3.9	3	2	2	4	5	6	7	10
50-64	2421	4.2	4	2	2	4	5	6	8	12
65+	1105	4.7	7	2	2	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1014	3.9	2	2	2	4	5	6	7	10
20-34	2662	4.3	8	2	2	4	5	6	8	14
35-49	3615	4.5	10	2	2	4	5	7	9	16
50-64	6407	5.0	14	2	2	4	6	8	10	19
65+	3944	6.0	27	2	3	5	7	10	13	30
TOT. SINGLE DX	8461	4.0	4	2	2	4	5	6	7	11
" MULTIPLE DX	17642	5.0	16	2	2	4	6	8	10	20
TOTAL 0-19 YRS	1992	3.8	3	2	2	4	5	6	7	9
20-34	4672	4.0	7	2	2	4	5	6	7	11
35-49	5562	4.3	8	2	2	4	5	7	8	13
50-64	8828	4.8	12	2	2	4	6	7	9	17
65+	5049	5.7	24	2	3	5	6	9	12	27
GRAND TOTAL	**26103**	**4.7**	**12**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4986	3.8	22	1	1	3	4	6	9	28
20-34	6391	4.0	24	1	1	3	4	7	10	24
35-49	4554	4.6	29	1	1	3	5	8	12	30
50-64	3591	5.0	34	1	2	3	5	9	14	33
65+	1751	7.2	65	1	2	4	9	16	22	45
2. MULTIPLE DX										
0-19 YRS	2346	7.7	136	1	1	4	7	19	34	66
20-34	5289	7.7	131	1	1	4	7	18	32	68
35-49	4571	7.6	112	1	2	4	8	17	29	61
50-64	5457	9.4	140	2	2	5	11	22	34	69
65+	4233	14.4	218	2	3	10	19	34	49	90
TOT. SINGLE DX	21273	4.5	31	1	1	3	5	8	13	31
" MULTIPLE DX	21896	9.4	154	1	2	5	11	24	36	71
TOTAL 0-19 YRS	7332	5.1	62	1	1	3	5	9	17	44
20-34	11680	5.7	76	1	1	3	5	11	20	52
35-49	9125	6.1	73	1	2	4	6	12	20	49
50-64	9048	7.6	103	1	2	4	8	17	28	58
65+	5984	12.3	186	2	2	8	16	30	42	81
GRAND TOTAL	**43169**	**7.0**	**99**	**1**	**2**	**4**	**7**	**16**	**27**	**57**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1583	6.0	41	1	2	4	7	11	18	37
20-34	1428	5.1	31	1	2	4	6	9	12	28
35-49	584	5.8	26	1	2	4	7	11	15	27
50-64	457	9.1	81	2	2	7	11	18	26	54
65+	704	15.6	127	3	4	14	19	27	37	65
2. MULTIPLE DX										
0-19 YRS	818	9.9	144	1	2	5	11	24	36	64
20-34	1019	10.0	145	1	2	6	11	24	39	61
35-49	554	11.8	219	1	2	7	14	26	43	87
50-64	823	15.5	227	2	3	11	19	33	50	88
65+	2343	19.6	172	6	8	16	24	39	51	99+
TOT. SINGLE DX	4756	7.4	66	1	2	5	9	16	22	43
" MULTIPLE DX	5557	15.0	195	2	3	12	20	33	46	92
TOTAL 0-19 YRS	2401	7.3	80	1	2	4	8	15	25	54
20-34	2447	7.1	85	1	2	4	8	14	24	53
35-49	1138	8.7	130	1	2	5	9	18	27	77
50-64	1280	13.2	185	2	3	9	17	27	41	77
65+	3047	18.7	165	4	7	16	23	36	49	99+
GRAND TOTAL	**10313**	**11.5**	**150**	**2**	**2**	**7**	**15**	**26**	**37**	**73**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3240	2.7	9	<1	<1	2	3	4	6	18
20-34	5102	2.9	10	<1	1	2	3	5	7	13
35-49	2394	3.2	20	<1	1	2	3	5	7	19
50-64	2064	3.9	24	<1	1	3	4	7	11	26
65+	1664	6.4	58	1	2	4	8	15	21	37
2. MULTIPLE DX										
0-19 YRS	1067	4.8	44	1	1	3	5	9	17	37
20-34	1828	6.1	83	1	1	3	6	13	21	55
35-49	1087	6.7	94	1	1	4	7	15	24	62
50-64	1411	8.2	107	1	2	5	10	19	30	61
65+	2156	14.5	225	2	3	10	19	33	46	84
TOT. SINGLE DX	14464	3.4	21	<1	1	2	4	6	9	24
" MULTIPLE DX	7549	8.8	139	1	2	4	10	22	33	68
TOTAL 0-19 YRS	4307	3.2	19	<1	1	2	3	5	8	26
20-34	6930	3.7	32	<1	1	2	4	6	10	32
35-49	3481	4.3	46	<1	1	3	4	8	13	42
50-64	3475	5.6	63	1	1	3	5	12	19	46
65+	3820	11.0	169	1	2	6	14	26	37	74
GRAND TOTAL	**22013**	**5.3**	**68**	**<1**	**1**	**3**	**5**	**12**	**19**	**45**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	20.1	237	3	4	17	30	41	47	67
20-34	87	14.9	139	5	6	11	17	31	42	65
35-49	63	12.0	54	5	5	10	15	21	27	44
50-64	175	13.6	103	5	6	11	16	21	32	63
65+	756	17.7	111	7	9	15	20	28	36	69
2. MULTIPLE DX										
0-19 YRS	428	22.4	254	3	5	19	30	44	53	76
20-34	335	23.5	396	6	8	16	29	57	76	99+
35-49	180	22.9	342	6	7	15	31	52	64	97
50-64	527	18.7	213	6	7	14	22	41	53	95
65+	3230	20.7	162	8	10	17	25	37	51	99+
TOT. SINGLE DX	1299	17.1	135	5	7	14	20	30	41	67
" MULTIPLE DX	4700	20.9	201	7	9	17	25	41	54	99+
TOTAL 0-19 YRS	646	21.6	250	3	5	18	30	43	52	73
20-34	422	21.7	355	6	7	15	26	51	70	98
35-49	243	20.1	290	5	7	14	25	48	59	92
50-64	702	17.4	191	6	7	13	20	36	50	87
65+	3986	20.1	154	8	10	17	24	35	49	98
GRAND TOTAL	**5999**	**20.1**	**190**	**6**	**8**	**16**	**24**	**38**	**52**	**95**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	389	11.4	91	3	4	9	14	20	28	54
20-34	347	13.3	86	4	6	11	17	24	28	53
35-49	265	13.7	91	4	6	11	16	24	29	58
50-64	860	14.7	76	6	7	13	17	22	29	52
65+	4535	18.7	105	8	10	16	22	30	39	74
2. MULTIPLE DX										
0-19 YRS	838	18.0	190	5	6	14	22	34	47	71
20-34	1372	19.7	210	6	7	15	24	40	55	99+
35-49	987	19.1	204	6	7	15	23	36	50	94
50-64	2913	19.2	165	7	8	16	23	36	46	95
65+	20382	22.1	185	9	10	18	26	40	54	99+
TOT. SINGLE DX	6396	17.2	105	6	8	15	20	28	36	64
" MULTIPLE DX	26492	21.4	187	8	10	18	26	39	53	99+
TOTAL 0-19 YRS	1227	15.9	169	4	5	12	19	31	42	69
20-34	1719	18.4	192	5	7	14	23	36	51	95
35-49	1252	18.0	185	5	7	14	22	34	47	89
50-64	3773	18.2	149	7	8	15	21	33	43	89
65+	24917	21.5	173	9	10	18	25	38	52	99+
GRAND TOTAL	**32888**	**20.6**	**174**	**7**	**9**	**17**	**25**	**37**	**50**	**98**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	13.4	200	1	2	8	19	32	44	63
20-34	63	17.8	394	2	3	8	24	48	61	94
35-49	32	12.1	90	3	4	9	18	30	38	99+
50-64	51	14.7	231	2	3	10	17	34	45	85
65+	192	20.1	353	4	5	14	23	48	67	92
2. MULTIPLE DX										
0-19 YRS	877	16.4	247	1	2	12	25	36	46	84
20-34	238	23.8	416	3	4	18	33	57	81	99+
35-49	106	26.0	529	3	4	17	40	64	71	97
50-64	178	22.1	328	3	5	17	32	55	65	99+
65+	669	22.7	337	4	6	17	31	53	72	99+
TOT. SINGLE DX	955	15.0	249	1	2	10	21	34	49	82
" MULTIPLE DX	2068	20.3	328	2	3	15	28	48	63	99+
TOTAL 0-19 YRS	1494	15.1	230	1	2	10	24	34	45	78
20-34	301	22.5	417	3	4	16	32	57	77	99+
35-49	138	22.8	460	3	4	13	35	62	70	99+
50-64	229	20.4	315	2	4	15	28	49	63	99+
65+	861	22.1	341	4	6	17	29	52	70	59+
GRAND TOTAL	**3023**	**18.6**	**309**	**2**	**3**	**14**	**26**	**44**	**60**	**99**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	864	4.7	38	<1	1	2	5	13	19	27
20-34	808	3.8	20	<1	1	2	4	8	12	24
35-49	520	3.9	13	<1	1	3	5	8	11	17
50-64	586	4.8	41	1	1	3	5	10	13	33
65+	463	6.4	71	1	1	4	7	13	20	49
2. MULTIPLE DX										
0-19 YRS	1000	7.0	91	1	1	3	9	19	25	48
20-34	1158	7.3	104	1	1	4	8	16	26	59
35-49	714	7.9	112	1	1	4	9	17	31	57
50-64	947	7.8	114	1	1	4	9	18	26	60
65+	1084	11.2	175	1	2	6	14	27	42	66
TOT. SINGLE DX	3241	4.6	36	<1	1	3	5	10	15	30
" MULTIPLE DX	4903	8.3	123	1	1	4	10	20	29	59
TOTAL 0-19 YRS	1864	5.9	68	1	1	3	6	17	22	40
20-34	1966	5.9	73	<1	1	3	6	13	19	53
35-49	1234	6.3	75	1	1	4	7	13	21	50
50-64	1533	6.6	89	1	1	4	7	14	23	58
65+	1547	9.8	149	1	2	5	12	23	36	61
GRAND TOTAL	**8144**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**24**	**53**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3788	3.6	11	1	1	3	4	7	9	15
20-34	5163	4.4	15	1	1	4	5	8	10	19
35-49	3037	5.3	23	1	2	4	6	10	12	22
50-64	2560	6.4	26	2	2	5	8	11	15	24
65+	1718	8.6	39	2	3	7	11	16	21	30
2. MULTIPLE DX										
0-19 YRS	5000	5.4	51	1	1	3	6	10	16	43
20-34	8729	7.3	94	1	2	5	8	14	25	58
35-49	5315	7.8	88	1	2	5	9	15	23	59
50-64	5557	9.1	96	2	3	6	10	17	25	61
65+	5013	12.8	130	2	3	10	16	26	35	68
TOT. SINGLE DX	16266	5.1	22	1	1	4	6	10	13	23
" MULTIPLE DX	29614	8.3	98	1	2	5	9	17	26	58
TOTAL 0-19 YRS	8788	4.6	35	1	1	3	5	9	13	33
20-34	13892	6.2	67	1	1	4	7	11	18	48
35-49	8352	6.9	66	1	2	5	8	13	19	48
50-64	8117	8.2	76	2	3	6	9	15	21	52
65+	6731	11.7	111	2	3	9	15	24	32	59
GRAND TOTAL	**45880**	**7.2**	**73**	**1**	**2**	**5**	**8**	**14**	**21**	**48**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7730	2.5	10	<1	1	2	3	5	7	17
20-34	2274	3.7	15	1	1	3	5	7	10	20
35-49	1631	4.3	20	1	1	3	5	9	12	22
50-64	1849	4.4	28	1	1	3	5	9	12	26
65+	2090	5.4	35	1	1	3	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	8377	3.7	41	1	1	2	4	7	13	33
20-34	4191	6.6	83	1	1	4	7	14	23	51
35-49	2776	6.5	69	1	1	4	7	14	21	46
50-64	3734	7.4	89	1	1	4	8	16	25	54
65+	5776	10.3	139	1	2	6	13	23	34	70
TOT. SINGLE DX	15574	3.5	19	1	1	2	4	7	11	21
" MULTIPLE DX	24854	6.6	88	1	1	3	7	15	23	53
TOTAL 0-19 YRS	16107	3.1	27	1	1	2	3	6	10	25
20-34	6465	5.6	61	1	1	3	6	11	18	43
35-49	4407	5.7	52	1	1	4	7	12	17	40
50-64	5583	6.4	72	1	1	4	7	14	21	48
65+	7866	9.0	116	1	1	5	11	20	29	61
GRAND TOTAL	**40428**	**5.4**	**64**	**1**	**1**	**3**	**6**	**12**	**19**	**44**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	724	4.6	38	<1	1	2	5	13	17	29
20-34	644	3.0	13	<1	<1	2	3	6	9	20
35-49	323	3.9	32	<1	1	2	4	9	14	33
50-64	377	3.9	24	<1	1	2	4	9	13	24
65+	538	5.8	66	1	1	3	7	14	22	36
2. MULTIPLE DX										
0-19 YRS	759	6.1	88	<1	1	3	7	15	24	47
20-34	969	6.6	99	<1	1	3	7	16	24	53
35-49	569	7.2	99	1	1	4	9	17	28	63
50-64	648	8.0	121	1	1	4	10	18	31	64
65+	1220	10.5	160	1	1	6	13	26	38	70
TOT. SINGLE DX	2606	4.2	36	<1	1	2	5	10	16	31
" MULTIPLE DX	4165	7.9	122	1	1	4	10	20	30	64
TOTAL 0-19 YRS	1483	5.3	65	<1	1	2	6	14	21	43
20-34	1613	5.1	68	<1	1	2	5	12	20	46
35-49	892	6.0	78	<1	1	3	7	15	22	49
50-64	1025	6.5	89	1	1	3	8	14	24	55
65+	1758	9.0	136	1	1	5	11	23	35	69
GRAND TOTAL	**6771**	**6.5**	**92**	**<1**	**1**	**3**	**7**	**16**	**25**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	451	4.4	27	1	1	3	5	8	15	33
20-34	786	3.5	4	1	1	3	4	6	7	11
35-49	286	4.1	8	1	2	3	5	7	9	17
50-64	180	6.1	32	1	2	5	7	12	14	28
65+	160	10.9	78	2	3	8	15	21	26	48
2. MULTIPLE DX										
0-19 YRS	393	4.9	33	1	1	3	5	10	15	36
20-34	801	5.4	42	1	2	4	6	10	15	38
35-49	390	6.0	74	1	2	4	6	11	16	60
50-64	353	9.1	135	1	2	6	11	19	31	98
65+	378	17.2	221	2	3	14	22	38	51	95
TOT. SINGLE DX	1863	4.7	24	1	1	3	5	9	13	26
" MULTIPLE DX	2315	7.9	108	1	2	4	9	18	29	65
TOTAL 0-19 YRS	844	4.7	30	1	1	3	5	9	15	33
20-34	1587	4.4	25	1	1	3	5	8	11	28
35-49	676	5.2	48	1	2	4	6	9	13	34
50-64	533	8.1	103	1	2	5	10	15	26	85
65+	538	15.3	187	2	3	12	20	33	45	84
GRAND TOTAL	**4178**	**6.5**	**73**	**1**	**2**	**4**	**7**	**14**	**21**	**49**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3022	3.7	17	1	1	3	4	6	10	22
20-34	3029	3.6	13	1	1	3	4	6	9	20
35-49	1415	4.1	18	1	1	3	5	7	10	26
50-64	993	6.3	73	1	1	4	6	14	22	47
65+	491	12.4	175	2	2	8	16	30	42	68
2. MULTIPLE DX										
0-19 YRS	1806	5.4	45	1	1	3	5	11	19	36
20-34	2371	5.2	51	1	1	3	5	10	15	37
35-49	1437	6.7	86	1	2	4	7	14	23	49
50-64	1269	10.6	162	2	2	5	13	28	42	69
65+	1306	19.6	307	2	3	15	29	49	63	99+
TOT. SINGLE DX	8950	4.5	35	1	1	3	5	8	14	33
" MULTIPLE DX	8189	8.6	141	1	2	4	9	22	35	70
TOTAL 0-19 YRS	4828	4.3	29	1	1	3	4	8	14	29
20-34	5400	4.3	31	1	1	3	5	8	11	28
35-49	2852	5.4	54	1	1	3	5	10	17	41
50-64	2262	8.7	128	1	2	4	10	22	34	64
65+	1797	17.7	281	2	3	13	25	44	58	99+
GRAND TOTAL	**17139**	**6.5**	**90**	**1**	**1**	**3**	**6**	**15**	**25**	**54**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	8.8	20	3	4	8	11	14	17	25
20-34	8528	9.7	29	4	5	8	12	16	20	29
35-49	13871	10.3	32	4	5	9	12	17	21	30
50-64	6910	11.1	36	4	5	10	13	19	23	32
65+	1631	13.7	62	5	6	12	17	23	29	44
2. MULTIPLE DX										
0-19 YRS	124	14.9	232	3	4	9	17	35	51	99+
20-34	2703	13.2	81	5	6	11	16	23	31	49
35-49	5928	13.3	76	5	6	11	16	23	29	49
50-64	5685	14.7	98	5	6	12	18	26	32	56
65+	2750	19.4	161	7	8	16	24	35	44	75
TOT. SINGLE DX	31316	10.5	35	4	5	9	13	18	22	31
" MULTIPLE DX	17190	14.7	104	5	6	12	18	26	34	58
TOTAL 0-19 YRS	500	10.3	80	3	4	8	12	17	25	71
20-34	11231	10.5	45	4	5	9	13	18	22	36
35-49	19799	11.2	48	4	5	9	13	19	24	37
50-64	12595	12.7	68	5	6	11	15	22	27	43
65+	4381	17.3	132	6	7	14	21	31	40	68
GRAND TOTAL	**48506**	**12.0**	**64**	**4**	**5**	**10**	**14**	**21**	**26**	**43**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3009	2.9	3	1	1	2	4	5	6	8
20-34	7996	3.1	3	<1	1	3	4	5	6	9
35-49	4739	3.3	6	1	1	3	4	6	7	12
50-64	2865	3.6	7	1	1	3	5	6	8	14
65+	795	4.2	11	1	1	3	5	8	12	17
2. MULTIPLE DX										
0-19 YRS	2572	3.2	5	1	1	3	4	6	7	12
20-34	7097	3.5	7	1	1	3	4	6	8	14
35-49	4599	3.7	11	1	1	3	5	7	9	18
50-64	4772	4.1	14	1	1	3	5	8	11	19
65+	1992	5.2	29	1	2	3	6	10	15	28
TOT. SINGLE DX	19404	3.2	5	1	1	3	4	6	7	12
" MULTIPLE DX	21032	3.8	12	1	1	3	5	7	9	18
TOTAL 0-19 YRS	5581	3.1	5	1	1	3	4	5	6	10
20-34	15093	3.3	6	1	1	3	4	6	7	12
35-49	9338	3.5	9	1	1	3	4	6	8	15
50-64	7637	3.9	12	1	1	3	5	7	9	17
65+	2787	4.9	25	1	2	3	6	10	14	24
GRAND TOTAL	**40436**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5401	2.4	5	<1	1	2	3	4	5	11
20-34	8496	2.6	5	<1	1	2	3	5	6	11
35-49	4740	2.9	6	<1	1	2	3	5	7	13
50-64	3032	3.6	15	1	1	2	4	7	10	19
65+	1211	5.1	36	1	2	3	5	11	17	32
2. MULTIPLE DX										
0-19 YRS	2864	3.2	17	1	1	2	3	5	8	21
20-34	5860	3.5	19	<1	1	2	4	6	9	23
35-49	3688	4.4	34	1	1	3	5	9	13	28
50-64	3436	5.8	59	1	2	3	6	13	19	43
65+	1829	8.9	120	1	2	5	11	21	30	59
TOT. SINGLE DX	22880	2.9	9	<1	1	2	3	5	7	16
" MULTIPLE DX	17677	4.6	44	1	1	3	5	9	15	36
TOTAL 0-19 YRS	8265	2.7	10	<1	1	2	3	5	6	15
20-34	14356	2.9	11	<1	1	2	3	5	7	16
35-49	8428	3.6	20	<1	1	2	4	6	10	22
50-64	6468	4.7	40	1	1	3	5	9	15	36
65+	3040	7.4	91	1	2	4	8	17	25	50
GRAND TOTAL	**40557**	**3.6**	**25**	**<1**	**1**	**2**	**4**	**6**	**10**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	639	12.2	39	6	7	11	14	18	24	35
20-34	776	11.1	39	5	5	10	13	18	20	35
35-49	1214	10.5	29	4	5	9	13	17	21	29
50-64	629	10.8	43	4	5	9	13	18	22	38
65+	105	12.4	58	5	6	10	16	21	25	46
2. MULTIPLE DX										
0-19 YRS	418	17.9	196	6	8	14	21	35	56	99+
20-34	805	17.8	211	6	7	13	21	37	56	99+
35-49	1006	14.2	116	5	6	11	17	24	32	69
50-64	834	15.2	151	4	6	12	18	28	38	84
65+	275	22.3	272	6	8	17	29	49	65	99+
TOT. SINGLE DX	3363	11.1	38	4	5	10	13	18	22	35
" MULTIPLE DX	3338	16.5	176	5	6	12	20	31	46	94
TOTAL 0-19 YRS	1057	14.5	109	6	7	12	16	25	34	73
20-34	1581	14.5	138	5	6	11	16	27	38	92
35-49	2220	12.2	73	5	5	10	14	20	26	50
50-64	1463	13.3	110	4	5	10	16	24	32	67
65+	380	19.6	233	5	7	15	24	46	60	99+
GRAND TOTAL	**6701**	**13.7**	**114**	**5**	**6**	**11**	**16**	**25**	**33**	**74**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	467	4.2	7	1	2	4	5	8	9	14
20-34	1014	4.7	17	1	2	4	6	8	10	20
35-49	874	5.0	14	1	2	4	6	9	13	18
50-64	1193	4.8	18	1	2	4	6	9	11	24
65+	646	6.4	66	1	1	4	7	15	21	48
2. MULTIPLE DX										
0-19 YRS	390	5.5	20	2	2	4	7	10	11	23
20-34	842	6.5	59	1	2	4	7	12	19	52
35-49	822	6.7	57	1	2	5	7	12	18	42
50-64	1180	7.1	56	2	2	5	9	14	19	43
65+	879	9.6	127	2	2	6	11	21	33	76
TOT. SINGLE DX	4194	5.0	24	1	2	4	6	9	12	25
" MULTIPLE DX	4113	7.3	71	2	2	5	8	14	21	50
TOTAL 0-19 YRS	857	4.8	14	1	2	4	6	8	11	20
20-34	1856	5.5	37	1	2	4	6	10	14	32
35-49	1696	5.8	36	1	2	4	7	10	14	30
50-64	2373	6.0	39	1	2	4	7	11	16	31
65+	1525	8.3	105	1	2	5	9	18	29	61
GRAND TOTAL	**8307**	**6.1**	**48**	**1**	**2**	**4**	**7**	**12**	**17**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	16.6	153	5	6	13	17	38	46	52
20-34	217	13.6	50	7	8	12	15	22	27	41
35-49	525	13.9	33	8	9	13	16	20	25	37
50-64	2377	14.6	35	8	9	13	17	21	25	39
65+	4594	16.4	47	9	10	15	19	24	28	43
2. MULTIPLE DX										
0-19 YRS	34	19.0	182	4	8	14	21	39	44	69
20-34	267	16.8	108	8	8	14	18	30	38	57
35-49	625	17.4	103	8	9	15	20	31	39	79
50-64	2796	18.0	101	9	10	15	20	30	38	60
65+	7425	20.6	129	10	11	17	24	34	44	78
TOT. SINGLE DX	7733	15.6	44	8	9	14	18	23	27	42
" MULTIPLE DX	11147	19.7	123	9	10	17	23	33	42	73
TOTAL 0-19 YRS	54	18.1	170	4	8	14	20	39	44	68
20-34	484	15.3	85	7	8	13	17	25	33	55
35-49	1150	15.8	75	8	9	14	18	26	33	56
50-64	5173	16.4	74	8	9	14	18	26	32	54
65+	12019	19.0	102	9	11	16	22	30	38	65
GRAND TOTAL	**18880**	**18.0**	**94**	**9**	**10**	**16**	**20**	**29**	**37**	**62**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	10.1	81	2	3	8	12	24	26	45
20-34	80	12.5	61	3	4	10	15	24	29	41
35-49	126	13.8	55	6	8	12	16	23	28	43
50-64	587	15.3	46	7	8	14	18	24	28	43
65+	3119	17.9	80	9	10	16	21	27	33	53
2. MULTIPLE DX										
0-19 YRS	51	17.2	101	5	6	15	23	30	33	50
20-34	85	16.5	113	3	6	14	21	34	42	82
35-49	197	18.4	147	7	8	15	22	33	43	84
50-64	1332	19.6	141	8	9	16	23	36	47	99+
65+	12011	21.4	156	9	11	18	25	37	49	93
TOT. SINGLE DX	3969	17.2	77	8	9	16	20	26	32	51
" MULTIPLE DX	13676	21.2	155	9	10	18	25	37	48	93
TOTAL 0-19 YRS	108	13.4	103	3	3	10	19	27	31	48
20-34	165	14.5	92	3	5	12	18	27	38	49
35-49	323	16.6	116	7	8	13	19	28	39	69
50-64	1919	18.2	116	8	9	16	21	32	42	77
65+	15130	20.7	142	9	11	18	24	35	46	87
GRAND TOTAL	**17645**	**20.3**	**140**	**9**	**10**	**17**	**24**	**34**	**45**	**86**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1803	4.4	5	1	2	4	5	7	8	12
20-34	2743	5.0	17	1	2	4	6	8	10	16
35-49	1007	6.5	30	1	2	5	8	14	17	26
50-64	2111	13.3	57	2	4	13	17	22	26	40
65+	4097	16.8	60	7	9	16	20	25	30	44
2. MULTIPLE DX										
0-19 YRS	2042	5.2	12	2	2	5	6	8	10	20
20-34	3662	5.7	20	2	2	5	7	9	12	24
35-49	1441	7.1	50	2	2	5	8	15	19	39
50-64	2439	14.8	116	2	3	13	19	27	35	56
65+	5453	19.4	111	8	10	17	23	31	39	66
TOT. SINGLE DX	11761	10.6	68	2	2	9	16	20	24	37
" MULTIPLE DX	15037	12.2	110	2	3	9	17	25	32	54
TOTAL 0-19 YRS	3845	4.8	9	2	2	4	6	8	9	16
20-34	6405	5.4	19	2	2	5	6	9	11	21
35-49	2448	6.9	43	1	2	5	8	14	18	33
50-64	4550	14.1	89	2	3	13	18	24	31	49
65+	9550	18.3	91	8	10	16	21	29	36	60
GRAND TOTAL	**26798**	**11.5**	**92**	**2**	**3**	**9**	**16**	**23**	**29**	**48**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2272	3.4	2	1	2	3	4	5	6	9
20-34	4809	3.6	3	1	2	3	4	5	6	10
35-49	2016	3.8	8	1	2	3	5	6	8	13
50-64	2050	4.8	16	2	2	4	5	9	12	21
65+	957	6.5	31	2	2	5	8	13	17	29
2. MULTIPLE DX										
0-19 YRS	925	3.6	6	1	1	3	4	6	7	15
20-34	2247	4.0	14	1	1	3	5	7	9	16
35-49	1589	4.7	18	1	2	4	5	8	10	21
50-64	2325	5.9	32	2	2	4	7	11	15	29
65+	1513	8.8	75	2	3	6	10	18	25	41
TOT. SINGLE DX	12104	4.0	9	1	2	3	5	6	9	16
" MULTIPLE DX	8599	5.4	33	1	2	4	6	10	15	29
TOTAL 0-19 YRS	3197	3.4	4	1	2	3	4	5	6	10
20-34	7056	3.7	7	1	2	3	4	6	7	12
35-49	3605	4.2	13	1	2	3	5	7	9	18
50-64	4375	5.4	26	2	2	4	6	10	14	25
65+	2470	7.9	59	2	2	5	10	17	22	38
GRAND TOTAL	**20703**	**4.6**	**20**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1231	3.9	21	<1	<1	2	4	8	13	25
20-34	1345	3.7	13	<1	1	3	4	8	10	18
35-49	1372	3.3	12	<1	<1	2	4	7	9	16
50-64	1321	2.7	9	<1	<1	2	3	5	7	16
65+	475	3.7	23	<1	<1	2	4	8	13	26
2. MULTIPLE DX										
0-19 YRS	914	6.2	63	1	1	4	7	13	20	45
20-34	1105	7.1	73	1	1	4	8	16	24	44
35-49	892	6.7	65	1	1	4	8	15	23	48
50-64	1065	7.6	109	1	1	4	9	17	28	57
65+	670	12.0	183	1	2	7	16	30	44	99+
TOT. SINGLE DX	5744	3.4	15	<1	<1	2	4	7	10	20
" MULTIPLE DX	4646	7.7	97	1	1	4	9	18	28	54
TOTAL 0-19 YRS	2145	4.9	41	<1	1	3	5	10	16	33
20-34	2450	5.2	43	<1	1	3	6	11	16	35
35-49	2264	4.6	36	<1	1	3	5	10	15	33
50-64	2386	4.9	60	<1	<1	2	5	11	17	40
65+	1145	8.6	134	<1	1	4	11	22	33	71
GRAND TOTAL	**10390**	**5.3**	**56**	**<1**	**1**	**3**	**6**	**12**	**18**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2646	2.2	6	<1	<1	2	2	3	4	11
20-34	4422	2.2	5	<1	<1	2	2	3	5	11
35-49	2860	2.6	8	<1	<1	2	3	4	7	16
50-64	2244	3.2	15	<1	<1	2	3	6	9	21
65+	895	4.4	30	<1	1	3	5	9	13	23
2. MULTIPLE DX										
0-19 YRS	429	4.3	39	<1	1	2	4	9	13	41
20-34	1201	5.0	49	<1	1	3	5	11	16	41
35-49	1473	6.5	61	1	1	3	8	15	22	40
50-64	1841	8.0	107	1	2	4	10	18	26	54
65+	1418	11.4	158	2	2	7	15	28	38	79
TOT. SINGLE DX	13067	2.6	10	<1	<1	2	3	4	7	16
" MULTIPLE DX	6362	7.6	98	1	1	4	9	18	27	56
TOTAL 0-19 YRS	3075	2.5	12	<1	<1	2	2	4	6	16
20-34	5623	2.8	17	<1	<1	2	3	5	8	21
35-49	4333	3.9	30	<1	<1	2	4	8	14	29
50-64	4085	5.4	63	<1	1	3	5	12	19	41
65+	2313	8.7	121	1	1	5	11	21	30	67
GRAND TOTAL	**19429**	**4.2**	**45**	**<1**	**<1**	**2**	**4**	**9**	**15**	**35**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	1.8	1	<1	<1	2	2	3	4	6
20-34	244	2.3	3	<1	<1	2	3	4	5	10
35-49	468	2.5	4	<1	1	2	3	4	5	9
50-64	1445	2.4	2	<1	1	2	3	4	4	8
65+	958	2.5	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	78	5.0	39	1	1	2	5	14	17	36
20-34	181	4.6	35	<1	1	2	5	10	16	31
35-49	252	3.6	10	<1	1	3	4	7	11	15
50-64	748	3.8	26	1	1	2	4	7	11	21
65+	609	4.4	22	1	2	3	5	9	15	27
TOT. SINGLE DX	3228	2.4	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1868	4.1	24	1	1	3	4	8	12	24
TOTAL 0-19 YRS	191	3.2	19	<1	1	2	3	6	11	22
20-34	425	3.3	18	<1	<1	2	3	6	10	20
35-49	720	2.9	7	<1	1	2	3	5	7	14
50-64	2193	2.8	11	1	1	2	3	4	6	14
65+	1567	3.2	11	1	1	2	3	5	9	18
GRAND TOTAL	**5096**	**3.0**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1163	2.1	2	<1	1	2	2	3	5	8
20-34	1856	2.4	3	<1	1	2	3	4	5	11
35-49	836	2.5	4	<1	1	2	3	4	6	12
50-64	470	2.6	6	<1	1	2	3	5	6	14
65+	172	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	1614	2.3	6	<1	1	2	3	4	6	14
20-34	2673	2.7	12	1	1	2	3	5	7	15
35-49	1103	2.9	16	<1	1	2	3	5	8	21
50-64	728	3.2	11	1	1	2	3	6	9	17
65+	295	4.2	33	1	1	3	4	8	12	37
TOT. SINGLE DX	4497	2.4	4	<1	1	2	3	4	5	11
" MULTIPLE DX	6413	2.8	12	1	1	2	3	5	7	17
TOTAL 0-19 YRS	2777	2.2	5	<1	1	2	3	4	5	11
20-34	4529	2.6	9	<1	1	2	3	5	6	13
35-49	1939	2.7	11	<1	1	2	3	5	7	16
50-64	1198	3.0	10	1	1	2	3	5	8	16
65+	467	3.6	23	1	1	2	4	7	9	25
GRAND TOTAL	**10910**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	641	2.5	4	<1	1	2	3	5	6	12
20-34	1262	3.1	8	<1	1	3	4	6	7	16
35-49	1347	3.3	5	<1	1	3	4	5	7	11
50-64	1557	4.2	15	1	1	3	5	7	9	15
65+	615	4.9	18	1	2	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	722	3.3	14	1	1	2	4	6	9	21
20-34	1402	4.4	36	1	1	3	5	8	12	35
35-49	1239	5.0	29	1	1	4	6	10	14	29
50-64	1574	6.1	42	1	2	4	7	12	17	36
65+	901	8.5	100	2	2	5	10	17	27	56
TOT. SINGLE DX	5422	3.6	11	<1	1	3	4	6	8	15
" MULTIPLE DX	5838	5.5	46	1	1	4	6	11	16	37
TOTAL 0-19 YRS	1363	2.9	10	<1	1	2	3	5	8	15
20-34	2664	3.8	24	<1	1	3	4	7	9	26
35-49	2586	4.1	18	1	1	3	5	7	10	21
50-64	3131	5.2	30	1	2	4	6	9	13	29
65+	1516	7.0	71	1	2	5	8	14	21	44
GRAND TOTAL	**11260**	**4.6**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1923	3.4	5	1	1	3	4	6	7	13
20-34	1610	4.0	11	1	1	3	5	7	9	19
35-49	917	3.8	10	1	1	3	5	6	8	18
50-64	616	4.6	21	1	2	4	5	8	11	28
65+	221	7.2	73	1	2	5	8	15	19	42
2. MULTIPLE DX										
0-19 YRS	1548	4.2	27	1	2	3	5	7	9	26
20-34	1281	5.3	49	1	1	4	6	9	15	48
35-49	810	5.7	60	1	2	4	6	10	16	56
50-64	646	6.9	71	1	2	4	8	14	21	53
65+	378	11.0	146	2	2	7	14	23	31	76
TOT. SINGLE DX	5287	4.0	14	1	1	3	5	7	9	18
" MULTIPLE DX	4663	5.7	58	1	2	4	6	11	17	49
TOTAL 0-19 YRS	3471	3.8	16	1	1	3	4	6	8	17
20-34	2891	4.6	28	1	1	3	5	8	11	30
35-49	1727	4.7	35	1	1	3	5	8	12	31
50-64	1262	5.8	48	1	2	4	6	11	16	38
65+	599	9.6	123	2	2	6	11	20	28	66
GRAND TOTAL	**9950**	**4.8**	**35**	**1**	**1**	**3**	**5**	**8**	**13**	**31**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	2.0	3	<1	1	1	2	3	5	9
20-34	376	3.2	23	<1	1	2	3	6	9	23
35-49	257	3.0	22	1	1	2	3	6	10	27
50-64	231	3.4	19	<1	1	2	3	6	13	21
65+	135	3.5	15	<1	1	2	4	7	12	23
2. MULTIPLE DX										
0-19 YRS	280	3.6	22	1	1	2	4	8	11	29
20-34	671	4.6	64	1	1	2	4	10	18	47
35-49	479	5.4	86	1	1	3	5	12	23	64
50-64	529	6.9	125	1	1	3	6	18	27	75
65+	344	9.0	183	1	1	3	10	23	42	77
TOT. SINGLE DX	1181	3.1	19	<1	1	2	3	6	10	22
" MULTIPLE DX	2303	5.8	98	1	1	3	5	14	25	63
TOTAL 0-19 YRS	462	3.0	16	<1	1	2	3	7	10	21
20-34	1047	4.1	50	<1	1	2	4	8	14	44
35-49	736	4.6	65	1	1	2	4	10	18	45
50-64	760	5.8	95	1	1	3	5	14	25	53
65+	479	7.5	142	1	1	3	8	18	35	71
GRAND TOTAL	**3484**	**4.9**	**73**	**1**	**1**	**2**	**4**	**11**	**20**	**49**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	18	<1	1	3	9	11	13	13
20-34	29	7.1	68	1	1	5	9	17	24	40
35-49	26	6.0	63	1	1	3	6	13	22	40
50-64	18	6.2	16	1	1	6	8	12	13	14
65+	21	10.4	87	1	1	8	13	24	32	36
2. MULTIPLE DX										
0-19 YRS	28	10.3	160	1	1	6	11	33	40	51
20-34	64	14.4	320	1	1	6	18	43	53	79
35-49	31	18.9	646	1	2	7	29	74	82	99+
50-64	67	21.6	373	3	4	14	35	54	67	95
65+	71	23.3	370	2	4	18	34	55	70	99+
TOT. SINGLE DX	108	7.0	57	1	1	5	9	14	21	40
" MULTIPLE DX	261	18.8	384	1	2	11	28	51	69	99+
TOTAL 0-19 YRS	42	8.4	119	1	1	5	9	18	38	51
20-34	93	12.1	252	1	1	6	14	38	49	74
35-49	57	13.1	417	1	1	5	12	47	76	99
50-64	85	18.3	337	2	3	10	28	50	58	91
65+	92	20.4	334	1	2	15	28	54	69	99+
GRAND TOTAL	**369**	**15.3**	**316**	**1**	**1**	**8**	**20**	**46**	**56**	**97**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.0	4	1	1	2	3	6	7	11
20-34	111	5.7	43	1	1	3	6	15	23	32
35-49	114	7.0	73	1	2	5	8	13	20	50
50-64	230	9.4	111	1	2	6	12	21	30	56
65+	350	10.9	141	2	2	7	13	24	36	62
2. MULTIPLE DX										
0-19 YRS	142	8.8	187	1	1	4	9	19	45	91
20-34	277	12.0	145	1	2	8	16	32	38	59
35-49	563	17.6	264	2	3	14	23	40	57	92
50-64	1475	20.8	270	3	4	17	29	45	58	99+
65+	2481	21.7	303	3	5	17	29	48	60	95
TOT. SINGLE DX	907	8.5	105	1	2	5	10	21	30	54
" MULTIPLE DX	4938	20.0	286	2	4	16	27	45	58	95
TOTAL 0-19 YRS	244	6.4	119	1	1	3	6	13	22	69
20-34	388	10.2	124	1	2	6	14	27	34	54
35-49	677	15.8	248	2	2	11	21	37	53	88
50-64	1705	19.3	264	2	4	15	27	44	57	99
65+	2831	20.4	296	3	4	16	28	45	58	93
GRAND TOTAL	**5845**	**18.3**	**276**	**2**	**3**	**14**	**25**	**42**	**56**	**91**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	10.4	36	3	4	9	13	17	24	26
20-34	28	14.5	106	5	5	10	17	31	38	44
35-49	27	18.6	307	5	5	15	24	31	41	95
50-64	96	20.6	212	6	7	18	25	39	50	99+
65+	240	20.8	188	7	8	17	27	37	52	99+
2. MULTIPLE DX										
0-19 YRS	27	26.0	506	6	9	16	34	57	82	91
20-34	136	26.7	427	6	7	21	40	69	93	99+
35-49	271	27.6	342	7	10	22	37	61	83	99+
50-64	1203	30.8	357	9	12	27	44	66	91	99+
65+	3408	31.4	392	9	11	27	43	67	88	99+
TOT. SINGLE DX	405	19.8	195	5	7	16	26	36	50	99
" MULTIPLE DX	5045	30.9	384	9	11	26	43	66	88	99+
TOTAL 0-19 YRS	41	20.7	397	4	5	13	26	47	69	91
20-34	164	24.6	392	5	7	18	37	60	81	99+
35-49	298	26.8	345	7	9	22	36	56	82	99+
50-64	1299	30.0	353	8	11	26	43	65	90	99+
65+	3648	30.7	386	9	11	26	42	66	86	99+
GRAND TOTAL	**5450**	**30.1**	**378**	**8**	**11**	**26**	**42**	**65**	**86**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	10.2	33	3	4	8	15	18	21	22
20-34	8	12.9	77	4	5	9	17	27	31	31
35-49	26	15.7	153	6	7	11	19	29	50	55
50-64	51	19.9	232	6	7	16	25	46	52	79
65+	253	19.5	170	6	8	16	25	35	50	84
2. MULTIPLE DX										
0-19 YRS	27	21.3	395	5	6	12	25	56	67	67
20-34	58	24.5	314	6	8	18	40	62	84	99+
35-49	109	27.6	346	6	8	22	44	63	95	99+
50-64	625	28.2	355	7	9	25	40	64	93	99+
65+	3549	26.4	343	7	9	21	36	59	81	99+
TOT. SINGLE DX	354	18.7	174	5	7	15	24	34	50	79
" MULTIPLE DX	4368	26.6	346	7	9	21	36	60	82	99+
TOTAL 0-19 YRS	43	17.1	286	4	5	9	20	48	61	67
20-34	66	23.1	299	5	7	17	37	57	72	99+
35-49	135	25.3	330	6	7	20	40	60	78	99+
50-64	676	27.6	350	7	9	24	39	63	90	99+
65+	3802	25.9	335	7	9	21	35	58	80	99+
GRAND TOTAL	**4722**	**26.0**	**337**	**7**	**9**	**21**	**36**	**58**	**81**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	7.2	28	1	1	5	12	14	17	20
20-34	23	12.8	110	2	3	9	19	26	34	45
35-49	24	14.6	224	2	4	9	17	30	55	63
50-64	52	20.5	250	2	4	18	33	43	50	99
65+	49	21.6	234	5	6	17	28	44	59	65
2. MULTIPLE DX										
0-19 YRS	30	19.8	315	2	3	11	32	47	58	65
20-34	66	27.7	399	4	6	24	45	70	99+	99+
35-49	156	28.8	410	6	9	24	42	69	91	99+
50-64	424	29.0	335	8	10	26	41	59	80	99+
65+	717	31.0	379	9	11	27	43	65	83	99+
TOT. SINGLE DX	167	17.4	218	2	4	13	23	41	48	75
" MULTIPLE DX	1393	29.8	372	7	10	26	42	65	83	99+
TOTAL 0-19 YRS	49	14.9	240	1	2	8	20	36	52	65
20-34	89	23.8	365	3	5	19	36	66	76	99+
35-49	180	26.9	408	4	6	23	40	67	86	99+
50-64	476	28.1	333	6	9	25	40	59	78	99+
65+	766	30.4	375	8	11	26	42	64	82	99+
GRAND TOTAL	**1560**	**28.4**	**370**	**5**	**8**	**25**	**40**	**63**	**81**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.9	24	<1	1	3	7	11	13	28
20-34	57	6.0	21	1	1	5	9	13	14	20
35-49	20	6.5	24	<1	<1	5	11	13	14	14
50-64	13	4.8	12	1	2	3	6	11	13	13
65+	6	5.2	27	1	1	4	6	14	15	15
2. MULTIPLE DX										
0-19 YRS	86	6.6	53	1	1	5	9	15	17	45
20-34	109	9.2	63	1	2	7	12	20	23	43
35-49	55	8.0	181	1	1	5	9	11	23	94
50-64	44	7.8	33	1	2	6	10	15	21	26
65+	19	12.5	441	2	2	6	11	27	65	94
TOT. SINGLE DX	168	5.5	23	1	1	4	8	12	14	20
" MULTIPLE DX	313	8.3	100	1	1	6	10	17	23	51
TOTAL 0-19 YRS	158	5.8	41	1	1	4	8	13	16	31
20-34	166	8.1	51	1	1	7	10	17	22	39
35-49	75	7.6	139	1	1	5	9	13	16	80
50-64	57	7.1	30	1	2	6	9	14	18	26
65+	25	10.7	347	1	2	5	10	22	46	94
GRAND TOTAL	**481**	**7.3**	**75**	**1**	**1**	**5**	**9**	**14**	**19**	**38**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.0	11	1	1	2	4	5	9	21
20-34	210	3.0	12	<1	1	2	3	6	8	15
35-49	156	4.1	27	<1	1	2	4	8	15	40
50-64	150	6.3	58	<1	1	4	7	14	22	41
65+	135	10.3	108	1	1	7	14	25	30	49
2. MULTIPLE DX										
0-19 YRS	99	3.6	20	1	1	2	4	7	12	24
20-34	249	6.6	98	<1	1	3	6	18	29	61
35-49	177	9.4	145	1	1	4	12	28	41	99+
50-64	374	13.8	235	1	2	8	19	33	52	97
65+	495	16.9	236	3	4	12	22	39	55	99+
TOT. SINGLE DX	753	5.2	49	<1	1	3	5	12	19	37
" MULTIPLE DX	1394	12.4	205	1	2	7	17	31	46	99+
TOTAL 0-19 YRS	201	3.3	16	1	1	2	4	6	10	23
20-34	459	5.0	62	<1	1	2	5	11	22	52
35-49	333	6.9	97	<1	1	3	8	18	29	99+
50-64	524	11.7	196	1	2	7	16	29	45	86
65+	630	15.5	216	2	3	11	21	35	48	99+
GRAND TOTAL	**2147**	**9.8**	**162**	**1**	**1**	**5**	**13**	**26**	**38**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	19.8	561	2	2	5	38	56	56	56
20-34	17	4.1	11	<1	1	3	5	8	13	15
35-49	11	4.5	6	1	2	4	6	9	9	9
50-64	29	7.2	26	2	3	4	11	16	17	19
65+	20	10.4	29	2	4	10	14	17	20	21
2. MULTIPLE DX										
0-19 YRS	5	11.4	142	2	2	11	31	93	99+	99+
20-34	17	7.8	70	2	2	4	9	24	27	28
35-49	12	6.8	32	2	2	5	10	15	20	21
50-64	35	13.9	251	2	3	10	14	28	38	87
65+	43	16.0	139	3	5	13	20	32	39	54
TOT. SINGLE DX	82	7.7	62	1	2	5	10	16	19	48
" MULTIPLE DX	112	12.9	161	2	2	9	17	29	34	92
TOTAL 0-19 YRS	10	15.6	332	2	2	9	32	74	98	99+
20-34	34	6.0	43	1	2	4	5	15	24	28
35-49	23	5.7	21	1	2	4	9	10	15	21
50-64	64	10.9	159	2	3	7	13	21	30	80
65+	63	14.2	111	3	5	13	17	29	33	53
GRAND TOTAL	**194**	**10.7**	**125**	**2**	**2**	**7**	**14**	**27**	**32**	**73**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1878	2.0	1	<1	<1	2	2	3	4	5
20-34	7160	2.1	2	<1	<1	2	2	3	4	8
35-49	12117	2.3	2	<1	1	2	3	3	5	10
50-64	7083	2.8	5	<1	1	2	3	5	8	12
65+	3952	3.7	13	1	1	2	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	353	3.1	16	<1	1	2	3	6	8	13
20-34	2893	3.5	17	<1	1	2	4	7	10	20
35-49	6731	4.0	20	1	1	2	4	8	11	22
50-64	5901	5.4	39	1	2	3	7	12	16	33
65+	5346	8.3	87	2	2	5	10	18	26	48
TOT. SINGLE DX	32190	2.5	5	<1	1	2	3	4	6	12
" MULTIPLE DX	21224	5.4	46	1	2	3	6	12	17	35
TOTAL 0-19 YRS	2231	2.2	4	<1	<1	2	2	3	4	8
20-34	10053	2.5	7	<1	1	2	3	4	6	13
35-49	18848	2.9	10	<1	1	2	3	5	8	16
50-64	12984	4.0	23	1	1	2	4	9	12	24
65+	9298	6.4	61	1	2	3	8	14	20	41
GRAND TOTAL	**53414**	**3.7**	**23**	**<1**	**1**	**2**	**3**	**8**	**11**	**24**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.5	2	<1	1	2	3	4	5	9
20-34	264	3.2	6	<1	1	3	4	6	7	11
35-49	370	4.6	10	1	2	4	6	8	10	15
50-64	416	5.5	14	2	2	5	7	10	14	20
65+	715	6.8	20	2	2	6	9	12	15	24
2. MULTIPLE DX										
0-19 YRS	31	4.4	54	<1	1	3	3	8	12	42
20-34	108	5.6	35	1	2	4	7	10	15	34
35-49	356	7.1	37	2	3	5	8	13	18	38
50-64	600	8.2	66	2	2	6	10	15	20	48
65+	1304	11.5	91	3	4	9	14	22	30	53
TOT. SINGLE DX	2001	5.2	16	1	2	4	7	10	12	20
" MULTIPLE DX	2399	9.6	78	2	3	7	12	19	26	52
TOTAL 0-19 YRS	267	2.8	8	<1	1	2	3	4	5	10
20-34	372	3.9	16	1	1	3	5	7	9	18
35-49	726	5.8	25	2	2	5	7	10	14	25
50-64	1016	7.1	47	2	2	5	8	13	17	33
65+	2019	9.8	71	2	3	8	12	19	25	47
GRAND TOTAL	**4400**	**7.6**	**55**	**2**	**2**	**6**	**9**	**15**	**20**	**41**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.7	5	1	1	3	4	7	10	10
20-34	409	7.5	7	3	5	7	9	11	13	15
35-49	2223	7.5	8	4	5	7	9	11	13	17
50-64	3738	8.0	12	4	5	8	9	12	14	20
65+	3575	8.6	13	4	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	13	7.2	15	1	2	7	10	13	14	14
20-34	333	8.7	46	4	5	8	10	12	14	26
35-49	2256	8.8	26	4	5	8	10	13	16	29
50-64	4465	9.7	29	4	5	9	11	15	19	30
65+	5931	11.4	49	5	6	10	13	18	24	40
TOT. SINGLE DX	9964	8.1	12	4	5	8	9	12	14	20
" MULTIPLE DX	12998	10.3	40	4	5	9	12	16	21	35
TOTAL 0-19 YRS	32	5.1	12	1	2	4	7	11	12	14
20-34	742	8.0	26	4	5	7	9	12	13	16
35-49	4479	8.2	18	4	5	7	9	12	15	24
50-64	8203	8.9	23	4	5	8	10	14	17	28
65+	9506	10.4	37	5	5	9	12	16	21	36
GRAND TOTAL	**22962**	**9.3**	**29**	**4**	**5**	**8**	**11**	**15**	**18**	**30**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1156	3.2	4	1	1	3	4	5	6	9
20-34	3030	3.2	4	<1	1	3	4	6	7	10
35-49	2416	3.8	6	1	1	3	5	6	8	11
50-64	1170	3.8	5	1	2	3	5	6	8	13
65+	280	3.9	8	1	2	3	5	6	8	17
2. MULTIPLE DX										
0-19 YRS	369	4.1	7	1	2	3	5	7	10	16
20-34	1693	4.2	11	1	1	4	5	7	9	17
35-49	2929	4.7	14	1	2	4	6	8	10	18
50-64	1783	5.0	20	1	2	4	6	8	11	21
65+	472	6.8	55	2	2	5	7	13	20	57
TOT. SINGLE DX	8052	3.5	6	<1	1	3	4	6	7	11
" MULTIPLE DX	7246	4.8	18	1	2	4	5	8	11	21
TOTAL 0-19 YRS	1525	3.4	5	1	2	3	4	5	6	12
20-34	4723	3.6	7	<1	1	3	4	6	7	13
35-49	5345	4.3	11	1	2	4	5	7	9	15
50-64	2953	4.6	15	1	2	4	5	8	10	19
65+	752	5.7	40	1	2	4	6	10	17	38
GRAND TOTAL	**15298**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3301	3.6	3	1	2	3	4	6	7	11
20-34	6081	3.7	4	1	2	3	4	6	7	11
35-49	875	3.8	4	1	2	3	5	6	8	11
50-64	219	4.0	6	1	2	4	5	6	9	13
65+	44	5.5	20	1	2	4	6	15	17	20
2. MULTIPLE DX										
0-19 YRS	415	4.8	12	1	2	4	6	8	11	19
20-34	1012	5.1	16	2	2	4	6	9	13	22
35-49	375	6.0	33	2	2	4	7	11	14	35
50-64	165	6.8	29	2	3	5	8	13	18	28
65+	64	11.5	163	2	3	7	14	33	61	99+
TOT. SINGLE DX	10520	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	2031	5.5	26	2	2	4	6	10	14	30
TOTAL 0-19 YRS	3716	3.8	5	1	2	3	5	6	7	12
20-34	7093	3.9	6	1	2	3	5	6	8	14
35-49	1250	4.4	14	1	2	4	5	8	10	19
50-64	384	5.2	18	1	2	4	5	10	13	25
65+	108	9.0	113	2	2	5	11	21	36	99+
GRAND TOTAL	**12551**	**4.0**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4540	2.3	6	<1	<1	2	2	4	6	13
20-34	5372	3.0	15	<1	<1	2	3	6	9	20
35-49	4693	3.2	17	<1	<1	2	3	6	9	20
50-64	4447	3.6	23	<1	<1	2	4	7	11	24
65+	3232	4.7	41	<1	<1	3	5	10	16	34
2. MULTIPLE DX										
0-19 YRS	1817	5.3	88	<1	1	2	5	10	17	55
20-34	3700	7.5	100	1	1	4	9	18	28	57
35-49	4935	7.8	84	1	1	5	9	18	26	51
50-64	7192	8.8	92	1	2	6	11	19	28	52
65+	9450	11.4	138	1	2	8	15	25	35	74
TOT. SINGLE DX	22284	3.3	20	<1	<1	2	3	6	10	22
" MULTIPLE DX	27094	9.1	111	1	2	6	11	21	30	60
TOTAL 0-19 YRS	6357	3.1	32	<1	<1	2	3	6	9	28
20-34	9072	4.9	55	<1	<1	3	5	10	17	41
35-49	9628	5.6	57	<1	<1	3	6	12	20	40
50-64	11639	6.8	73	<1	1	4	8	15	23	45
65+	12682	9.7	122	1	2	6	12	22	31	66
GRAND TOTAL	**49378**	**6.5**	**79**	**<1**	**1**	**3**	**8**	**15**	**23**	**49**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4512	4.3	24	<1	1	3	5	9	13	27
20-34	5226	5.1	36	<1	1	3	6	11	16	31
35-49	3198	6.1	53	<1	1	4	7	13	19	37
50-64	2808	7.4	77	1	1	5	9	16	23	47
65+	2629	9.2	109	1	1	5	12	21	30	55
2. MULTIPLE DX										
0-19 YRS	9886	5.5	65	<1	1	3	6	12	20	43
20-34	14940	6.7	91	<1	1	3	7	16	25	56
35-49	8641	9.5	143	<1	1	5	12	23	34	67
50-64	9269	12.6	195	1	2	8	16	30	44	85
65+	13241	16.7	272	1	2	12	23	42	59	99+
TOT. SINGLE DX	18373	6.0	56	<1	1	4	7	13	20	39
" MULTIPLE DX	55977	10.2	173	<1	1	5	13	26	40	80
TOTAL 0-19 YRS	14398	5.1	53	<1	1	3	6	11	17	39
20-34	20166	6.3	78	<1	1	3	7	14	22	50
35-49	11839	8.6	122	<1	1	5	10	20	30	60
50-64	12077	11.4	173	1	1	7	14	27	40	78
65+	15870	15.4	253	1	2	10	21	39	55	99+
GRAND TOTAL	**74350**	**9.2**	**148**	**<1**	**1**	**5**	**11**	**23**	**36**	**72**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	672	6.6	61	1	1	4	8	15	23	38
20-34	827	7.9	77	1	1	5	10	18	25	45
35-49	529	8.7	76	1	1	6	12	20	25	42
50-64	530	12.3	160	1	1	9	17	29	40	55
65+	676	17.0	195	2	2	14	25	36	42	76
2. MULTIPLE DX										
0-19 YRS	956	12.6	190	1	1	8	17	32	41	67
20-34	1433	14.8	222	1	2	11	21	34	44	93
35-49	1047	17.0	246	1	2	13	24	37	51	86
50-64	1353	20.4	326	2	2	16	29	47	61	99+
65+	2282	26.4	368	3	6	23	36	58	73	99+
TOT. SINGLE DX	3234	10.3	127	1	1	6	14	25	34	52
" MULTIPLE DX	7071	19.6	316	1	2	15	28	45	61	99+
TOTAL 0-19 YRS	1628	10.1	146	1	1	6	13	26	34	62
20-34	2260	12.3	180	1	2	8	17	29	39	81
35-49	1576	14.2	204	1	2	10	20	33	44	76
50-64	1883	18.1	293	1	2	14	25	43	56	98
65+	2958	24.2	344	2	5	20	33	52	69	99+
GRAND TOTAL	**10305**	**16.7**	**275**	**1**	**2**	**12**	**24**	**39**	**53**	**93**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	4.8	62	<1	1	2	4	9	21	45
20-34	425	4.6	42	<1	1	2	5	10	16	37
35-49	228	6.7	104	<1	1	3	6	19	33	66
50-64	168	7.2	134	<1	1	3	7	17	29	70
65+	98	9.9	140	1	1	4	17	26	32	99+
2. MULTIPLE DX										
0-19 YRS	268	7.5	161	1	1	2	6	21	37	67
20-34	455	13.7	288	1	1	6	22	42	62	99+
35-49	336	13.0	324	1	1	5	19	43	67	99+
50-64	345	15.5	398	1	2	7	20	49	74	99+
65+	350	20.8	450	1	2	15	34	60	86	99+
TOT. SINGLE DX	1204	5.8	82	<1	1	3	5	15	25	47
" MULTIPLE DX	1754	14.4	346	1	1	6	21	46	69	99+
TOTAL 0-19 YRS	553	6.1	112	<1	1	2	5	16	28	50
20-34	880	9.3	191	1	1	3	10	27	43	99+
35-49	564	10.4	244	1	1	4	12	35	54	99+
50-64	513	12.8	327	1	1	5	15	38	66	99+
65+	448	18.4	403	1	2	12	28	53	84	99+
GRAND TOTAL	**2958**	**10.9**	**256**	**1**	**1**	**4**	**14**	**34**	**53**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1748	2.3	3	<1	<1	2	2	4	6	10
20-34	1196	3.0	8	<1	<1	2	4	6	8	15
35-49	953	3.4	13	<1	1	2	4	6	8	17
50-64	1082	3.0	8	<1	1	2	4	5	6	15
65+	461	3.4	12	<1	1	3	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	978	3.5	29	<1	1	2	4	7	10	29
20-34	1277	5.1	27	<1	1	3	6	11	16	26
35-49	1360	6.0	60	1	1	4	7	11	17	47
50-64	2018	6.4	57	1	2	4	7	15	20	44
65+	1810	11.5	155	1	2	8	15	27	40	99+
TOT. SINGLE DX	5440	2.9	8	<1	1	2	3	5	7	14
" MULTIPLE DX	7443	7.0	81	1	1	4	8	16	23	62
TOTAL 0-19 YRS	2726	2.7	13	<1	<1	2	3	5	7	16
20-34	2473	4.1	19	<1	1	3	5	8	11	23
35-49	2313	4.9	42	<1	1	3	6	9	14	36
50-64	3100	5.2	43	1	1	3	5	11	17	35
65+	2271	9.9	138	1	2	6	13	23	36	99+
GRAND TOTAL	**12883**	**5.2**	**54**	**<1**	**1**	**3**	**6**	**11**	**18**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	3.5	5	1	1	3	4	6	7	14
20-34	119	5.6	51	1	1	3	6	10	21	41
35-49	111	4.8	17	1	1	3	6	12	14	20
50-64	104	5.5	40	1	1	3	6	14	19	32
65+	88	6.3	21	1	2	5	9	13	16	20
2. MULTIPLE DX										
0-19 YRS	158	7.1	97	1	1	5	8	14	22	55
20-34	265	7.6	53	2	2	5	9	14	22	37
35-49	287	9.3	78	2	2	7	11	17	27	52
50-64	439	10.3	98	2	3	8	12	20	25	52
65+	804	12.6	112	3	4	10	16	25	31	55
TOT. SINGLE DX	508	5.2	30	1	1	4	6	11	16	26
" MULTIPLE DX	1953	10.5	99	2	3	8	13	21	28	51
TOTAL 0-19 YRS	244	5.9	68	1	1	4	7	10	16	39
20-34	384	7.0	54	1	2	5	8	14	22	38
35-49	398	8.0	66	1	2	6	10	16	22	43
50-64	543	9.4	91	2	2	7	12	19	24	44
65+	892	12.0	107	2	3	9	15	24	29	53
GRAND TOTAL	**2461**	**9.4**	**89**	**2**	**2**	**7**	**12**	**20**	**26**	**48**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	4.2	15	1	1	3	5	9	12	20
20-34	10716	5.1	22	1	1	3	7	11	14	22
35-49	14231	5.5	26	1	1	3	7	12	15	24
50-64	7758	5.5	29	1	1	3	7	12	16	25
65+	2072	6.4	39	1	1	4	9	15	19	28
2. MULTIPLE DX										
0-19 YRS	487	6.3	43	1	1	4	8	14	19	30
20-34	6266	7.5	47	1	2	6	10	16	20	30
35-49	9677	8.0	53	1	2	6	11	16	21	35
50-64	8780	8.8	71	1	2	6	12	18	24	42
65+	4739	11.4	113	2	2	9	15	23	31	56
TOT. SINGLE DX	35576	5.4	26	1	1	3	7	12	15	24
" MULTIPLE DX	29949	8.6	69	1	2	6	11	18	23	41
TOTAL 0-19 YRS	1286	5.0	27	1	1	3	6	11	15	24
20-34	16982	6.0	33	1	1	4	8	13	17	26
35-49	23908	6.5	39	1	2	4	9	14	18	29
50-64	16538	7.2	54	1	2	5	10	16	21	35
65+	6811	9.9	96	1	2	7	13	21	28	50
GRAND TOTAL	**65525**	**6.9**	**48**	**1**	**2**	**4**	**9**	**15**	**19**	**33**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	298	5.3	46	1	2	3	6	11	15	29
20-34	972	5.6	48	1	2	3	7	11	16	32
35-49	1365	5.3	30	1	2	3	6	11	15	28
50-64	2660	4.8	24	1	2	3	6	10	14	23
65+	2627	5.2	40	1	2	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	236	8.2	107	2	2	5	9	18	34	78
20-34	988	8.7	87	2	2	6	11	19	26	48
35-49	1919	8.4	93	2	2	6	10	17	25	59
50-64	6115	8.3	76	2	2	6	10	18	24	50
65+	8322	9.0	78	2	2	7	11	18	25	47
TOT. SINGLE DX	7922	5.1	34	1	2	3	6	10	15	27
" MULTIPLE DX	17580	8.7	80	2	2	6	11	18	25	49
TOTAL 0-19 YRS	534	6.6	75	1	2	4	8	14	22	52
20-34	1960	7.2	71	1	2	4	9	15	22	42
35-49	3284	7.1	70	1	2	5	9	15	21	42
50-64	8775	7.3	63	2	2	5	9	15	21	43
65+	10949	8.1	72	2	2	6	10	17	23	44
GRAND TOTAL	**25502**	**7.6**	**69**	**2**	**2**	**5**	**9**	**16**	**22**	**44**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.6	17	2	2	5	8	12	12	12
20-34	47	3.6	6	1	2	2	4	8	10	11
35-49	383	3.6	13	1	2	2	3	8	10	18
50-64	750	3.5	10	1	2	2	4	7	10	17
65+	224	3.8	11	1	2	2	4	9	12	17
2. MULTIPLE DX										
0-19 YRS	7	3.3	5	2	2	2	4	7	8	8
20-34	91	4.9	18	1	2	3	6	11	14	20
35-49	983	4.9	19	2	2	3	6	11	14	22
50-64	2556	5.1	27	2	2	3	6	12	16	25
65+	1111	6.5	42	1	2	4	9	14	19	31
TOT. SINGLE DX	1409	3.6	11	1	2	2	4	8	11	17
" MULTIPLE DX	4748	5.4	29	2	2	3	7	12	16	26
TOTAL 0-19 YRS	12	4.3	10	2	2	3	6	9	12	12
20-34	138	4.4	15	1	2	3	5	10	13	20
35-49	1366	4.5	18	2	2	3	5	10	14	21
50-64	3306	4.8	24	1	2	3	6	11	15	24
65+	1335	6.1	38	1	2	3	8	14	19	29
GRAND TOTAL	**6157**	**5.0**	**26**	**1**	**2**	**3**	**6**	**11**	**15**	**25**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	545	4.9	32	1	1	3	6	11	16	27
20-34	2345	5.9	27	1	1	4	8	12	15	23
35-49	2914	5.7	26	1	1	4	8	12	15	24
50-64	4415	5.4	25	1	1	3	8	12	15	22
65+	4154	5.7	33	1	1	3	8	13	16	27
2. MULTIPLE DX										
0-19 YRS	651	6.4	58	1	1	4	8	14	18	41
20-34	2834	8.0	65	1	2	6	11	16	22	39
35-49	5473	8.2	58	2	2	6	11	16	21	38
50-64	13533	8.2	63	2	2	6	11	17	22	40
65+	17938	10.0	87	2	2	8	13	20	27	49
TOT. SINGLE DX	14373	5.6	28	1	1	4	8	12	15	24
" MULTIPLE DX	40429	8.9	74	2	2	7	12	18	24	44
TOTAL 0-19 YRS	1196	5.7	47	1	1	3	7	13	17	36
20-34	5179	7.0	49	1	1	5	9	14	19	33
35-49	8387	7.3	49	1	2	5	10	15	19	34
50-64	17948	7.5	55	1	2	5	10	16	20	36
65+	22092	9.2	80	2	2	7	12	19	25	46
GRAND TOTAL	**54802**	**8.1**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**40**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45794	4.0	19	1	1	3	5	7	9	20
20-34	67200	4.5	22	1	1	3	5	9	12	24
35-49	48936	5.3	26	1	1	4	7	11	14	26
50-64	43281	6.1	32	1	2	5	8	12	16	28
65+	41353	7.6	45	2	2	6	9	15	19	35
2. MULTIPLE DX										
0-19 YRS	58815	5.1	42	1	1	4	6	9	14	36
20-34	91461	6.1	39	1	2	4	7	12	17	32
35-49	105594	7.2	42	2	2	5	9	14	19	33
50-64	175936	8.4	52	2	3	6	10	16	21	38
65+	338015	10.4	78	2	3	8	13	20	27	49
TOT. SINGLE DX	246564	5.4	30	1	1	4	7	11	14	28
" MULTIPLE DX	769821	8.6	64	2	2	6	11	17	23	42
TOTAL 0-19 YRS	104609	4.6	33	1	1	3	5	8	12	30
20-34	158661	5.4	33	1	1	4	7	10	15	30
35-49	154530	6.6	38	1	2	5	8	13	17	31
50-64	219217	7.9	49	2	2	6	10	15	20	36
65+	379368	10.1	76	2	3	8	12	20	26	48
GRAND TOTAL	**1016385**	**7.8**	**57**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16240	6.2	81	1	1	4	6	12	23	52
20-34	12485	8.7	80	1	2	6	10	18	26	45
35-49	12415	8.3	52	2	2	6	10	16	21	38
50-64	10282	8.4	50	2	2	7	11	16	21	38
65+	9223	9.8	74	2	3	8	12	18	25	48
2. MULTIPLE DX										
0-19 YRS	18968	7.8	104	1	2	4	8	18	28	59
20-34	19988	8.9	84	2	2	6	10	18	26	50
35-49	22581	9.1	63	2	3	7	11	17	23	43
50-64	34246	9.9	74	2	3	8	12	19	25	48
65+	69154	11.9	98	3	4	9	15	23	31	57
TOT. SINGLE DX	60645	8.1	71	1	2	6	10	16	23	44
" MULTIPLE DX	164937	10.3	90	2	3	8	13	20	28	53
TOTAL 0-19 YRS	35208	7.1	94	1	2	4	7	15	26	56
20-34	32473	8.8	83	2	2	6	10	18	26	49
35-49	34996	8.8	60	2	3	7	11	17	23	42
50-64	44528	9.5	69	2	3	7	12	18	24	45
65+	78377	11.7	96	3	4	9	14	22	30	56
GRAND TOTAL	**225582**	**9.7**	**86**	**2**	**3**	**7**	**12**	**19**	**27**	**51**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35858	4.0	18	1	1	3	5	7	9	19
20-34	18074	4.9	34	1	1	3	6	9	14	32
35-49	13565	5.8	33	1	2	4	7	12	16	29
50-64	14570	6.7	36	1	2	5	8	14	17	31
65+	15789	7.8	50	2	2	6	10	15	20	37
2. MULTIPLE DX										
0-19 YRS	45780	5.3	41	1	2	4	6	9	14	36
20-34	28895	6.2	50	1	1	4	7	12	18	37
35-49	34727	7.1	45	1	2	5	9	14	19	35
50-64	70003	8.3	51	2	2	6	10	16	21	37
65+	144411	10.2	75	2	3	8	13	19	26	47
TOT. SINGLE DX	97856	5.4	33	1	1	4	6	11	15	29
" MULTIPLE DX	323816	8.4	64	2	2	6	10	17	22	42
TOTAL 0-19 YRS	81638	4.7	32	1	1	3	5	8	11	30
20-34	46969	5.7	44	1	1	4	6	11	17	35
35-49	48292	6.7	42	1	2	5	8	13	18	34
50-64	84573	8.0	50	2	2	6	10	15	20	36
65+	160200	9.9	74	2	3	8	12	19	25	46
GRAND TOTAL	**421672**	**7.7**	**58**	**1**	**2**	**5**	**10**	**15**	**21**	**40**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin